



0800 442 182

TransNet



Your Partners in Power

# SAFETY PRODUCTS CATALOGUE

SECOND EDITION

QUALITY  
COMMITMENT  
RELIABILITY


[www.transnet.co.nz](http://www.transnet.co.nz)



## TRANSNET NEW ZEALAND LIMITED

At TransNet we offer a large range of products to the Electrical Distribution, Transmission, Rail, OEM and Wholesale Industry. We have the expertise and knowledge to assist with equipment specification as well as providing hands on service and support in the field.

With four stocking distribution facilities in Australasia and 24 hour contact, TransNet is able to offer local support and fast delivery. Your partners in power, we here at TransNet, pride ourselves on the ability to react quickly to any situation and have product to you whenever and wherever you need it.



### TRANSNET NEW ZEALAND LIMITED DISCLAIMER

TransNet NZ Limited has made every reasonable effort to ensure the accuracy of this information and it is, to the best of our knowledge, correct and reliable. Under no circumstances does this constitute an assurance of any particular quality or performance and users should independently evaluate the suitability of product for the desired application. All information in this publication including pricing,

drawings, illustrations, images and graphic designs are reflections of our current understanding. TransNet NZ Limited reserves the right to make any adjustment to this information at any time. Our liability for the products outlined in this catalogue is set forth in our standard terms and conditions of trade. In case of any potential ambiguities or questions, please contact us for clarification.

### TRANSNET NEW ZEALAND LTD

#### AUCKLAND

78 Cryers Road  
East Tamaki  
Auckland  
NEW ZEALAND  
  
Ph 0800 442 182  
PO Box 39 383  
Howick, Auckland  
  
sales@transnet.co.nz  
  
NEW ZEALAND

#### WELLINGTON

10 Petone Ave  
Petone  
Wellington  
NEW ZEALAND  
  
Ph 0800 442 182  
PO Box 39 383  
Howick, Auckland  
  
sales@transnet.co.nz  
  
NEW ZEALAND

#### ISO 14001 CERTIFIED

#### ISO 14064-1 CERTIFIED

#### Toitū carbonreduce CERTIFIED

### TRANSNET TONGA

#### TONGA

Lakalakaimonu Multi Utility Complex  
Taufa'ahau Road, Poutaha  
Nuku'alofa  
TONGA  
  
Ph +67 627 939  
PO Box 2932  
Nuku'alofa  
  
transnet@kalianet.to  
  
TONGA



3	ARC RATED PROTECTIVE CLOTHING
15	FLAME RETARDANT/ANTISTATIC RAINWEAR
21	PROTECTIVE WORKWEAR
25	ARC RATED FACE, HEAD, & NECK PROTECTION
31	HEAD PROTECTION
41	HEARING PROTECTION
45	PROTECTIVE EYEWEAR
51	HAND PROTECTION
65	INSULATING MATS, COVERS, LINE PROTECTION
71	SAFETY FOOTWEAR & ACCESSORIES
81	LADDERS
87	HEIGHT SAFETY
95	FIRST AID
107	ENVIRONMENTAL PROTECTION
117	DANGEROUS GOODS STORAGE
121	GENERAL WORKPLACE SAFETY
133	CATALOGUE INDEX

## TRANSNET OFFERS A COMPREHENSIVE RANGE OF PRODUCTS...

Cable Accessories



Tools



Test & Measurement



EVSE



Connectors



Heatshrink



Duct Seals & Glands



Cable Management



Cable Protection



Circuit Protection



Earthing



ECOLight LED Lights



Fireproofing



Hazardous Area Solutions



Switchgear



Asset Protection



Line Hardware



Insulators



Pillars & Pits



Personal Insulating & Safety Equipment



**WHENEVER, WHEREVER, WE'VE GOT IT.**



PAGE	CATEGORY
4	<b>HRC1 4.2CAL CLOTHING</b>
4	Arc Rated Merino Base Layers
PAGE	<b>HRC2/PPE2 CLOTHING</b>
5	Arc Armour TTMC-W23 8.7Cal Arc Rated Jacket
5	Arc Armour 15Cal Arc Rated Cargo Pants
6	Arc Armour TTMC-W23 8.7Cal Arc Rated Overall
6	TTMC-W23 Arc Rated 10Cal Polo Shirt
7	Arc Rated 10Cal Belt Loop Cargo Pant
7	Arcmax 8.2Cal Chainsaw Trousers
8	TTMC-W23 100% Cotton FR 8.7Cal Jacket
8	100% Cotton FR Elastic Waist 8.7Cal Cargo Pant
8	16Cal Arc Rated TTMC-W23 Softshell Jacket
PAGE	<b>HRC3/PPE3 CLOTHING</b>
9	25Cal Jacket & Bib Overall Kit - Switchgear Hood
9	25Cal Coverall Kit - Switchgear Hood
PAGE	<b>HRC4/PPE4 CLOTHING</b>
10	40Cal Premium Jacket
10	40Cal Premium Bib Overall
11	40Cal Premium Coat
12	40Cal Premium Jacket & Bib Overall Kit - Switchgear Hood
12	40Cal Premium Jacket & Bib Overall Kit - Lift Front Hood
13	60Cal Jacket & Bib Overall Kit - Switchgear Hood
13	100Cal Jacket & Bib Overall Kit With Fans - Switchgear Hood



# HRC1 4.2CAL CLOTHING

## ARC RATED MERINO BASE LAYERS

These superior quality garments are designed for the workplace and offer ultimate comfort and durability. Merino wool provides natural warmth, breathability, and temperature regulation, and is blended with FR treated Viscose.

### FEATURES

- High quality 50% Merino Wool / 50% FR treated Viscose fabric sewn with FR thread
- ATPV 4.2Cal/cm<sup>2</sup> Arc Rating
- Size options from S-5XL
- HRC1 labels are sewn into each garment
- Machine washable & quick drying

### COMPLIANCE & STANDARDS

AS/NZS 1906.4:2010  
Hi Visibility material for Safety Garments

- Class D: Daytime use

### Durability

- AS 2001.4.15:1994 - Determination of Colourfastness to Washing
- AS 2001.4.E04:2005 - Determination of Colourfastness to Perspiration
- AS 2001.4.B02-2001 - Colourfastness after UV Exposure (Dry)

ASTM F1506-18  
Garments for Electrical Safety in the Workplace

- ASTM F1959/F1959M-14  
Arc Rating: ATPV 4.2Cal/cm<sup>2</sup>
- NFPA70E CAT1: HRC1/  
PPE1
- ASTM6413/6413M-15  
Vertical Flame Test



BMFR821



BMFR823



BMFR822



BMFR866



BMFRNECK85



BMFRBEAN84-XL



BMFRBALA82

### Description

Cat No.	Description	Size
BMFR821	MEN'S LONG SLEEVE CREW	S-5XL
BMFR823	MEN'S SHORT SLEEVE V	S-5XL
BMFR822	MEN'S LONG JOHNS	S-5XL
BMFR866	MEN'S BOXERS	S-5XL
BMFRBEAN84-XL	SKULL BEANIE	ONE SIZE
BMFRBEAN83	FR BEANIE LONG	ONE SIZE
BMFRNECK85	NECK WARMER	ONE SIZE
BMFRBALA82	BALAACLAVA	ONE SIZE

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL




# HRC2/PPE2 CLOTHING

## ARC ARMOUR TTMC-W23 8.7CAL ARC RATED JACKET

### FEATURES

- 215gsm Arc Armour fabric
- Arc Rating 8.7Cal HRC2/PPE2
- Inherently Flame Retardant, Antistatic and Arc Flash Protection TTMC-W23 Compliant
- 2 Way Non-Conductive Zip
- 215gsm Woven Lenzing Blend, 8.7Cal
- Heat Applied Segmented Reflective Tape

- 2 Large Chest Pockets with Velcro Closures
- Adjustable Sleeve Cuffs
- Water and Oil Treatment for improved soil release
- All finishes Bartacked



Cat No.	Description	Size
AA215JACKET	ARC ARMOUR TTMC-W23 ARC RATED JACKET	4-15

Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15


**NOTE:** 04 = XXS, 05 = XS, 06 = S, 07 = M, 08 = L, 09 = XL, 10 = 2XL, 11 - 3XL, 12 = 4XL, 13 = 5XL, 14 = 6XL, 15 = 7XL

## ARC ARMOUR 15CAL ARC RATED CARGO PANTS

### FEATURES

- 215gsm Arc Armour fabric
- Arc Rating 15.0Cal HRC2/PPE2
- Inherently Flame Retardant, Antistatic and Arc Flash Protection
- 215gsm Woven Lenzing Blend, 15.0Cal
- Hard Wearing Double Layer Knee
- 2 Large Cargo Pockets with Velcro Closure
- Elasticated Waist with Cotton Drawstring for comfort

- Heat Applied Segmented Reflective Tape
- Zip Gusset openings on Leg for ease of entry and exit of Safety Boots
- Water and Oil Treatment for improved soil release
- All finishes Bartacked



Cat No.	Description	Size
AA215PANT	ARC ARMOUR CARGO PANTS NAVY	4-15

Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15

**NOTE:** 04 = XXS, 05 = XS, 06 = S, 07 = M, 08 = L, 09 = XL, 10 = 2XL, 11 - 3XL, 12 = 4XL, 13 = 5XL, 14 = 6XL, 15 = 7XL



## ARC ARMOUR TTMC-W23 8.7CAL ARC RATED OVERALL

### FEATURES

- 215gsm Arc Armour fabric
- Arc Rating 8.7Cal HRC2/PPE2
- Inherently Flame Retardant, Antistatic and Arc Flash Protection TTMC-W23 Compliant
- 2 Way Non-Conductive Zip
- 215gsm Woven Lenzing Blend 8.7Cal
- Twin Stitch FR Reflective Tape Application
- 2 Large Chest Pockets with Velcro Closure
- 2 Large Leg Cargo Pockets with Velcro Closure
- Zip Gusset openings on Legs for ease of entry and exit of Safety Boots
- Adjustable Sleeve Cuffs
- Water and Oil Treatment for improved soil release
- All finishes Bartacked



Cat No.	Description	Size
AA215OVERALL	ARC ARMOUR TTMC-W23 ARC RATED OVERALL ORANGE/NAVY	4-15

Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15

**NOTE:** 04 = XXS, 05 = XS, 06 = S, 07 = M, 08 = L, 09 = XL, 10 = 2XL, 11 - 3XL, 12 = 4XL, 13 = 5XL, 14 = 6XL, 15 = 7XL

## TTMC-W23 ARC RATED 10CAL POLO SHIRT

### FEATURES

- HRC 2/10Cal inherent protection at a light 255gsm weight
- Unmatched comfort and coolness thanks to the breathable and soft fabric
- Meets and exceeds all recent NENS, ISO and NFPA Design Guidelines
- All reflective tape, buttons, threads, mesh are FR rated
- Concealed FR centre placket for extra protection
- One chest pocket
- Label that clearly shows FR rating of garment so workers can be quickly identified as having the right level of protection



Cat No.	Description	Size
ZH660	ARC RATED POLO SHIRT	XS-6XL + 8XL

Add suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL, -6XL, -8XL



## ARC RATED 10CAL BELT LOOP CARGO PANT

### FEATURES

- Unmatched comfort and coolness thanks to the highly wickable, breathable and soft Modatech® fabric
- All trims are FR rated
- Two side cargo pockets with flaps and FR press stud closures
- Two back hip pockets with flaps and FR press stud closures
- FR rated mesh in the waist band to keep you cool
- Crotch gusset for increased freedom of movement
- FR rated label that clearly shows FR rating of garment
- Loxy FR Tape
- 55% Modacrylic 43% Cotton 2% Anti-Static - 240 gsm
- HRC 2 inherent protection at a light 240 gsm weight
- Double layer knee for increased durability
- Crotch gusset for increased freedom of movement

Cat No.	Description	Size
ZP511	ARC RATED BELT LOOP CARGO PANT	72-132CM WAIST
Add suffix for size: -72, -77, -82, -87, -92, -97, -102, -107, -112, -117, -122, -127, -132		
ZP512	ARC RATED BELT LOOP WOMEN'S CARGO PANT	8-24
Add suffix for size: -8, -10, -12, -14, -16, -18, -20, -22, -24		



## ARCMAX 8.2CAL CHAINSAW TROUSERS

Designed for Tree Workers with fire or Arc Flash Risk. Arcmax Trousers uniquely deliver on the promise of fire protection with all components fully FR Rated including the Chainsaw protection materials.

### FEATURES

- Chainsaw Protection from Waist to Ankle, exceeding the standard by 15%
- Fully FR, including Outer Fabric, Chainsaw Protective Fabrics and Linings
- Outer Fabric Rated to 8.2Cal
- Ripstop Outer fabric for high tear strength and durability

### CERTIFICATIONS

- Certified by Bureau Veritas NZ to AS/NZS 4453.3:1997
- Outer Fabric Rated 8.2Cal, HRC Category 2

Cat No.	Description	Size
T91F	ARCMAX CHAINSAW TROUSERS	XS-2XL
Add suffix for size: -XS, -S, -M, -L, -XL, -2XL		





## TTMC-W23 100% COTTON FR 8.7CAL JACKET

### FEATURES

- 240gsm treated 100% cotton fabric
- Arc rating 8.7Cal HRC2/PPE2
- Twin Stitch FR Reflective Tape application
- 2 way non-conductive zip
- 2 large breast pockets with Velcro closures
- Adjustable sleeve cuffs
- All finishes bartacked



Cat No.	Description	Size
OAFRJACK	100% COTTON FR 8.7CAL JACKET	4-15

Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15

## 100% COTTON FR ELASTIC WAIST 8.7CAL CARGO PANT

### FEATURES

- 240gsm treated 100% cotton fabric
- Arc rating 8.7Cal HRC2/PPE2
- Elasticated waist with cotton drawstring for comfort
- Hard wearing double layer knee
- 2 side entry pockets + 2 large cargo pockets with Velcro closure
- Twin Stitch Reflective Tape application
- Zip gusset openings on leg for ease of entry and exit of safety boots
- All finishes bartacked



Cat No.	Description	Size
OAFRTROU	100% COTTON FR ELASTIC WAIST 8.7CAL CARGO PANT	4-15

Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15

## 16CAL ARC RATED TTMC-W23 SOFTSHELL JACKET

### FEATURES

- Arc Rated / Inherent FR / Antistatic
- Large Front Pockets
- Segmented FR reflective tape
- Long tail design for extra coverage
- ATPV 16Cal/cm<sup>2</sup>

### FABRIC

- 360gsm Inherent Modacrylic blend inner & Poly outer



Cat No.	Description	Size
36317ON	TTMC-W23 SOFTSHELL JACKET	XS-4XL, 6XL, 8XL

Add suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL, -8XL





# HRC3/PPE3 CLOTHING

## 25CAL JACKET & BIB OVERALL KIT - SWITCHGEAR HOOD

### FEATURES

- 25Cal/cm<sup>2</sup> ATPV rating/CAT 3
- Meets ASTM F1506 & 2178 standards
- 32" long jacket, 32" inseam overall
- Lightweight 25Cal hood
- Meets current NFPA 70E standards
- 88/12 Premium Indura Cotton Blend
- Non-metallic/non-conductive materials
- 16" leg slit

**NOTE:** For further information about hoods see p. 28.

### KIT INCLUDES

- 25Cal Jacket
- 25Cal Bib Overall
- Hard Hat (Class E Rated)
- Faceshield (HT CLEAR® Lens)
- Assembled 25Cal Switchgear Hood
- Safety Glasses
- Headgear Storage Bag
- Compact Duffle Bag



Cat No.	Description	Size
AFW25-NJB	25CAL JACKET & BIB OVERALL KIT - SWITCHGEAR HOOD	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL

## 25CAL COVERALL KIT - SWITCHGEAR HOOD

### FEATURES

- 25Cal/cm<sup>2</sup> ATPV rating/CAT 3
- Meets ASTM F1506 & 2178 standards
- 30" standard inseam
- Dual expansive back paneling
- Elastic waistband (6" of adjustment)
- Lightweight 25Cal hood
- Meets current NFPA 70E standards
- 88/12 Premium Indura Cotton Blend
- Non-metallic/non-conductive materials
- 16" leg slit

**NOTE:** For further information about hoods see p. 28.

### KIT INCLUDES

- 25Cal Coverall
- Hard Hat (Class E Rated)
- Faceshield (HT CLEAR® Lens)
- Assembled 25Cal Switchgear Hood
- Safety Glasses
- Headgear Storage Bag
- Compact Duffle Bag



Cat No.	Description	Size
AFW25-NFC	25CAL COVERALL KIT - SWITCHGEAR HOOD	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL



# HRC4/PPE4 CLOTHING

## 40CAL PREMIUM JACKET

### FEATURES

- 40Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread
- 32" long
- Dual stage front closure with high temperature plastic zipper
- FR Hook & Pile storm flap
- Coats are intended to be used with Switching Hoods
- Meets current ASTM F1506 and NFPA 70E standards



Cat No.	Description	Size
AFW040-NFJ	40CAL PREMIUM JACKET	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL

## 40CAL PREMIUM BIB OVERALL

### FEATURES

- 40Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread
- Integrated heavy duty suspenders
- Relaxed cut for greater mobility
- 32" inseam
- Adjustable Hook and Pile waist straps
- Bib front for added protection
- Meets current ASTM F1506 and NFPA 70E standards



Cat No.	Description	Size
AFW040-NFBO	40CAL PREMIUM BIB OVERALL	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL



## 40CAL PREMIUM COAT

### FEATURES

- 40Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup>- Sewn with Nomex® thread
- 50" long
- 10" coat slit for advanced mobility
- Dual stage front closure with high temperature plastic zipper
- FR Hook & Pile storm flap
- Coats are intended to be used with Switching Hoods and 40Cal non-metallic leggings
- Meets current ASTM F1506 and NFPA 70E standards



Cat No.	Description	Size
AFW040-NFCO	40CAL PREMIUM COAT	S-5XL
AFW040PL-NF	40CAL PREMIUM LEGGINGS	ONE SIZE

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL

## Customise your safety clothing



## Your logo here? Talk to us now.



## 40CAL PREMIUM JACKET & BIB OVERALL KIT - SWITCHGEAR HOOD

### FEATURES

- 40Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup>- Sewn with Nomex® thread
- 32" long jacket, 32" inseam overall
- Lightweight 40Cal hood
- Meets current ASTM F1506, ASTM 2178, and NFPA 70E standards

### KIT INCLUDES

- 40Cal Jacket - Premium
- 40Cal Bib Overall - Premium
- Hard Hat (Class E Rated)
- Faceshield (HT CLEAR® Lens)
- Assembled 40Cal Switchgear Hood - Premium
- Safety Glasses
- Headgear Storage Bag
- Compact Duffle Bag

**NOTE:** For further information about hoods see p. 28.

Cat No.	Description	Size
AFW40-NFJB	40CAL PREMIUM JACKET & BIB OVERALL KIT WITH CLEAR SWITCHGEAR HOOD	S-5XL
AFW40F-NFJB	40CAL PREMIUM JACKET & BIB OVERALL KIT WITH CLEAR SWITCHGEAR HOOD & FANS	S-5XL
AFW40FL-NFJB	40CAL PREMIUM JACKET & BIB OVERALL KIT WITH CLEAR SWITCHGEAR HOOD, FANS, & LIGHT	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL



## 40CAL PREMIUM JACKET & BIB OVERALL KIT - LIFT FRONT HOOD

### FEATURES

- 40Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup>- Sewn with Nomex® thread
- 32" long jacket, 32" inseam overall
- Lightweight 40Cal hood
- Standard or lift front clear hood options
- Meets current ASTM F1506, ASTM 2178, and NFPA 70E standards

### KIT INCLUDES

- 40Cal Jacket - Premium
- 40Cal Bib Overall - Premium
- Hard Hat (Class E Rated)
- Faceshield (HT CLEAR® Lens)
- Assembled 40Cal Lift Front Hood - Premium
- Headgear Storage Bag
- Compact Duffle Bag

**NOTE:** For further information about hoods see p. 28.

Cat No.	Description	Size
AFW40LF-NFJB	40CAL PREMIUM JACKET & BIB OVERALL KIT WITH CLEAR LIFT FRONT HOOD	S-5XL
AFW40LF-F-NFJB	40CAL PREMIUM JACKET & BIB OVERALL KIT WITH CLEAR LIFT FRONT HOOD & FANS	S-5XL
AFW40LF-FL-NFJB	40CAL PREMIUM JACKET & BIB OVERALL KIT WITH CLEAR LIFT FRONT HOOD, FANS, & LIGHT	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, 5XL





## 60CAL JACKET & BIB OVERALL KIT - SWITCHGEAR HOOD

### FEATURES

- 60Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Meets current ASTM F1506, ASTM 2178, and NFPA 70E standards
- 32" long jacket, 32" inseam overall
- Lightweight 60Cal hood
- 88/12 Premium Indura Cotton Blend
- Non-metallic/non-conductive materials
- 16" leg slit

### KIT INCLUDES

- 60Cal Jacket
- 60Cal Bib Overall
- Hard Hat (Class E Rated)
- Faceshield (HT CLEAR® Lens)
- Assembled 60Cal Switchgear Hood
- Safety Glasses
- Headgear Storage Bag
- Compact Duffle Bag

**NOTE:** For further information about hoods see p. 29.



Cat No.	Description	Size
AFW60-NJB	60CAL JACKET & BIB OVERALL KIT WITH CLEAR SWITCHGEAR HOOD	S-5XL
AFW60F-NJB	60CAL JACKET & BIB OVERALL KIT WITH CLEAR SWITCHGEAR HOOD & FANS	S-5XL
AFW60FL-NJB	60CAL JACKET & BIB OVERALL KIT WITH CLEAR SWITCHGEAR HOOD, FANS, & LIGHT	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL

## 100CAL JACKET & BIB OVERALL KIT WITH FANS - SWITCHGEAR HOOD

### FEATURES

- 100Cal/cm<sup>2</sup> ATPV Rating/CAT 4
- Meets current ASTM F1506, ASTM 2178, and NFPA 70E standards
- 32" long jacket, 32" inseam overall
- Lightweight 100Cal hood
- 11oz triple layered Inherent combination
- Non-metallic/non-conductive materials
- 16" leg slit

### KIT INCLUDES

- 100Cal Jacket
- 100Cal Bib Overall
- Hard Hat (Class E Rated)
- 100Cal Legacy Green Shield
- Dual 9V Fan Units
- Assembled 100Cal Switchgear Hood
- Safety Glasses
- Headgear Storage Bag
- Compact Duffle Bag

**NOTE:** For further information about hoods see p. 29.



Cat No.	Description	Size
AFW100F-BJB	100CAL JACKET & BIB OVERALL KIT WITH SWITCHGEAR HOOD & FANS	S-5XL
AFW100FL-BJB	100CAL JACKET & BIB OVERALL KIT WITH SWITCHGEAR HOOD, FANS, & LIGHT	S-5XL

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL



# Complete the package



## Arc Rated Hoods from page 28

PAGE	CATEGORY
<b>16</b>	<b>FLAME RETARDANT ANTISTATIC RAINWEAR</b>
<b>16</b>	Flame Retardant Antistatic TTMC-W23 Jacket with Mesh Lining
<b>16</b>	Flame Retardant Antistatic Bib Overtrouser
<b>17</b>	Flame Retardant TTMC-W23 Vest with Fleece Lining
<b>17</b>	Flame Retardant Antistatic Trouser
PAGE	ARC RATED ANTISTATIC RAINWEAR
<b>18</b>	29Cal Arc Rated Antistatic TTMC-W23 Rainwear Jacket
<b>18</b>	29Cal Arc Rated Antistatic Rainwear Overtrouser
<b>19</b>	29Cal Arc Rated Antistatic TTMC-W23 Rainwear Vest
<b>19</b>	29Cal Arc Rated Antistatic Rainwear Bib Trouser





# FLAME RETARDANT ANTISTATIC RAINWEAR

## FLAME RETARDANT ANTISTATIC TTMC-W23 JACKET WITH MESH LINING

### FEATURES

- Provision for V47RVEST to zip inside
- Arms stay dry with storm cuffs
- Complete flame protection with FR material and UltraFlect® reflective tape
- Anti-static carbon grid material
- Water column: mm H20:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
47RJKT	FLAME RETARDANT/ANTISTATIC TTMC-W23 JACKET ORANGE	XS-4XL & 6XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL

## FLAME RETARDANT ANTISTATIC BIB OVERTROUSER

### FEATURES

- External chest pocket, tough crutch strengthened
- Double band of fire retardant UltraFlect® reflective tape
- Antistatic carbon grid
- Water column: mm H20:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
BIOPO	FLAME RETARDANT/ANTISTATIC BIB OVERTROUSER ORANGE	S-4XL & 6XL

Use suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL



## FLAME RETARDANT TTMC-W23 VEST WITH FLEECE LINING

### FEATURES

- Chest smartphone pocket, premium zips
- Fire retardant polyfleece liner

- Radio pocket with external access for handpiece
- Anti-static carbon grid material
- Water column: mm H20:16,000mm
- Breathability: 4,000g/m2/24H



Cat No.	Description	Size
V47RVEST	FLAME RETARDANT/ANTISTATIC TTMC-W23 VEST ORANGE	XS-4XL & 6XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL

## FLAME RETARDANT ANTISTATIC TROUSER

### FEATURES

- FR / Antistatic
- Waterproof zips on fly and pockets
- Rear pockets with storm flap closure
- Elasticated waist with fly front
- YKK zipped gussets at ankle

- Completely seam sealed
- Double band of Ultra-Flect retro-reflective tape
- AS/NZS 1906.4.2010 Water Resistance H20:20,000mm
- 300D Poly Oxford, Antistatic carbon grid, with PU backing



Cat No.	Description	Size
140150BKT	FLAME RETARDANT/ANTISTATIC TROUSER ORANGE	XS-4XL & 6XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL



# ARC RATED ANTISTATIC RAINWEAR

## 29CAL ARC RATED ANTISTATIC TTMC-W23 RAINWEAR JACKET

### FEATURES

- Arc Rated / Inherent FR / Antistatic
- 2-way YKK zip at centre front
- Has internal zip to attach Arc rain vest
- Waterproof zipped pockets with storm cover
- Internal mobile phone pockets
- Removable hood can be tucked into collar

- Storm cuffs
- Completely seam sealed
- Arc rating: ATPV = 29Cal/cm<sup>2</sup>
- PPE Category Level 3 in accordance with NFPA 70E
- Water Resistance H20:20,000mm

### FABRIC

300D Poly Oxford, anti-static carbon grid, with Modacrylic liner, & FR cotton lining.



Cat No.	Description	Colour	Size
32317ONX	29CAL ARC RATED ANTISTATIC TTMC-W23 RAINWEAR JACKET	ORANGE/ NAVY	XS-4XL, 6XL, 8XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL, -8XL



## 29CAL ARC RATED ANTISTATIC RAINWEAR OVERTROUSER

### FEATURES

- Arc Rated / Inherent FR / Antistatic
- Elasticated waist with internal drawstring
- FR cotton lining
- Zipped gusset with velcro tabs at bottom outer leg
- Nylon domes at hem to draw trousers in
- Completely seam sealed

- Segmented FR Ultra-Flect retro-reflective tape
- Arc rating: ATPV = 29Cal/cm<sup>2</sup>
- PPE Category Level 3 in accordance with NFPA 70E
- Water Resistance H20:20,000mm

### FABRIC

300D Poly Oxford, anti-static carbon grid, with Modacrylic liner, & FR cotton lining.



Cat No.	Description	Colour	Size
14017OT	29CAL ARC RATED ANTISTATIC RAINWEAR OVERTROUSER	ORANGE	XS-4XL, 6XL, 8XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL, -8XL





## 29CAL ARC RATED ANTISTATIC TTMC-W23 RAINWEAR VEST

### FEATURES

- Arc Rated / Inherent FR / Antistatic
- Reversible zip that allows the vest to zip into Arc Jackets
- FR cotton fleece liner
- Wider shoulders for added protection
- Segmented Ultra-Flect FR retro-reflective tape with X-back for front to back differentiation

- Completely seam sealed

- Arc rating: ATPV = 29Cal/cm<sup>2</sup>

- PPE Category Level 3 in accordance with NFPA 70E

- Water Resistance H20:16,000+mm

### FABRIC

300D Poly Oxford, anti-static carbon grid, with Modacrylic liner, and FR cotton lining.



Cat No.	Description	Colour	Size
51317OX	29CAL ARC RATED TTMC-W23 RAINWEAR VEST	ORANGE	XS-4XL, 6XL, 8XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL, -8XL

## 29CAL ARC RATED ANTISTATIC RAINWEAR BIB TROUSER

### FEATURES

- Arc Rated / Inherent FR / Antistatic
- Elasticated waist
- FR cotton lining
- Covered elastic shoulder straps
- Zipped gusset with velcro tabs at bottom outer leg
- Front chest pocket
- Completely seam sealed

- Segmented FR Ultra-Flect retro-reflective tape

- Arc rating: ATPV = 29Cal/cm<sup>2</sup>

- PPE Category Level 3 in accordance with NFPA 70E

### FABRIC

300D Poly Oxford, anti-static carbon grid, with Modacrylic liner, & FR cotton lining.



Cat No.	Description	Colour	Size
12017NT	29CAL ARC RATED ANTISTATIC RAINWEAR BIB TROUSER	NAVY	XS-4XL, 6XL, 8XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL, -3XL, -4XL, -6XL, -8XL



We offer in-house testing of rubber insulating products before dispatch



PAGE	CATEGORY
22	<b>MERINO BASE LAYERS</b>
22	100% Merino Base Layers
PAGE	<b>DISPOSABLE FR COVERALLS</b>
23	AlphaTec® 1500 PLUS FR
23	AlphaTec® FR Coveralls
24	AlphaTec® CFR Coveralls
24	AlphaTec® 4000 CFR



# MERINO BASE LAYERS

## 100% MERINO BASE LAYERS

These superior quality garments are designed for the workplace and offer ultimate comfort and durability.

Merino wool provides natural warmth, breathability, and temperature regulation.

### FEATURES

- High quality 100% fine Merino Wool
- 205gsm
- Size options from S-6XL
- Machine washable & quick drying
- 100% Biodegradable
- 100% Renewable
- Naturally Breathable and Odour Resistant
- Natural Stretch
- Soft on Skin
- Insulates when Wet
- Fire Resistant – UV Resistant

BM001



BM002

BMBEAN1



BMBEAN3



BMNECK1



### Cat No.

### Description

### Size

BM001 LONG SLEEVE CREW, RAGLAN SLEEVE, SHAPED TAIL FOR EXTRA WARMTH S-6XL

BM002 LONG JOHN PANT, ELASTIC WAIST, NO FLY, CUFFED ANKLE S-6XL

BMNECK1 NECK WARMER ONE SIZE

BMBEAN1 BEANIE, DOUBLE LAYER FABRIC ONE SIZE

BMBEAN3 LONG BEANIE, DOUBLE LAYER FABRIC, 5CM APPROX. ONE SIZE

Add suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL, -5XL, -6XL



# DISPOSABLE FR COVERALLS

## ALPHATEC® 1500 PLUS FR

A highly breathable SMMS polypropylene for protection from particulates and light, non-flammable liquid spray or splash\*.

### KEY FEATURES


- Flame-retardant and anti-static SMMS nonwoven provides a good barrier to particulate and low hazard liquid sprays or splashes
- Optimised body fit ensures full freedom of movement when worn over heat and flame protective clothing (EN ISO 14116 Index 2 or above)
- Antistatic, tested according to EN 1149-5
- Latex-free elastic
- Stitched seams

\*AlphaTec 1500 PLUS FR should never be worn in isolation for flame retardant protection. Always wear over the top of garments that achieve EN ISO 14116 Index 2 or above.

- Air and water vapour permeable (breathable) to help reduce the risk of heat stress
- Model 111 coverall features 3-piece hood, 2-way front zipper with re-sealable storm flap, finger loops, elasticated hood, waist, wrists and ankles

### STANDARDS AND CERTIFICATIONS

- PPE Category III



Cat No.	Description	Colour	Size
M15P-FR	1500 PLUS FR COVERALLS	WHITE WITH RED SEAMS	S - 3XL

Use suffix for size: -S, -M, -L, -XL, -2XL, -3XL

## ALPHATEC® FR COVERALLS

Innovative, breathable flame retardant technology. Type 5/6 protection.

### FEATURES:

- Multi-hazard protection from light liquid chemical spray without compromising wearer safety in the event of a flash fire\*
- Flame retardant treated Sontara/wood pulp/polyester fabric with good barrier protection
- Offers protection from particulates to Type 5 and low level liquid spray to Type 6

- Comfortable to wear featuring moisture vapour permeable fabric ("breathable") to help reduce the risk of heat stress
- Optimised body fit, improving wearer comfort and safety
- Model 111 coverall features a 2-piece hood, elasticated hood, waist, wrist and ankles
- External overlocked seams

### STANDARDS AND CERTIFICATIONS

- PPE Category III



\*Alphatec® FR should never be worn in isolation for flame retardant protection. Always wear over the top of garments that achieve EN ISO 14116 Index 2 or above.

Cat No.	Description	Colour	Size
MFR-B	FR COVERALLS	BLUE	S - 3XL

Use suffix for size: -S, -M, -L, -XL, -2XL, -3XL





## ALPHATEC® CFR COVERALLS

Alphatec® CFR is a flame retardant material designed to be worn over thermal protective garments, offering protection from particulates and pressurised liquid splash without compromising worker protection in the event of a flash fire.

### FEATURES:


- Multi-hazard protection from chemical spray without compromising wearer safety in the event of a flash fire\*
- Flame retardant treated fabric with PVC barrier film protection
- Latex-free elastic

\*Alphatec® CFR should never be worn in isolation for flame retardant protection. Always wear over the top of garments which achieve EN ISO 14116 Index 2 or above.

- Highly visible bright red colour to improve worker safety
- Offers protection from pressurised liquid spray to EN Type 3 & 4 and particulates to EN Type 5
- Stitched & taped seams

### STANDARDS AND CERTIFICATIONS

- PPE Category III



Cat No.	Description	Colour	Size
MCFR-R	CFR COVERALLS	RED	M-3XL

Use suffix for size: -M, -L, -XL, -2XL, -3XL

## ALPHATEC® 4000 CFR

A multi-hazard solutions suit that combines exceptional chemical and flame retardant protection.

### FEATURES:

- Multi-hazard chemical and flame-retardant protection without compromising wearer safety by limiting flame spread in the event of a flash fire\*
- Limited flame spread EN ISO 14116 Index 1
- High visibility bright orange coloured fabric, conforming to chromaticity and luminance requirements as found in EN ISO 20471, with an optimised body fit, improving wearer comfort and safety

- Latex-free elastic
- Proved 8-hour barrier against many chemicals including non-flammable, flammable, and aggressive solvents
- Model 111 coverall features a 2-piece hood, elasticated hood, waist, wrists, ankles, double zip flap closure
- Polyolefin-based core barrier laminate with FR nonwoven inner & FR outer barrier film
- Stitched & taped seams

### STANDARDS AND CERTIFICATIONS

- PPE Category III



\*AlphaTec® 4000 CFR should never be worn in isolation for flame retardant protection. Always wear over the top of garments which achieve EN ISO 14116 Index 2 or above.

Cat No.	Description	Colour	Size
M40-CFR	M40-CFR COVERALLS	ORANGE	M-3XL

Use suffix for size: -M, -L, -XL, -2XL, -3XL

PAGE	CATEGORY
26	<b>ARC FLASH PROTECTION - FACE, HEAD &amp; NECK</b>
26	ErgoS Intec Power Helmet with Integrated Face Shield
26	12Cal Clear Face Shield with Hard Hat & Bag
27	12Cal Clear Face Shield Kit
27	Arc Flash Balaclava
27	4.2Cal Arc Rated Merino
PAGE	<b>HV SWITCHING HOODS</b>
28	25Cal Switchgear Hood with Clear Lens
28	40Cal Switchgear Hood with Clear Lens
28	40Cal Lift Front Hood with Clear Lens
29	60Cal Switchgear Hood
29	100Cal Switchgear Hood
PAGE	<b>ACCESSORIES</b>
29	Shield Storage Bag With Drawstring
30	Replacement Shields for Switchgear Hoods
30	Fans for Switchgear Hoods





# ARC FLASH PROTECTION - FACE, HEAD & NECK

## ERGOS INTEC POWER HELMET WITH INTEGRATED FACE SHIELD

The ErgoS Intec Power is a helmet with integrated face shield to protect its wearer from getting burned in case of an arc flash incident. It is a very ergonomic solution for all day work.

### FEATURES

- Premium permanent anti-fog coating
- Helmet usable until 40°C
- Arc Protection Classification: ASTM F2178, ATMV - 28Cal/cm<sup>2</sup>
- Colour Reproduction Index/Optical Class >93%/Klasse 1
- Durability 4 years

### STANDARDS & CERTIFICATES

- ASTM F2178
- ANSI/ISEA Z89.1 Class E
- DIN EN 166: 2001
- DIN EN 170: 2002
- EN 397:2012+A1:2012
- EN 50365:2002

### CERTIFICATE OF CONFORMITY

- PPE Regulation (EU) 2016/425

**NOTE:** Available in both 14Cal & 28Cal options



## 12CAL CLEAR FACE SHIELD WITH HARD HAT & BAG

### FEATURES

- Class E rated hard hat
- 12Cal/cm<sup>2</sup>/CAT2
- Premium HT Clear™ Shield
- Resistant to fogging
- Lightweight unit design
- Universal fitted slotted cap bracket
- Ergonomic chin protector
- Light tint lens gives improved clarity of work environment



Cat No.	Description
AFW032	12CAL CLEAR FACE SHIELD COMES WITH HARD HAT & BAG



## 12CAL CLEAR FACE SHIELD KIT

This kit features a Light Tint Visor with a protection level of 12Cal/cm<sup>2</sup>, with the additional protection of a hard Hat, a 12Cal balaclava, and safety glasses.

### FEATURES

- 12Cal/cm<sup>2</sup> Light Tint Visor
- Light tint lens gives improved clarity of work environment
- Resistant to fogging
- Lightweight unit design

Cat No.	Description
AFW040-CLEAR	12CAL CLEAR FACE SHIELD WITH HARD HAT, VISOR, BAG, SAFETY GLASSES & BALACLAVA



## ARC FLASH BALACLAVA

### FEATURES

- Offers 360 degree head and neck protection from arc flash dangers when used with a High Performance Shield
- Each Arc Flash Hood (Balaclava) is made from two layers of rib knit material and has an elastic face opening that maintains its shape and size
- NFPA-70E compliant

Cat No.	Description
AFW021	ARC FLASH BALACLAVA 11CAL/CM <sup>2</sup>
AFW023	ARC FLASH BALACLAVA 20CAL/CM <sup>2</sup>



## 4.2CAL ARC RATED MERINO

These superior quality garments are designed for the workplace and offer ultimate comfort and durability. Merino wool provides natural warmth, breathability, and temperature regulation, and is blended with FR treated Viscose.

### FEATURES

- High quality 50% Merino Wool / 50% FR treated Viscose fabric sewn with FR thread
- ATPV 4.2Cal/cm<sup>2</sup> Arc Rating
- HRC1 labels are sewn into each garment
- Machine washable & quick drying


**NOTE:** For Compliance & Standards information see p. 4.



BMFRNECK85



BMFRBALA82



BMFRBEAN84-XL

Cat No.	Description
BMFRBEAN84-XL	SKULL BEANIE
BMFRBEAN83	FR BEANIE LONG
BMFRNECK85	NECK WARMER
BMFRBALA82	BALACLAVA



# HV SWITCHING HOODS

## 25CAL SWITCHGEAR HOOD WITH CLEAR LENS

This 25Cal Switchgear Hood is built from the highest grade of FR textiles in the USA. With the option to include the dual fan system for greater air movement and improved wearer comfort.



Advanced Colour  
Differentiation  
Technology

### FEATURES

- Premium clear HT™, Anti fog lens
- One size fits all
- Optional Fan System Available
- 25Cal/cm<sup>2</sup> ATPV Rating
- Stock colour: Navy
- Fabric: 88/12 Premium Indura Cotton blend
- Dual reinforced stitching
- Compliance: NFPA 70E , ASTM 2178

Cat No.	Description
AFW25SGHF-N	25CAL SWITCHGEAR HOOD WITH DUAL FAN SYSTEM
AFW25SGH-N	25CAL SWITCHGEAR HOOD - NO FAN



## 40CAL SWITCHGEAR HOOD WITH CLEAR LENS

This 40Cal Hood System design is lightweight and has the option of including the Dual Fan System (AFW019PROFAN) that creates greater air movement and improved wearer comfort.



Advanced Colour  
Differentiation  
Technology

### FEATURES

- Coated Anti Fog Lens
- Lightweight 40Cal Hood
- One size fits all
- Optional Fan System Available
- 40Cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread

Cat No.	Description
AFW40SGHF-NF	40CAL PREMIUM SWITCHGEAR HOOD WITH DUAL FAN SYSTEM
AFW40SGH-NF	40CAL PREMIUM SWITHGEAR HOOD - NO FAN



## 40CAL LIFT FRONT HOOD WITH CLEAR LENS

This 40Cal Lift Front Switching Hood assembly provides excellent peripheral vision, the light tint lens gives clarity of work environment, and the unit design is lightweight and ergonomically correct for the wearer.



Advanced Colour  
Differentiation  
Technology

### FEATURES

- Extended Peripheral vision
- Permanent Anti Fog Visor
- Highly Transparent Visor
- Lift Front Design
- Lightweight 40Cal Hood
- 40Cal/cm<sup>2</sup> ATPV Rating
- Approximately 60% lighter fabric weight than standard 40 calorie garment
- 2 layers – 5 oz/yd<sup>2</sup> & 6 oz/yd<sup>2</sup> - Sewn with Nomex® thread

Cat No.	Description
AFW40LF-NF	40CAL PREMIUM LIFT FRONT HOOD
AFW40LF-F-NF	40CAL PREMIUM LIFT FRONT HOOD WITH DUAL FAN SYSTEM





## 60CAL SWITCHGEAR HOOD

### FEATURES

- 60Cal/cm<sup>2</sup> ATPV Rating/CAT4
- One size fits all
- Retrofitted motion light option
- Retrofitted dual fan unit mounts option
- Non-metallic/non-conductive materials
- Premium Clear HT™ Lens
- Dual reinforced stitching
- Standard switchgear style
- 88/12 Premium Indura cotton blend
- Meets ASTM 2178 & NFPA 70E standards

Cat No.	Description	Colour
AFW60SGH-N	60CAL SWITCHGEAR HOOD, NO FAN	
AFW60SGHF-N	60CAL SWITCHGEAR HOOD WITH DUAL FAN SYSTEM	NAVY
AFW60SGHFL-N	60CAL SWITCHGEAR HOOD WITH DUAL FAN SYSTEM & LIGHT	



## 100CAL SWITCHGEAR HOOD

### FEATURES

- 100Cal/cm<sup>2</sup> ATPV Rating/CAT4
- One size fits all
- Retrofitted motion light
- Retrofitted dual fan unit mounts
- Non-metallic/non-conductive materials
- Premium Clear HT™ Lens
- Dual reinforced stitching
- Standard switchgear style
- 11oz Triple Layered Inherent Premium Blend
- Meets ASTM F1506 & NFPA 70E standards

Cat No.	Description	Colour
AFW100SGHF-B	100CAL SWITCHGEAR HOOD WITH DUAL FAN SYSTEM	
AFW100SGHFL-B	100CAL SWITCHGEAR HOOD WITH DUAL FAN SYSTEM & LIGHT	BROWN



## ACCESSORIES

### SHIELD STORAGE BAG WITH DRAWSTRING

### FEATURES

- 39cm wide by 58cm long
- Canvas bag with drawstring
- Will help keep hard hat and face shield combos safe and prevent scratching

Cat No.	Description
ASBAG	BAG WITH DRAWSTRING FOR STORING SHIELD





## REPLACEMENT SHIELDS FOR SWITCHGEAR HOODS

### AFW033-CLEAR

- 12Cal/cm<sup>2</sup> rating / CAT2
- Highly Transparent Clear Polycarbonate Faceshield
- Cap Bracket
- Ergonomical Clear Chin Cup
- Premium anti-fog coated single window
- NFPA 70E, ANSI Z87+S, ASTM F2178



AFW033-CLEAR

### AFW019REP-CLEAR

- 40Cal/cm<sup>2</sup> rating
- Highly Transparent Clear Polycarbonate Faceshield
- Pre-Mounted Industrial Velcro
- Universal Fitted Slotted Cap Bracket Design
- Universal fit for switchgear hoods



AFW0xxREP-CLEAR

### AFW0100REP-CLEAR

- 100Cal/cm<sup>2</sup> rating
- Highly Transparent Green Polycarbonate Faceshield
- Universal fit for switchgear hoods (100Cal only)

Cat No.	Description
AFW033-CLEAR	12CAL REPLACEMENT SHIELD - CLEAR
AFW019REP-CLEAR	40CAL REPLACEMENT SHIELD - CLEAR
AFW0100REP	100CAL REPLACEMENT SHIELD - GREEN

## FANS FOR SWITCHGEAR HOODS

Fans for addition or replacement on compatible OEL switchgear hoods.

### FEATURES

- Keeps field staff cooler for longer
- Affixed to switchgear hood with velcro
- Battery operated
- Compatible with specific hoods (contact us for details)



Cat No.	Cal Rating	Description
AFW040FAN-LEFT-NF	40CAL	FAN LEFT - NORFAB
AFW040FAN-RIGHT-NF		FAN RIGHT - NORFAB
AFW0100FAN-LEFT-B	100CAL	FAN LEFT - BROWN
AFW0100FAN-RIGHT-B		FAN RIGHT - BROWN



PAGE	CATEGORY
32	<b>NEXUS HARD HATS &amp; ACCESSORIES</b>
32	Nexus Core Vented
32	Nexus HeightMaster Vented
33	Nexus SecurePlus Non-Vented
33	Nexus Helmet Reflective Sticker Kits
33	Nexus Integrated Helmet Eye Shield
34	Nexus Standard Chinstrap
34	Nexus HeightMaster Chinstrap
34	Nexus Helmet Liner
PAGE	<b>TUFF-NUT HARD HATS &amp; ACCESSORIES</b>
35	Tuff-Nut Ratchet Vented Hard Hat
35	Tuff-Nut Ratchet Forestry Combo Kit
36	Tuff-Nut Hard Hat Chinstrap
36	Tuff-Nut Hard Hat Sweatband
PAGE	<b>PETZL HARD HATS &amp; ACCESSORIES</b>
36	Vertex Best Non-Vented Helmet
37	Clear VIZIR Eye Shield
37	Smoke VIZIR Eye Shield
37	Vertex Best Hard Hat Replacement Headband
PAGE	<b>FULL BRIM NON-VENTED HARD HATS</b>
37	MSA V-Gard Full Brim Non-Vented Hard Hat
PAGE	<b>HARD HAT ACCESSORIES</b>
38	FR Hard Hat Brim
38	Arc Rated Chin Strap
38	4 Point Black Chin Strap
PAGE	<b>BUMP CAPS</b>
39	Long & Short Peak Bump Caps
PAGE	<b>LED LIGHTS</b>
40	Pixa Headlamps



# NEXUS HARD HATS & ACCESSORIES

## NEXUS CORE VENTED

### FEATURES

- Modular AS/NZS 1801:1997 tested safety helmet system
- Modularity as standard
- High performance ABS shell
- Premium Twist2Fit ratchet headband for secure fit
- Premium Dry-Tech sweatband provides up to 40% faster drying and absorbs 4x more moisture
- Tested down to -40°C low temperature
- Micro peak for maximum upward visibility
- Fully removable and adjustable EN397 or EN12492 4-point chinstrap and liner and liner accessories available
- Available in white, fluoro yellow, fluoro orange, red, grey, yellow, blue, orange
- Approved to EN 397, EN50365, ANSI Z89.1 Type 1 Class C
- Tested to the performance requirements of AS/NZS 1801:1997
- Reflective sticker kits available (p. 33)

Cat No.	Colour	Description	Weight (g)
NCV-B	BLUE		
NCV-R	RED		
NCV-O	ORANGE		
NCV-HVO	HI-VIS ORANGE		
NCV-Y	YELLOW		
NCV-HVY	HI-VIS YELLOW		
NCV-G	GREEN		
NCV-W	WHITE	NEXUS CORE VENTED	386



## NEXUS HEIGHTMASTER VENTED

### FEATURES

- Modular AS/NZS 1801:1997 tested height safety helmet system, EN12492 rated
- Modularity as standard
- High performance ABS shell
- Premium Twist2Fit ratchet headband for secure fit
- Premium Dry-Tech sweatband provides up to 40% faster drying and absorbs 4x more moisture
- Tested down to -40°C low temperature
- Available in white, fluoro yellow, fluoro orange, red, grey, yellow, blue, orange, & green
- Fully removable and adjustable EN12492 4-point chinstrap and liner
- Micro peak for maximum upward visibility
- Approved to EN 12492, ANSI Z89.1 Type 1 Class C (vented)
- Conforms to EN397 shock absorption, penetration, -30°C, lateral deformation, EN50365
- Tested to the performance requirements of AS/NZS 1801:1997
- Reflective sticker kits available (p. 33)

Cat No.	Colour	Description	Weight (g)
NCHV-B	BLUE		
NCHV-R	RED		
NCHV-O	ORANGE		
NCHV-HVO	FLUORO ORANGE		
NCHV-Y	YELLOW		
NCHV-HVY	FLUORO YELLOW		
NCHV-G	GREEN		
NCHV-W	WHITE	NEXUS HEIGHTMASTER VENTED	480





## NEXUS SECUREPLUS NON-VENTED

### FEATURES

- Modular AS/NZS 1801:1997 tested height safety helmet system, tested to 1000V under EN 397
- Modularity as standard
- Non-vented to meet electrical safety standards
- High performance ABS shell
- Premium Twist2Fit ratchet headband for secure fit
- Premium Dry-Tech sweatband provides up to 40% faster drying and absorbs 4x more moisture
- Tested down to -40°C low temperature
- Micro peak for maximum upward visibility
- Complete with fully removable and adjustable EN397 4-point chinstrap
- Approved to EN397 1000V AC LD, MM, -40°C, EN30365, ANSI Z89.1 Type 1 Class C, CSA/CAN Z94.1-05 Type 1 Class E (20,000V AC)
- Tested to the performance requirements of AS/NZS 1801:1997
- Reflective sticker kits available (p. 33)



Cat No.	Colour	Description	Weight (g)
NCSNV-R	RED		
NCSNV-HVO	HI-VIS ORANGE		
NCSNV-HVY	HI-VIS YELLOW		
NCSNV-W	WHITE	NEXUS SECUREPLUS NON-VENTED	415

## NEXUS HELMET REFLECTIVE STICKER KITS

Highly reflective accessory stickers shaped for Nexus safety helmets to ensure maximum visibility in low light environments. Coverage on front, side, rear and top of the helmet.

Cat No.	Colour	Description
S30YNHRS	YELLOW	NEXUS HELMET REFLECTIVE STICKER KIT
S30SNHRS	SILVER	NEXUS HELMET REFLECTIVE STICKER KIT
S30BNHRS	BLUE	NEXUS HELMET REFLECTIVE STICKER KIT



## NEXUS INTEGRATED HELMET EYE SHIELD

### FEATURES

- Unique design integrated eyewear
- Easy to install or replace
- Conveniently flips up or down in service
- Available in clear or smoke lens for all light levels
- Approved to: Clear: EN166 1 F T, EN172 2C-1,2, ANSI /ISEA Z87.1, Smoke: EN 166 1 F T, EN172 5-3,1, ANSI /ISEA Z87.1

Cat No.	Description
S589	NEXUS HELMET EYESHIELD CLEAR
S589SE	NEXUS HELMET EYESHIELD SMOKY





## NEXUS STANDARD CHINSTRAP

### FEATURES

- 4-point chinstrap for Nexus helmet system
- Conforms to EN 397
- Branded with EN 397 identification



Cat No.	Description
S30Y	4-POINT CHINSTRAP

## NEXUS HEIGHTMASTER CHINSTRAP

### FEATURES

- 4-point chinstrap for Nexus helmet system
- Designed specifically for the HeightMaster helmet
- Clearly marked with EN 12492 identification



Cat No.	Description
S30NY	4-POINT CHINSTRAP

## NEXUS HELMET LINER

Nexus helmet replaceable liner made from EPS (expanded polystyrene) liner. Combines with S30NY chinstrap to provide approval to EN 12492.



Cat No.	Description
S30NL	NEXUS HELMET LINER



# TUFF-NUT HARD HATS & ACCESSORIES

## TUFF-NUT RATCHET VENTED HARD HAT

### FEATURES

- Available in 9 shell colours: white, yellow, neon yellow, neon orange, orange, red, green, pink & blue
- Light, comfortable & well-ventilated, short peak design
- Hard shell made of UV-resistant ABS materials to absorb and resist high impact
- Ratchet 6-point suspension harness
- Easily detachable harness and fully adjustable to fit head sizes between 53cm to 66cm
- Ready with universal accessory slots to fit eye, face & hearing protection products



Cat No.	Colour	Description
TN1R-B	BLUE	
TN1R-R	RED	
TN1R-O	ORANGE	
TN1R-NO	NEON ORANGE	
TN1R-Y	YELLOW	
TN1R-NY	NEON YELLOW	
TN1R-G	GREEN	
TN1R-W	WHITE	
TN1R-P	PINK	

6-POINT RATCHET VENTED  
HARD HAT

## TUFF-NUT RATCHET FORESTRY COMBO KIT

### FEATURES

- Available in 9 shell colours: white, yellow, neon yellow, neon orange, orange, red, green, pink & blue
- Light, comfortable & well-ventilated, short peak design
- Hard shell made of UV-resistant ABS materials to absorb and resist high impact
- Ratchet 6-point suspension harness
- Easily detachable harness and fully adjustable to fit head sizes between 53cm to 66cm
- Fitted with integrated Class 5, SLC8026dB earmuffs—protection for noise levels to 110dB(A)
- Earmuffs have minimum pressure while achieving a snug seal
- With browguard and stainless-steel wraparound visor for protection and unobstructed vision



Cat No.	Colour	Description
TN1R-FC-B	BLUE	
TN1R-FC-R	RED	
TN1R-FC-O	ORANGE	
TN1R-FC-NO	NEON ORANGE	
TN1R-FC-NY	YELLOW	
TN1R-FC-NY	NEON YELLOW	
TN1R-FC-G	GREEN	
TN1R-FC-W	WHITE	
TN1R-FC-P	PINK	

6-POINT RATCHET HARD HAT



## TUFF-NUT HARD HAT CHINSTRAP

Chinstrap for Tuff-Nut helmet range, suitable for securing hard hats in windy or non-upright working positions.



Cat No.	Description
TN1-CS	CHIN STRAP FOR TUFF-NUT HARD HATS

## TUFF-NUT HARD HAT SWEATBAND

Sweatband for Tuff-Nut helmet range, suitable for hygiene replacement of original Tuff-Nut hard hat sweatbands.



Cat No.	Description
TN1-SB	SWEATBAND FOR TUFF-NUT HARD HATS

# PETZL HARD HATS & ACCESSORIES

## VERTEX BEST NON-VENTED HELMET

With its strong chinstrap, the VERTEX BEST helmet sets the standard in head protection for workers at height. Its unventilated shell protects against electrical hazards and molten metal splash. Its six-point textile suspension ensures maximum comfort, and its CenterFit adjustment system adjusts the headband and keeps the helmet centered on the head.

### FEATURES

- Helmet for work at height
- Chinstrap designed to reduce the risk of the helmet falling off
- Webbing suspension system for comfort
- Accessories can be easily added
- Approved to CE ANSI Z89.1-2003 Type 1 Class E



Cat No.	Colour	Description
A010AA00	WHITE	
A010AA01	YELLOW	
A010AA02	RED	VERTEX BEST NON-VENTED
A010AA03	BLACK	HARD HAT
A010AA04	ORANGE	
A010AA05	BLUE	



## CLEAR VIZIR EYE SHIELD

The VIZIR Clear eye shield protects the eyes against projectile hazards. It is easy to install on VERTEX helmets with the EASYCLIP attachment system. It also has scratch-resistant and anti-fog coatings.



Cat No.	Description
A015AA00	VIZIR EYE SHIELD – CLEAR

## SMOKE VIZIR EYE SHIELD

The VIZIR Smoke eye shield provides eye protection against projectile hazards. It is easy to install on VERTEX helmets with the EASYCLIP attachment system. It has a level 2.5 solar protection filter, and anti-scratch and anti-fog treatments.



Cat No.	Description
A015BA00	VIZIR EYE SHIELD – SMOKE

## VERTEX BEST HARD HAT REPLACEMENT HEADBAND

Absorbent foam for VERTEX helmets.



Cat No.	Description
A010JA00	HARD HAT REPLACEMENT HEADBAND WITH FOAM × 5

## FULL BRIM NON-VENTED HARD HATS

### MSA V-GARD FULL BRIM NON-VENTED HARD HAT

The MSA V-Gard Helmet, with its distinctive trademark "V" design, is a world-recognized brand known for comfort, quality, and durability.



#### FEATURES

- Polyethylene shell provides superior impact protection
- Self-adjusting crown straps ensure a comfortable fit
- Fastrac Suspension
- Approved to AS/NZ 1801

Cat No.	Description	Colour
220949WH	FULL BRIM NON-VENTED HARD HAT FASTRAC SUSPENSION	WHITE
220949RE	FULL BRIM NON-VENTED HARD HAT FASTRAC SUSPENSION	RED
220949BU	FULL BRIM NON-VENTED HARD HAT FASTRAC SUSPENSION	BLUE
220925BU	FULL BRIM NON-VENTED HARD HAT – PUSH LOCK	BLUE



## HARD HAT ACCESSORIES

### FR HARD HAT BRIM

This arc rated full brim sun shield is designed to be used in conjunction with a hard hat (not included).

- Arc rated fabric up to 8.7Cal
- Fire retardant
- One size fits all
- Designed to fit onto to any hard hat

Cat No.	Description	Colour
FRHATBRIM	FR HARD HAT BRIM	ORANGE



### ARC RATED CHIN STRAP

#### FEATURES

- 8Cal/cm<sup>2</sup> Arc rated fabric
- 4 point attachment design for greater comfort
- Fire retardant
- Designed to fit onto all hard hats
- Attached Velcro adjustments
- Fabric complies with NFPA 70E Level 2

Cat No.	Description
ARCCHIN-4POINT	8CAL ARC RATED CHIN STRAP



### 4 POINT BLACK CHIN STRAP

This 4 point black chin strap is suitable for standard hard hats and has attached velcro adjustments.

Cat No.	Description
CHINBW	4 POINT BLACK CHIN STRAP





# BUMP CAPS

## LONG & SHORT PEAK BUMP CAPS

### FEATURES

- Comfortable and stylish EN 812 certified protective headwear
- Removable ergonomic ABS polyvac protective shell
- Ventilated with anti-shock foam cushioning and sweatband
- Elastic strap, easily clip-adjustable
- Retroreflective tape on peak, side panels and rear strap
- 360-degree night visibility
- Fabric is UPF50 rated for UV protection
- Colours: black, navy, fluoro orange, fluoro yellow



EBCS



EBCL



Cat No.	Colour	Type
EBCS-B	BLACK	SHORT PEAK
EBCL-B		LONG PEAK
EBCS-N	NAVY	SHORT PEAK
EBCL-N		LONG PEAK
EBCS-HO	FLUORO ORANGE	SHORT PEAK
EBCL-HO		LONG PEAK
EBCS-HVY	FLUORO YELLOW	SHORT PEAK
EBCL-HVY		LONG PEAK

## Customise your hard hats



## Company branding? Talk to us now.



# LED LIGHTS

## PIXA HEADLAMPS

PIXA headlamps are rugged and versatile with options to suit all situations: close-range work, movement, and long-range vision. It meets ATEX zone 2/22 (II 3 GD Ex nA ic IIB T4 Gc tc IIIC T135°C Dc) certification requirements for work in explosive environments.

### FEATURES

- Keeps hands free for work and can be:
  - worn on the head with the headband
  - attached to the helmet with a mounting plate (included)
  - placed on the ground



**PIXA 1**

- Beam pattern: flood
- Two lighting modes (low and high)
- Mode for close-range work: comfortable flood beam for proximity vision



**PIXA 2**

- Beam pattern: mixed
- Several lighting modes adapt to each situation:
  - Low-intensity mode adapted to close-range work: mixed beam with a wide, uniform flood
  - High-intensity mode adapted to movement: mixed beam with focused component allows user to move around comfortably



**PIXA 3**

- Beam pattern: flood, mixed or focused
- Several lighting modes adapt to each situation:
  - A mode adapted for close-range work: uniform flood beam
  - A mode adapted for movement: mixed beam with focused component allows user to move around comfortably
  - A mode adapted for long-range vision: focused beam

Cat No.	Lighting Modes	Beam Pattern	Brightness (lm)	Distance (m)	Burn Time	Reserve Mode
PIXA1	CLOSE-RANGE WORK	FLOOD	20	10	16 HOURS	10 LM FOR 6 HOURS 30 MINS
	MOVEMENT	FLOOD	60	15	3 HOURS 30 MINS	
PIXA2	CLOSE-RANGE WORK	FLOOD	20	25	26 HOURS	10 LM FOR 13 HOURS
	MOVEMENT	MIXED	80	55	3 HOURS 30 MINS	
PIXA3	CLOSE-RANGE WORK	FLOOD	20	15	26 HOURS	10 LM FOR 13 HOURS
	MOVEMENT	MIXED	60	45	6 HOURS 30 MINS	
	DISTANCE VISION	FOCUSED	100	90	3 HOURS 30 MINS	

PAGE	CATEGORY
42	<b>HEARING PROTECTION</b>
42	Max33 707 Class 5 Headband Earmuffs
42	Max26 Class 5 Cap-Attach Earmuffs
42	Viper Hard Hat Class 5 Earmuffs
42	Max33 Earmuff Hygiene Kit
43	Vortex Earplugs
PAGE	<b>COMMUNICATION EARMUFFS</b>
43	Tufftalk Cast Communication Earmuffs





# HEARING PROTECTION

## MAX33 707 CLASS 5 HEADBAND EARMUFFS

### FEATURES

- Tough banded design
- Class 5, SLC80:33dB for serious hearing protection
- Very light to wear, premium comfort
- Hearing protection for noise levels up to 117 dB
- AS/NZS 1270:2002 Certified
- Premium all-day cushioned comfort



Cat No.	Description	Colour
E-MAX33-707	CLASS 5 HEADBAND EARMUFFS	GREY/ORANGE

## MAX26 CLASS 5 CAP-ATTACH EARMUFFS

### FEATURES

- Class 5 26dB
- Attach direct to hard hat with 30mm euroslot connectors
- Compatible with Tuff-Nut & Nexus Helmets (pages 32-35)
- Dielectric



Cat No.	Description	Colour
E-MAX26	CLASS 5 CAP-ATTACH EARMUFFS	GREY/ORANGE

## VIPER HARD HAT CLASS 5 EARMUFFS

### FEATURES

- 26 Decibel, Class 5
- General purpose use
- Suit all Tuff-Nut hard hats



Cat No.	Description
HHEM	CLASS 5 CAP ATTACH EARMUFF

## MAX33 EARMUFF HYGIENE KIT

Replacement hygiene kit for Max33 earmuffs. Recommended replacement every 6 months in average use.

### FEATURES

- One pair of replacement ear cushions and sound attenuating foam inserts for Max33 earmuff
- Extends performance and lifetime of earmuff



Cat No.	Description
E-MAX33HK	REPLACEMENT HYGIENE KIT FOR MAX33 EARMUFFS



## VORTEX EARPLUGS

### FEATURES

- Soft, easy to roll and positive insertion
- SLC80 26dB—protection for noise levels to 110 dB(A)
- PU foam Class 5 AS/NZS 1270 certified
- Pairs packaged in individual polybags
- Fluoro orange for high visibility



DE100-OC



DE200-OU

Cat No.	Description	Quantity
DE200-OU	VORTEX EARPLUGS ORANGE UNCORDED	200
DE100-OC	VORTEX EARPLUGS ORANGE CORDED	100

## COMMUNICATION EARMUFFS

### TUFFTALK CAST COMMUNICATION EARMUFFS

This mesh Intercom over-the-ear communication system can be worn over the head or attached to a hard hat, and can be directly connected to two-way radios.

### FEATURES

- Mesh Intercom
- Advanced Noise Control™
- New and improved headband and earmuff brackets
- Ambient Mode
- Button for muting the microphone
- Connectivity to two-way radio via wired and wireless (Bluetooth)
- Built-in PTT button for two-way radios
- Can connect to two-way radios using the same cables as the Tufftalk
- Removable lithium polymer battery
- Or can use 3 x AAA batteries\*
- Talk time: Up to 9 hours (Lithium Polymer battery)

### NOISE REDUCTION RATING:

- Over-the-Head: 28 dB
- Hard Hat: 23 dB
- Signal-to-Noise Ratio:
- Over-the-Head: 34 dB
- Hard Hat: 30 dB

### COMMUNICATION

- Open Mesh: 9 channels
- Group Mesh
- Working distance: up to 1.1 km (0.7 mi)

\*Can extend up to 4.4 km (2.8 mi) between a minimum of 6 users



TUFFTALKC01



TUFFTALKC02

Cat No.	Description
TUFFTALKC01	OVER THE HEAD EARMUFFS
TUFFTALKC02	HARD HAT MOUNT EARMUFFS



# We're doing our bit with TransNet Sustainability Initiatives

- ISO 14001 Certification
- ISO 14064-1 Certification
- Toitū carbonreduce Certification



PAGE	CATEGORY
46	<b>SAFETY SPECS</b>
46	Vispec Eye Protectors
46	Magspec Bi-Focal Magnifying Safety Spec
46	Velocity Safety Spec
47	X2 Safety Spec
47	XSPEX Safety Spec
47	Combat X4 Safety Spec
48	Dirty Dog Safety Sunglasses
49	Frontside Safety Glasses
PAGE	<b>SAFETY GOGGLES &amp; ACCESSORIES</b>
50	G-Max Premium Silicone Seal Hi-Impact Goggle
50	G-Max+ Impact Eye Protection Vented Goggle
50	Lens Cleaning Wipes
50	Safety Spec Accessories





# SAFETY SPECS

## VISPEC EYE PROTECTORS

### FEATURES

- Designed to fit over prescription glasses, available in clear or smoke lens
- AS/NZS1337.1:2010 standards certified
- Designed to be worn over prescription glasses
- Light-weight, comfortable economy eye protector
- Medium impact, anti-scratch lens
- 99.9% UV protection for outdoor wear
- Available in clear and smoke lens

Cat No.	Description	Lens
E3000	VISPEC FIT OVER EYE PROTECTORS	CLEAR
E3002		SMOKE



## MAGSPEC BI-FOCAL MAGNIFYING SAFETY SPEC

### FEATURES

- Available in up to five magnifying powers
- AS/NZS1337.1:2010 certified bi-focal eyewear
- Light-weight, comfortable economy eye protector
- Medium impact rated, anti-scratch lens, anti-fog coated
- 99.9% UV protection for outdoor wear

Cat No.	Magnification	Lens
E1600	+1.5, 150%	CLEAR
E1601	+1.0, 100%	CLEAR
E1602	+2.0, 200%	CLEAR
E1603	+2.5, 250%	CLEAR
E1604	+3.0, 300%	CLEAR
E1652	+1.5, 150%	SMOKE
E1653	+2.0, 200%	SMOKE
E1654	+2.5, 250%	SMOKE



## VELOCITY SAFETY SPEC

### FEATURES

- Standards certified to AS/NZS1337.1:2010 medium impact
- Anatomically shaped wrap-around lens offers a high degree of safety
- Multi-fit, brilliant coverage for a wide variety of face shapes
- Optically correct for greater visual accuracy and awareness
- Food-safe, dielectric rated—no metal parts
- Rubber nose pad and co-injected temple pads for superior comfort and non-slip fit
- 99.9% UV protection for outdoors
- Anti-fog / anti-scratch coated
- Available in clear, smoke or amber lens

Cat No.	Description	Lens
E8001	VELOCITY SAFETY SPEC	CLEAR
E8002		SMOKE
E8003		AMBER





## X2 SAFETY SPEC

### FEATURES

- Lightweight wraparound frame design
- Standards certified to AS/NZS1337.1:2010 medium impact protection
- Advanced lens venting system for added vision safety
- Semi-attached lenses allowing multi-flexi fit to different face profiles
- Ergonomically designed lens for ultimate eye protection
- Anti-fog/anti-scratch coating
- 99.9% UV protection for outdoors
- Adjustable silicone rubber nose pads for superior comfort
- Rubber temple pads for superior comfort and non-slip fit



Cat No.	Description	Lens
E6002	X2 SAFETY SPEC	SMOKE

## XSPEX SAFETY SPEC

### FEATURES

- AS/NZS 1337.1:2010 standards certified
- Stylish wrap-around design with TPR side arm grip-pads, soft tips for superior comfort and a non-slip fit
- Anti-fog / Anti-scratch coated on both sides
- Mirror lens - 99.9% UV Protection for outdoors
- Ergonomically designed to deliver optimum eye protection & comfort



Cat No.	Description	Lens
E4000		CLEAR
E4002	XSPEX SAFETY SPEC	SMOKE
E4004		BRONZE

## COMBAT X4 SAFETY SPEC

### FEATURES

- AS/NZS1337.1:2010 standards certified
- Panoramic vision with a soft moulded EVA positive seal to maximise protection in dusty environments
- Meets USA military ballistic eyewear standard—withstanding steel bearing travelling at 400mph
- Anti-fog / anti-scratch coated on both sides; Safety lens—99.9% UV protection for outdoors
- Supplied with adjustable elastic strap and side arms—quick release system
- Rubber nose pads and temple tips for superior comfort and nonslip fit



Cat No.	Description	Lens
E8202	COMBAT X4 SAFETY SPEC	SMOKE WITH SILVER MIRROR



## DIRTY DOG SAFETY SUNGLASSES

Dirty Dog safety sunglasses are the ultimate in safety eyewear protection. They are super strong yet lightweight and are designed for maximum comfort and protection from physical hazards and glare.

All Dirty Dog safety sunglasses have a scratch resistant lens coating and come with a microfibre pouch that doubles as a cleaning cloth. They are the perfect sunglass for use on the work site or even on your days off.

### MATERIALS & DESIGN

- Innovative in design and fashion
- Highly curved, sleek design lines molding to the contour of the cheekbone that can resist high velocity flying objects, protecting the sensitive skin around the eye cavities
- Inserted with the highly scratch resistant, distortion free polycarbonate lens which offer unobstructed frontal and peripheral vision and optimum protection against impact, glare and UV radiation

### STANDARDS

Dirty Dog Safety Sunglasses meet the Medium Impact requirements of the Australia/New Zealand Standard AS/NZS 1337.1:2010 Eye Protector for Industrial Applications and have been tested by a National Association of Testing Authorities, Australia member in accordance with NATA requirements.

The lenses are intended for outdoor use where no optical radiation hazards exist other than solar radiation. They are intended to provide adequate protection against sun glare and ultraviolet radiation from the sun.



Cat No.	Style	Lens Type	Lens Colour	Frame Colour
53711	BRACE	NON-POLARISED	GREY	MATT BLACK
53712	BRACE	POLARISED	GREY	MATT BLACK
52856	COAL	NON-POLARISED	DARK GREEN	BLACK
52873	COAL	POLARISED	DARK GREEN	BLACK
53210	GRILL	NON-POLARISED	DARK GREEN	BLACK
53663	GRILL	POLARISED	DARK GREEN	BLACK
53363	WICKED	NON-POLARISED	DARK GREEN	BLACK
53523	WICKED	POLARISED	DARK GREEN	BLACK
53789	WICKED	NON-POLARISED	BLUE MIRROR	MATT BLACK
53787	STONKER	NON-POLARISED	GREY	MATT BLACK
53788	STONKER	POLARISED	GREY	MATT BLACK



## FRONTSIDE SAFETY GLASSES

These safety glasses are ideal for protection against risks associated with a wide range of applications in both workplace and recreational environments.

### FEATURES

- Certified to AS/NZS 1337.1:2010 Personal Eye Protection
- Medium impact rated
- Extremely comfortable, highly flexible frames that can bend under pressure which makes them resilient to damage
- AQUASHIELD permanent hydrophilic anti-fog & anti-scratch coatings
- Low profile arm to aid in use with other PPE
- Flexible arms ensure low clamp force reducing temporal pressure coupled with clear side shield for increased lateral eye protection and enhanced peripheral vision
- UV400 - 100% UV Protection (tinted lens only)
- Certified to AS/NZS 1337.1:2010 Personal Eye Protection - Eye and Face Protectors for Occupational Application



6512BK



6513



6514



6519



6500



6512



6512

Cat No.	Lens Type	Lens Colour	Frame Colour
TN-6500	NON-POLARISED	CLEAR	CLEAR
TN-6512	POLARISED	SMOKE	CLEAR
TN-6512BK	POLARISED	SMOKE	BLACK
TN-6513	POLARISED	BLUE REVO	CLEAR
TN-6514	POLARISED	BLUE REVO	BLACK
TN-6519	POLARISED	SMOKE	KHAKI



# **SAFETY GOGGLES & ACCESSORIES**

## **G-MAX PREMIUM SILICONE SEAL HI-IMPACT GOGGLE**

### **FEATURES**

- AS/NZS1337.1:2010 standards certified
- Panoramic 180° field of vision
- Suitable for use over prescription glasses
- Outstanding ventilation system
- Ergonomic design with co-injected frame
- Designed to give optimum fit to all facial contours
- 99.9% UV protection for outdoor wear
- Certified tested to medium impact rating
- Anti-scratch/anti-fog coated lens
- Rated able to withstand high temperatures
- Molten metal and hot solid resistant
- Splash approval rated



<b>Cat No.</b>	<b>Description</b>	<b>Lens</b>
GMAX	SILICONE SEAL HI-IMPACT GOGGLE	CLEAR

## **G-MAX+ IMPACT EYE PROTECTION VENTED GOGGLE**

### **FEATURES**

- AS/NZS1337.1:2010 standards certified
- Ergonomically designed to be worn comfortably over spectacles
- Indirect venting design maintains air flow and visual clarity whilst resisting ingress of dust and moisture inside the goggle
- Soft, comfortable PVC frame contours snugly to your face for a great seal & fit
- Brilliant peripheral 180° vision allowing the wearer to have better awareness of the environment
- Wide adjustable elastic strap allows you to set the optimum fit
- Faceshield can be conveniently flipped up with its 4-position pivot design
- Faceshield profiled so that respiratory protection can be worn underneath
- UV400 lenses block 100% of UVA, UVB, and UVC rays and harmful, high-energy visible light waves all the way to 400nm
- Water and dust repellent hydrophobic coating for superior vision



<b>Cat No.</b>	<b>Description</b>	<b>Lens</b>
GMAX-P01		CLEAR
GMAX-P02	G-MAX+ GOGGLE	SMOKE

## **LENS CLEANING WIPES**

### **FEATURES**

- Alcohol and ammonia free pre-moistened lens towelette
- Soft and absorbent
- Tissue designed specifically for lens cleaning
- Individually packed
- Anti-bacterial
- Anti-static
- Protects lens coatings



<b>Cat No.</b>	<b>Description</b>
LC100AF	LENS CLEANING WIPES x 100

## **SAFETY SPEC ACCESSORIES**

These accessories are designed to suit any style of safety eyewear.

<b>Cat No.</b>	<b>Description</b>	<b>Material</b>
TN-SC	SPEC CORD, ADJUSTABLE FOR CONVENIENCE	POLYCOTTON
TN-SP	SPEC POUCH, USE TO PROTECT EYEWEAR AND AS LENS CLEANER	MICROFIBRE





PAGE	CATEGORY
52	<b>WORKING &amp; RIGGER GLOVES</b>
52	Leather Working Gloves
52	The Rigger Premium Cowhide Gloves
52	Ansell ActivArmr® Fire & Cut Resistant Work Gloves
53	Eureka Arc Rated Work Gloves
53	Razor X500 Level 5 Cut Resistant Gloves
53	NXG Extra Heavy Duty Cut Level D Gloves
54	Powermaxx Ballistic Chainsaw Gloves
54	Hyflex 70-138 Kevlar® Sleeve
54	Razor X500 HPPE Sleeve - No Thumb Hole
54	Glove Clip
PAGE	<b>RUBBER LABELLING &amp; SIZING</b>
55	Protective Rubber Equipment Labelling Chart
55	Glove Sizing Guide
PAGE	<b>RUBBER INSULATING GLOVES</b>
56	Class 00 Rubber Insulating Gloves
56	Class 00 Rubber Insulating Gloves Ultra Lightweight
57	Class 0 Rubber Insulating Gloves
57	Class 1 Rubber Insulating Gloves
58	Class 2 Rubber Insulating Gloves
58	Class 3 Rubber Insulating Gloves
59	Class 4 Rubber Insulating Gloves
PAGE	<b>LEATHER OVERTGLOVES &amp; COTTON LINERS</b>
60	Leather Overtgloves
60	Class 00-0 Leather Overtgloves
60	Class 1-4 Leather Overtgloves
61	Class 00-0 & 1-4 The Power Gripz™ Leather Overtgloves
61	Cotton Glove Liner
PAGE	<b>RUBBER INSULATING SLEEVES</b>
62	Class 2 Rubber Sleeves
62	Class 4 Rubber Sleeves
PAGE	<b>RUBBER GOODS ACCESSORIES</b>
63	B22 Plastic Buttons
63	Rubber Sleeve Harness & Straps
63	Liquid Rubber Cleaner
63	Glove Powder
64	Glove Storage Bags
64	Gloves In A Bottle



# WORKING & RIGGER GLOVES

## LEATHER WORKING GLOVES

### FEATURES

- Comfortable, practical and great value for money
- Heavy duty Cow hide Leather
- Perfect for all activities involving lifting and sorting of line hardware



Cat No.	Description	Size
T/NETL/GLOVE-LGE	LEATHER WORKING GLOVES	LARGE
T/NETL/GLOVE-XL		EXTRA LARGE

## THE RIGGER PREMIUM COWHIDE GLOVES

### FEATURES

- 'The Rigger' natural cowhide 'A' grade riggers glove, sizes S-4XL
- Premium full grain cowhide riggers glove
- Soft, durable and dexterous leather



Cat No.	Description	Size
E280	COWHIDE RIGGER GLOVES	S-4XL

Use suffix for size: -S, -M, -L, -XL, -2XL, -3XL, -4XL

## ANSELL ACTIVARMR® FIRE & CUT RESISTANT WORK GLOVES

### FEATURES

- Exclusive Dupont™ Kevlar® Arc Rated composite yarn provides exceptional cut resistance
- High protection and ergonomic design combined for better dexterity
- Materials used in the glove are inherently flame resistant, even after washing
- Arc Flash Hazard / Risk Category 2 - NFPA 70E
- Exclusive 12Cal composite yarn provides exceptional cut resistance for safe handling of sharp objects & materials
- Soft foam coating for great flexibility and a secure grip in a variety of environments

Cat No.	Description	Size
PFLEX	12CAL ANSELL ACTIVARMR® 80-813 WORKING GLOVES WITH OUTSTANDING FLAME AND CUT RESISTANCE	7-11

Use suffix for size: 7, -8, -9, -10, -11





## EUREKA ARC RATED WORK GLOVES

### FEATURES

- Arc Rated
- Optimized for medium Arc Flash risks
- Improved Dexterity
- Perfect in tough working conditions with high spark, heat and flame risks

- High performance in cut resistance
- Cat II
- Arc Flash ASTM F2675, ATPV = 5.8Cal/cm<sup>2</sup> back of hand

Cat No.	Description	Size
13-4HFR	ARC RATED 5.8CAL GLOVES	XS-2XL

Use suffix for size: -XS, -S, -M, -L, -XL, -2XL



## RAZOR X500 LEVEL 5 CUT RESISTANT GLOVES

### FEATURES

- HPPE spandex / polyester liner with PU palm coating
- Razor X500 combines cut protection with comfort, flexibility and dexterity
- Cut level 5 protection with superior grip

- High dexterity and breathability, performs in dry and wet conditions
- High performance fibre blend knit shell

Cat No.	Description	Size
E430	RAZOR X500 LEVEL 5 CUT RESISTANT GLOVES	7-12

Add suffix for size: -7, -8, -9, -10, -11, -12



## NXG EXTRA HEAVY DUTY CUT LEVEL D GLOVES

### FEATURES

- Heavy Duty cut resistant D glove
- Innovative in-house NXG™ Cut resistant yarn
- Reinforced thumb and forefinger area
- Excellent fit, dexterity and performance

- 360° breathability
- Durable and breathable nitrile coating
- Oeko-Tex® 100, Sanitized® and dermatologically accredited

Cat No.	Description	Size
C-3130	NXG EXTRA HEAVY DUTY CUT LEVEL D GLOVES	7-12

Add suffix for size: -7, -8, -9, -10, -11, -12





## POWERMAXX BALLISTIC CHAINSAW GLOVES

### FEATURES

- In accidental contact, 15 layers of ballistic nylon create a solid lock and halt the running chain, limiting injury to the wearer's hand
- Certified to EN381-7 Class 1
- Protection to chain speed of 20m/s (4m/s higher than the industry standard)
- Same Level of protection for both left and right handers
- Premium grade supple cowgrain leather palm
- Snug-fitting knitted cuff keeps woodchips out
- Superior protection compared to leather chainsaw mitts
- Hi-Vis orange for excellent visibility

Cat No.	Description	Size
E730	BALLISTIC CHAINSAW GLOVES	S-2XL

Use suffix for size: -S, -M, -L, -XL, -2XL



## HYFLEX 70-138 KEVLAR® SLEEVE

### FEATURES

- 100% Kevlar® fibers: Superb cut resistance, flexibility and comfort
- Double-layered design: Reinforced arm protection
- Thumbslot and Velcro® strap: Secure fit, greater comfort

Cat No.	Description
70-138	HYFLEX KEVLAR® SLEEVE



## RAZOR X500 HPPE SLEEVE - NO THUMB HOLE

### FEATURES

- Knitted from high-performance HPPE combined with stretchy spandex fibres
- Razor X500 combines cut protection with comfort, flexibility and dexterity
- Cut Level 5 protection
- 30cm length
- One size fits all

Cat No.	Description
E434	RAZOR X500 HPPE SLEEVE (EACH)



## GLOVE CLIP

### FEATURES

- Off hand—on hand
- Hi-vis durable plastic
- Clips to clothing, belts, tool belts, D rings and much more
- Keeps gloves and other items handy
- Safety breakaway feature
- Smart polybag packaging

Cat No.	Description
GCO	GLOVE GATOR GLOVE CLIP





# RUBBER LABELLING & SIZING

## PROTECTIVE RUBBER EQUIPMENT LABELLING CHART

Rubber insulating gloves are available in six ASTM defined voltage classes. Rubber insulating sleeves are available in

Class 00 through 4. The chart below identifies the class, proof test voltage and maximum allowable exposure voltage.

Protective Rubber Equipment Labelling Chart for Lineman's Natural Rubber and SALCOR® Rubber Protective Equipment

Class Colour	Proof Test Voltage AC/DC	Max Use* Voltage AC/DC	Illustrative Labelling
00 BEIGE	2,500/10,000	500/750	
0 RED	5,000/20,000	1,000/1,500	
1 WHITE	10,000/40,000	7,500/11,250	
2 YELLOW	20,000/50,000	17,000/25,500	
3 GREEN	30,000/60,000	26,500/39,750	
4 ORANGE	40,000/70,000	36,000/54,000	

Insulating Gloves and Sleeves must have a colour coded label to meet appropriate ASTM Specifications.

\* Maximum Usage Voltage when worn with leather protectors.

## GLOVE SIZING GUIDE

Rubber insulating gloves are among the most important articles of personal protection equipment for electrical workers. Incorporating high dielectric and physical strength, flexibility and durability, these two brands of rubber insulating gloves have earned a reputation for superior performance – meeting and exceeding the requirements of current ASTM D120 specifications.

To determine a proper fit, measure (in inches) the circumference around the palm, allow for additional room if cotton glove liners are to be worn.

Before each use, gloves should be inspected for holes, rips, ozone cutting, UV checking and signs of chemical deterioration. Gloves should be regularly tested to ensure they are not damaged in any way.



Measure the circumference around the palm in inches to select the correct glove size



## RUBBER INSULATING GLOVES

### CLASS 00 RUBBER INSULATING GLOVES

#### - MAX USE VOLTAGE 500V AC

- Ergonomically designed electrical gloves, ensuring durable, form fitting level of protection
- 11 inch length cuff
- Max Use Voltage 500V AC
- New form fitting design helps reduce fatigue for enhanced productivity
- A smooth case hardened finish makes donning and doffing easier

Cat No.	Description	Colour
RIG0011RS7	1PR CL00 11 GLOVES SZ 7	RED
RIG0011RS8	1PR CL00 11 GLOVES SZ 8	RED
RIG0011RS8H	1PR CL00 11 GLOVES SZ 8.5	RED
RIG0011RS9	1PR CL00 11 GLOVE SZ 9	RED
RIG0011RS9H	1PR CL00 11 GLOVE SZ 9.5	RED
RIG0011RS10	1PR CL00 11 GLOVE SZ 10	RED
RIG0011RS10H	1PR CL00 11 GLOVE SZ 10.5	RED
RIG0011RS11	1PR CL00 11 GLOVE SZ 11	RED



### CLASS 00 RUBBER INSULATING GLOVES ULTRA LIGHTWEIGHT

#### - MAX USE VOLTAGE 500V AC

#### FEATURES

- 30% thinner \*when compared to the standard Class 00 rubber insulated glove while still providing the same level of protection
- Enhanced comfort: Ultra-lightweight design delivers a second skin-like fit and feel
- Ergonomic design: New form-fitting design helps reduce fatigue for enhanced productivity
- Silicone free: prevents contaminant transfer to final product
- Certified to ISO 14001:2015 and ISO 14064-1:2018
- Improved dexterity: offers advanced tactile sensitivity for handling small parts
- Assured protection: Meets requirements for Class 00 (500V AC/750V DC) protection, certified for resistance to acid (Category A), Ozone (Category Z) and very low temperatures (Category C)

Cat No.	Description	Colour
RIG0011BUL-8	1PR CL00 ULTRA LIGHTWEIGHT GLOVE SZ 8	BLACK
RIG0011BUL-9	1PR CL00 ULTRA LIGHTWEIGHT GLOVE SZ 9	BLACK
RIG0011BUL-10	1PR CL00 ULTRA LIGHTWEIGHT GLOVE SZ 10	BLACK
RIG0011BUL-11	1PR CL00 ULTRA LIGHTWEIGHT GLOVE SZ 11	BLACK





## CLASS 0 RUBBER INSULATING GLOVES

### - MAX USE VOLTAGE 1000V AC

- Ergonomically designed electrical gloves, ensuring durable, form fitting level of protection
- 11 inch length cuff
- Max Use Voltage 1000V AC
- New form fitting design helps reduce fatigue for enhanced productivity
- A smooth case hardened finish makes donning and doffing easier

Cat No.	Description	Colour
RIG011YS8	1PR CL0 11 GLOVES SZ 8	YELLOW
RIG011YS9	1PR CL0 11 GLOVES SZ 9	YELLOW
RIG011YS10	1PR CL0 11 GLOVES SZ 10	YELLOW
RIG011YS11	1PR CL0 11 GLOVES SZ 11	YELLOW



## CLASS 1 RUBBER INSULATING GLOVES

### - MAX USE VOLTAGE 7,500V AC

- Ergonomically designed electrical gloves, ensuring durable, form fitting level of protection
- Non Splayed Finger and Hand at Rest shape help alleviate hand fatigue
- 14 inch cuff
- Max Use Voltage 7,500V AC
- A smooth case hardened finish makes donning and doffing easier

Cat No.	Description	Colour
RIG114YBS8	1PR CL1 14 GLOVES SZ 8	BLACK/YELLOW
RIG114YBS8H	1PR CL1 14 GLOVES SZ 8.5	BLACK/YELLOW
RIG114YBS9	1PR CL1 14 GLOVES SZ 9	BLACK/YELLOW
RIG114YBS9H	1PR CL1 14 GLOVES SZ 9.5	BLACK/YELLOW
RIG114YBS10	1PR CL1 14 GLOVE SZ 10	BLACK/YELLOW
RIG114YBS10H	1PR CL1 14 GLOVES SZ 10.5	BLACK/YELLOW
RIG114YBS11	1PR CL1 14 GLOVE SZ 11	BLACK/YELLOW





## CLASS 2 RUBBER INSULATING GLOVES

### - MAX USE VOLTAGE 17,000V AC

- Ergonomically designed electrical gloves, ensuring durable, form fitting level of protection
- Non Splayed Finger and Hand at Rest shape help alleviate hand fatigue
- 16 inch cuff
- Max Use Voltage 17,000V AC
- A smooth case hardened finish makes donning and doffing easier

Cat No.	Description	Colour
RIG216YBS8	1PR CL2 16 GLOVES SZ 8	BLACK/YELLOW
RIG216YBS8H	1PR CL2 16 GLOVES SZ 8.5	BLACK/YELLOW
RIG216YBS9	1PR CL2 16 GLOVES SZ 9	BLACK/YELLOW
RIG216YBS9H	1PR CL2 16 GLOVES SZ 9.5	BLACK/YELLOW
RIG216YBS10	1PR CL2 16 GLOVES SZ 10	BLACK/YELLOW
RIG216YBS10H	1PR CL2 16 GLOVES SZ 10.5	BLACK/YELLOW
RIG216YBS11	1PR CL2 16 GLOVES SZ 11	BLACK/YELLOW



## CLASS 3 RUBBER INSULATING GLOVES

### - MAX USE VOLTAGE 26,500V AC

- Ergonomically designed electrical gloves, ensuring durable, form fitting level of protection
- Non Splayed Finger and Hand at Rest shape help alleviate hand fatigue
- 16 inch cuff
- Max Use Voltage 26,500V AC
- A smooth case hardened finish makes donning and doffing easier

Cat No.	Description	Colour
RIG316YBS9	1PR CL3 16 GLOVES SZ 9	BLACK/YELLOW
RIG316YBS10	1PR CL3 16 GLOVES SZ 10	BLACK/YELLOW
RIG316YBS11	1PR CL3 16 GLOVES SZ 11	BLACK/YELLOW





## CLASS 4 RUBBER INSULATING GLOVES

### - MAX USE VOLTAGE 36,000V AC

- Ergonomically designed electrical gloves, ensuring durable, form fitting level of protection
- Non Splayed Finger and Hand at Rest shape help alleviate hand fatigue
- 18 inch cuff
- Max Use Voltage 36,000V AC
- A smooth case hardened finish makes donning and doffing easier



Cat No.	Description	Colour
RIG418YBS9	1PR CL4 18 GLOVES SZ 9	BLACK/YELLOW
RIG418YBS9H	1PR CL4 18 GLOVES SZ 9.5	BLACK/YELLOW
RIG418YBS10	1PR CL4 18 GLOVES SZ 10	BLACK/YELLOW
RIG418YBS10H	1PR CL4 18 GLOVES SZ 10.5	BLACK/YELLOW
RIG418YBS11	1PR CL4 18 GLOVES SZ 11	BLACK/YELLOW



# LEATHER OVERGLOVES & COTTON LINERS

## LEATHER OVERGLOVES

Used to mechanically protect the rubber insulating gloves from potential damage caused by abrasion, chemical deterioration and cuts, leather protectors are made from cowhide, they are available in sizes 8-12 (cover full and half size, e.g. 8/8.5).

Leather protectors are available for specific Classes of rubber gloves. We stock two styles, both styles feature an adjustable strap with non-metallic buckle to tighten them and ensure they remain in place to protect the rubber insulating glove beneath them.

## CLASS 00-0 LEATHER OVERGLOVES

Cat No.	Description
OUTLVGS7	1PR LEATHER GLOVES CLASS 00-0 SIZE 7-7.5
OUTLVGS8	1PR LEATHER GLOVES CLASS 00-0 SIZE 8-8.5
OUTLVGS9	1PR LEATHER GLOVES CLASS 00-0 SIZE 9-9.5
OUTLVGS10	1PR LEATHER GLOVES CLASS 00-0 SIZE 10-10.5
OUTLVGS11	1PR LEATHER GLOVES CLASS 00-0 SIZE 11-11.5



## CLASS 1-4 LEATHER OVERGLOVES

Cat No.	Description
OUTHVGS8	1PR LEATHER GLOVES CLASS 1-4 SIZE 8-8.5
OUTHVGS9	1PR LEATHER GLOVES CLASS 1-4 SIZE 9-9.5
OUTHVGS10	1PR LEATHER GLOVES CLASS 1-4 SIZE 10-10.5
OUTHVGS11	1PR LEATHER GLOVES CLASS 1-4 SIZE 11-11.5





# CLASS 00-0 & 1-4 THE POWER GRIPZ™ LEATHER OVERGLOVES

The Power Gripz™ gloves have been designed by Linemen, for Linemen. With features including Arc Flash protection of 40Cal/cm<sup>2</sup> and cut resistance as well as the patent pending grip pad for extra safety and functionality.



TPG-012

Cat No.		Description	Size
Class 00-0	Class 1-4		
TPG010-8-8.5	TPG012-8-8.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	8-8.5
TPG010-9-9.5	TPG012-9-9.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	9-9.5
TPG010-10-10.5	TPG012-10-10.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	10-10.5
TPG010-11-11.5	TPG012-11-11.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	11-11.5
TPG010-12-12.5	TPG012-12-12.5	1PR ARC RATED, CUT RESISTANT LEATHER GLOVES	12-12.5



TPG-010

## COTTON GLOVE LINER

Cotton Glove Liners reduce the discomfort of wearing rubber insulating gloves. They provide warmth in colder temperatures and absorb perspiration in the warmer months. The knit wrist grips keep the liner in place. Cotton Glove Liners are made from cotton and therefore are non-drip.

We have knitted and interlock fabric types available.



COINT



### 35-COTTON-LINER

Cat No.	Description	Length (mm)
COINT	COTTON INTERLOCK 9" GLOVE, ONE SIZE	225
35-COTTON-LINER	COTTON KNIT GLOVE 10" LINER, ONE SIZE	250
VG-10822-PK	COTTON KNIT GLOVE 11" LINER, ONE SIZE	300



# RUBBER INSULATING SLEEVES

## CLASS 2 RUBBER SLEEVES

Rubber Insulating Sleeves are designed to extend the coverage from the cuff of rubber insulating gloves up to the shoulder to fully protect these areas from accidental contact with energised conductors and equipment.

### FEATURES

- Curved Elbow design
- Dual layer safety inspection feature
- Manufactured to meet and exceed both ASTM D1051 and EN 60984



Cat No.	Description	Size	Class	Colour
RIS2RYECS-YT	1PR SLEEVES EC	SMALL	2	YELLOW/RED
TNRISC2R-EC	1PR SLEEVES EC	REGULAR	2	YELLOW/RED
TNRISC2L-EC	1PR SLEEVES EC	LARGE	2	YELLOW/RED

## CLASS 4 RUBBER SLEEVES

Rubber Insulating Sleeves are designed to extend the coverage from the cuff of rubber insulating gloves up to the shoulder to fully protect these areas from accidental contact with energised conductors and equipment.

### FEATURES

- Curved Elbow design
- Dual layer safety inspection feature
- Manufactured to meet and exceed both ASTM D1051 and EN 60984



Cat No.	Description	Size	Class	Colour
RIS4RYECS-YT	1PR SLEEVES EC	SMALL	4	YELLOW/RED
RIS4RYECCR-YT	1PR SLEEVES EC	REGULAR	4	YELLOW/RED
RIS4RYECL-YT	1PR SLEEVES EC	LARGE	4	YELLOW/RED



# RUBBER GOODS ACCESSORIES

## B22 PLASTIC BUTTONS

Sleeve buttons, are required to wear rubber insulating sleeves properly. Four buttons are required per pair of sleeves. B22 (orange), two piece sleeve button.

Cat No.	Description
B22	4PCE/PACK PLASTIC BUTTONS 2-PART




## RUBBER SLEEVE HARNESS & STRAPS

S1 Straps are required to wear rubber insulating sleeves properly. Two straps are required per pair of sleeves.

H1 Harnesses are required to wear rubber insulating sleeves properly. One harness is required per pair of sleeves.

Cat No.	Description
TN-H1	RUBBER SLEEVE HARNESS
TN-S1	RUBBER SLEEVE STRAP



## LIQUID RUBBER CLEANER

SUPER SALCO® Cleaner is a concentrated detergent with a special grease release formula that removes oils, grease and dirt from natural rubber and SALCOR rubber equipment. Suitable for washing linemen's rubber gloves, sleeves and other specialty equipment by hand. Also works well on fibreglass and other materials. Just dilute with water, apply with a rag or sponge and rinse thoroughly.

Cat No.	Description
TN-S4	LIQUID RUBBER CLEANER 1GAL



## GLOVE POWDER

Ten-Four Glove Dust is a cooling, frictionless powder that absorbs moisture and perspiration when wearing rubber gloves preventing gloves getting sticky.

Cat No.	Description
10-4-1X5OZ	5 OZ BOTTLE GLOVE POWDER





## GLOVE STORAGE BAGS

Specialty bags designed and fit for purpose, these bags are made from the highest quality materials and double stitched for durability. Proper storage extends the service life of gloves, sleeves and Hot Sticks. Glove Bags feature a clip and tapered gussets with wide opening tops for ease of use.



HEAVY DUTY CLIP ON ALL GLOVE BAGS



GLOVEBAG



DUALBAG



COMBOBAG

Cat No.	Description
GLOVEBAG	HV/LV GLOVE BAG
DUALBAG	HV/LV GLOVE & LEATHER PROTECTOR BAG
COMBOBAG	HV/LV TRI BAG SLEEVE/GLOVE/LEATHER PROTECTOR

## GLOVES IN A BOTTLE

Suitable for anywhere workers' hands are exposed to grease, dirt, contaminants, paint, detergent, cleaning chemicals, coatings, ink, etc.


### FEATURES

- Shielding lotion—an advance on standard industrial barrier creams and moisturising lotions
- Protects hands against cleaning compounds, solvents, acids, oils etc.
- Non-toxic, hypoallergenic natural moisturizer
- Second skin for hands and body
- Dermatologist prescribed
- Makes it easier to remove grime, paint, glue, sealant, etc.
- Unparalleled relief for dry, cracked and irritated skin
- Non-greasy and fast absorbing
- Will not wash off—comes off naturally with exfoliated skin cells
- Helps retain your own natural moisture, leaving skin soft and supple



Cat No.	Description
GIAB-240PUMP	GLOVES IN A BOTTLE SHIELDING LOTION 240ML PUMP BOTTLE


PAGE	CATEGORY
66	INSULATING MATS/DRAPES/LINE GUARDS
66	LV Drapes
66	Cable End Covers
67	Substation & Switchboard Kits
67	MV Blankets
68	Ground Mats
68	Equipotential Mat
PAGE	LINE PROTECTION
69	Tiger Tails
69	Lion Tails
69	Jumper Wire Guards
70	Warning Markers
PAGE	RUBBER GOODS ACCESSORIES
70	Plastic Blanket Peg





# INSULATING MATS/DRAPES/LINE GUARDS

## LV DRAPES



Cat No.	Dimensions	Material	Features	Colour
1836YLVNV	18" x 36" (457MM x 914MM)	TYPE II SALCOR RUBBER 1000V	PLAIN STYLE	YELLOW
3636YLV	36" x 36" (914MM x 914MM)		VELCRO FASTENING	
10008	450MM x 300MM			
10009	600MM x 450MM			
10010	900MM x 600MM			
10011	1800MM x 900MM			
TN-2010	1000MM x 235MM DROP	EPDM 650V	SWITCHBOARD DRAPES, EYELETS FOR FASTENING	YELLOW/BLUE
TN-2004	1200MM x 225MM DROP		LINE COVER, VELCRO FASTENING	
TN-7004	1200MM x 225MM DROP		CROSS ARM COVER, VELCRO FASTENING	
TN-8001	600MM x 375MM DROP		FUSE LINK COVER, STUD FASTENING	
10005	600MM x 450MM		EYELETS / MAGNETS	
TN-9007	600MM x 450MM		PLAIN STYLE	
10020	900MM x 900MM		EYELETS	
TN-2001	1200MM x 225MM DROP	PVC 650V	LINE COVER	YELLOW/GREY
TN-2003	1200MM x 225MM DROP		MAGNET/PRESS STUDS	
TN-3001	1200MM x 300MM DROP		STUD FASTENING	
TN-4001	1200MM x 375MM DROP		STUD FASTENING	
TN-9001	12M x 1200MM x 2MM		12M ROLL	

## CABLE END COVERS

Cat No.	Dimensions	Material	Features	Colour
19001	180 x 110MM			
19002	245 x 190MM	PVC 650V	EYELETS FOR FASTENING	YELLOW/GREY
19003	230 x 110MM			





## SUBSTATION & SWITCHBOARD KITS

### FEATURES

- Tested and stamped here in NZ before delivery
- Weather resistant materials
- Dual colour drapes offer ease of visual inspection
- Grooves on Ground mat offer slip resistance
- Magnetic fasteners offer fast and secure placement



16003

Cat No.	Kit Contents
16002	2 x SMALL PLAIN DRAPE, 2 x MEDIUM PLAIN DRAPE, 1 x LARGE PLAIN DRAPE, 1 x GROUND MAT, 1 x VELCRO STRAP, 1 x BAG, 4 x CLAMPS
16003	4 x SMALL MAGNETIC DRAPE, 2 x LARGE MAGNETIC DRAPE, 1 x GROUND MAT, 1 x VELCRO STRAP, 1 x BAG
16007	2 x SMALL CLEAR MAGNETIC DRAPE, 2 x LARGE CLEAR MAGNETIC DRAPE, 4 x CLAMPS, 1 x BAG

## MV BLANKETS

### FEATURES

- Available in Split or Solid options
- Class 4 blankets offer protection from up to 36kV working voltage
- Simple to use, they are held in place with blanket pegs
- Reinforced breached edge



Cat No.	Description	Colour
TN-13	SALISBURY CL4 22 x 22" SOLID MAT	ORANGE
900E	SALISBURY CL4 36 x 36" SOLID MAT	ORANGE
TN-15	SALISBURY CL4 22 x 22" SPLIT MAT	ORANGE
TN-1300	SALISBURY CL4 36 x 36" SPLIT MAT	ORANGE



## GROUND MATS

### FEATURES

- Rubber Insulating Mats provided in a range of protection levels up to 36kV
- Commonly used in when undertaking works on Pillars, Pits, Substations, and Switchboards
- Additional Protection when undertaking potentially live electrical works




Cat No.	Description	Voltage	Dimensions			Colour
			Length (m)	Width (m)	Thickness (mm)	
181A-1	EPDM GROUND MAT (HOLE CUT OUT ONE SIDE)		1	1	6MM	BLACK
181A-2	EPDM GROUND MAT		1.2	1	6MM	BLACK
181A-3	EPDM GROUND MAT, SLOTS	UP TO 650V	1.5	1	6MM	BLACK
181A-4	EPDM GROUND MAT		0.9	0.9	6MM	BLACK
181A-ROLL	EPDM GROUND MAT		PER METRE	1	6MM	BLACK
TN-1810	EPDM GROUND MAT	UP TO 1000V	1	1	6MM	BLACK
1810-ROLL	EPDM GROUND MAT	UP TO 1000V	PER METRE	1	6MM	BLACK
TN-1814	MM, EPDM GROUND MAT	UP TO 36KV	1	1	6MM	BLACK

## EQUIPOTENTIAL MAT

Designed to assist in de-energised work by eliminating step and touch potential voltages, by establishing an equal voltage potential between personnel using the Mat and the clamped object.

- 770mm x 770mm Mat size (custom sizes available)
- 35mm<sup>2</sup> Weldflex cable with heavy duty insulation
- 400 Amp welding clamp – heavy duty spring with Copper contacts (lower or higher current clamps available)
- Stainless Steel mesh
- All Stainless Steel and Brass hardware to prevent corrosion
- Bound edges
- Cable affixed to Mat to prevent fatigue
- Comes as a kit with protective carry bag



Cat No.	Length (feet)
181EP-1	770 x 770MM EQUIPOTENTIAL MAT IN CARRY BAG



# LINE PROTECTION

## TIGER TAILS

Balmoral Engineering Torapoli Pipe 'Tiger Tails' are the perfect LV line guard, they can couple together for extended distances.

- Rated to 650V, AS4202
- Easy to install and remove



- Yellow/Black or Red/Black stripes assist with visual warning of lines

Cat No.	Dimensions	Colour
DB.35A	35MM x 2.5M LONG	YELLOW/BLACK
DB.35ARB125	35MM x 1.25M LONG	RED/BLACK

## LION TAILS

These Polyethylene Line Guards come in 15kV & 26kV and are an excellent visual warning for power lines & wires, as well as provide mechanical protection and electrical insulation.



Balmoral products are backed by decades of engineering to ensure the highest quality and safety standards.

### FEATURES

- Can be joined/coupled together
- Lightweight
- Easy to install
- 2m male/female lengths PE, Yellow outer, black inner safety feature

- Weather-resistant
- ASTM F712, Class 2 15kV or Class 3 26kV\*
- Robust design and construction

\* Both phases covered

Cat No.	Dimensions	Colour
DB45B	45MM x 2M LONG	YELLOW/BLACK

## JUMPER WIRE GUARDS

Jumper Wire Guards are designed to cover Bonds, Bridges and Jumper Wires to provide electrical insulation from brush contact and mechanical protection. They are particularly suitable for live works and maintenance activities and asset protection



### FEATURES

- AS4202 Class 1
- 650V
- Pliable EVA can be cut to specific lengths as required
- Electrically tested to ASTM F712 Class 2 14.6kV

Cat No.	Dimensions
IPEP	35MM x 10M LONG



## WARNING MARKERS

Perfect for overhead lines in construction zones, areas with low flying aircraft or birds and potential for contact with vehicles such as boat masts.

### FEATURES

- Latest technology articulated 3D design
- Premium High - Vis Reflectors
- Bayonet or Eye Ring fitting available
- Universal clamp fits all lines from 2-50mm OD
- Aerodynamic design, rotates for high impact visibility
- UV stabilised and tough non-conductive plastics
- Anti-creep Clamp design




Cat No.	Style of Warning Device	Hot Stick Attachment	Colour
WM-CS-E-1H-RW	3D VANE	EYE RING	RED/WHITE
WM-CS-B-1J-O	VINYL FLAG	BAYONET	ORANGE
LLCR-E	INSTALL/UNINSTALL TOOL - UNIVERSAL - EYE		

## RUBBER GOODS ACCESSORIES

### PLASTIC BLANKET PEG

Plastic pegs designed for clamping insulating covers, blankets or drapes around live electrical components.

Cat No.	Description
TN-21	BLANKET PEG 240MM LONG, 125MM OPENING
YS-211-3-5	BLANKET PEG 220 x 115 x 22MM



We offer in-house testing of rubber insulating products before dispatch

PAGE	CATEGORY
72	<b>ROTOFLEX SAFETY FOOTWEAR</b>
72	RotoFlex 140°C Composite Zip-Side Unisex Boots
72	RotoFlex 140°C Steel Toe Cap Zip-Side Unisex Boots
73	RotoFlex 300°C Steel Toe Cap Lace-Up Unisex Boots
73	RotoFlex 300°C Steel Toe Cap Zip-Side Unisex Boots
74	RotoFlex 300°C Penetration-Resistant Unisex Boots
74	RotoFlex Women's 300°C Steel Toe Cap Zip-Side Boots
PAGE	<b>WOMEN'S SAFETY SHOES</b>
74	887 Women's Zip-Side Safety Shoe
PAGE	<b>JOHN BULL SAFETY FOOTWEAR</b>
75	Kokoda 3.0 Unisex Safety Boot
75	Buck 3.0 Unisex Safety Boot
76	Himalaya 3.0 Unisex Safety Boot
76	Oryx 3.0 Unisex Safety Boot
PAGE	<b>STEEL TOE CAP SAFETY GUMBOOTS</b>
77	Penetration-Resistant Midsole Gumboots
77	Nitrile Rubber Gumboots
78	Quatro Dielectric Arc Rated Gumboots
PAGE	<b>FOOTWEAR ACCESSORIES</b>
78	Laces
78	Waterproof Spray
79	Blundstone Comfort Arch Footbed
79	John Bull Comf2Bull Footbed





## ROTOFLEX SAFETY FOOTWEAR

### INFINERGY®

E-TPU, a super elastic energy foam that is soft but resilient, providing enhanced cushioning and reducing the impact of every step.

### CUSHIONING FOOTBED

Anti-bacterial, washable and breathable material with ventilation and moisture control.

### OVERARCHING COMFORT SYSTEM

Brings stability, balance and movability, while reducing the risk of trips, slips and falls.



## ROTOFLEX 140°C COMPOSITE ZIP-SIDE UNISEX BOOTS



### FEATURES

- GripTek HD® – biomechanically designed TPU outsole designed for optimum grip and stability
- Composite Toe Cap – broad fitting, compression-resistant composite toe cap tested to resist a 200 joule impact



Cat No.	Description	Size
8560	COMPOSITE SAFETY BOOT ZIP – WHEAT	3-14
8561	COMPOSITE SAFETY BOOT ZIP – BLACK	3-14

Add suffix for size: -03, -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14



## ROTOFLEX 140°C STEEL TOE CAP ZIP-SIDE UNISEX BOOTS



### FEATURES

- GripTek HD® – biomechanically designed TPU outsole designed for optimum grip and stability
- Steel Toe Cap – broad fitting, cut-resistant steel toe cap tested to resist a 200 joule impact



Cat No.	Description	Size
8063	STEEL TOE SAFETY BOOT ZIP – STONE	5-14
8066	STEEL TOE SAFETY BOOT ZIP – BROWN	5-14

Add suffix for size: -05, -06, -07, -08, -09, -10, -11, -12, -13, -14





## ROTOFLEX 300°C STEEL TOE CAP LACE-UP UNISEX BOOTS



### FEATURES

- GripTek XHD® – Nitrile Rubber outsole designed for optimum grip and stability
- Steel Toe Cap – broad fitting, cut-resistant toe cap tested to resist a 200 joule impact



Cat No.	Description	Size
9011	STEEL TOE SAFETY BOOT LACE UP – BLACK	3-15

Add suffix for size: -03, -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15

## ROTOFLEX 300°C STEEL TOE CAP ZIP-SIDE UNISEX BOOTS



### FEATURES

- GripTek XHD® – Nitrile Rubber outsole designed for optimum grip and stability
- Steel Toe Cap – broad fitting, cut-resistant toe cap tested to resist a 200 joule impact



Cat No.	Description	Size
9060	STEEL TOE SAFETY BOOT ZIP – WHEAT	5-16
9061	STEEL TOE SAFETY BOOT ZIP – BLACK	5-16
9063	STEEL TOE SAFETY BOOT ZIP – STONE	4-16

Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14, -15, -16



## ROTOFLEX 300°C PENETRATION-RESISTANT UNISEX BOOTS



### FEATURES

- GripTek MAX® – Vibram sole made of Vibram TC4+. Industry-leaders bring the best engineering and componentry to create a sole with the highest slip rating
- Steel Toe Cap – broad fitting, cut-resistant toe cap tested to resist a 200 joule impact



Cat No.	Description	Size
9090	PENETRATION-RESISTANT SAFETY BOOT – WHEAT	5-14

Add suffix for size: -05, -06, -07, -08, -09, -10, -11, -12, -13, -14



## ROTOFLEX WOMEN'S 300°C STEEL TOE CAP ZIP-SIDE BOOTS



### FEATURES

- GripTek XHD® – Nitrile Rubber outsole designed for optimum grip and stability
- Steel Toe Cap – broad fitting, cut-resistant toe cap tested to resist a 200 joule impact



Cat No.	Description	Size
9961	WOMEN'S ZIP-SIDE SAFETY BOOT – BLACK	5-12

Add suffix for size: -05, -06, -07, -08, -09, -10, -11, -12



## WOMEN'S SAFETY SHOES

### 887 WOMEN'S ZIP-SIDE SAFETY SHOE

#### FEATURES

- Genuine Women's Fit – Designed and manufactured specifically for women
- Rubber outsole – heat resistant to temperatures up to at least 140°C
- Composite Toe Cap – broad fitting, compression-resistant composite toe cap tested to resist a 200 joule impact
- Anti-Static – Designed to prevent the build up of static electricity by conducting the static change to the ground
- Airport Friendly – This jogger is not 100% metal free and hand-held wand detectors or highly sensitive calibrations may be triggered by metal tabs securing the zip



Cat No.	Description	Size
887	WOMEN'S SAFETY SHOE ZIP-SIDE BLACK	5-11

Add suffix for size: -05, -06, -07, -08, -09, -10, -11



# JOHN BULL SAFETY FOOTWEAR

## KOKODA 3.0 UNISEX SAFETY BOOT

### FEATURES

- CushionCore 3.0 Technology – comfort technology, superior shock absorption at the heel and forefront rebound as you step
- Quad-Max Footbed – Super cushioning Comf2Bull Quad-Max footbed of a soft PU with a cushioning heel that's also antibacterial and washable
- Nitrile Rubber Outsole – outsole with aggressive self-clearing tread pattern providing superior grip, stability and abrasion resistance
- Steel toe cap – cut-resistant, broad fit, tested to resist 200 joule impact
- Electrical Hazard Resistance – certified to ASTM F2413-18. Clause 5.6 for electrical shock hazard resistance




Cat No.	Description	Size
4999	ZIP-SIDE SAFETY BOOTS	6-14

Add suffix for size: -06, -07, -08, -09, -10, -11, -12, -13, -14

## BUCK 3.0 UNISEX SAFETY BOOT

### FEATURES

- Shock absorption at the heel
- Nitrile rubber outsole
- Super cushioning Comf2Bull Quad-Max footbed of a soft PU with a cushioning heel that's also antibacterial and washable
- Tough VISLON® Zip and zip gusset to help stop water, dust, and mud entering the boot
- Wheat Nubuck water-resistant Bullhide leather
- Broad fitting 200 joule impact resistant Type 1 steel toe cap
- Non-metallic penetration-resistant insole which resists penetration even by small diameter nails and other objects
- Heavy duty TPU toe guard for extra scuff protection



Cat No.	Description	Size
4997	BUCK 3.0 SAFETY BOOT	4-14


Add suffix for size: -04, -05, -06, -07, -08, -09, -10, -11, -12, -13, -14



## HIMALAYA 3.0 UNISEX SAFETY BOOT

### FEATURES

- CushionCore 3.0 comfort technology combines two compounds of PU injected into the midsole providing superior shock absorption at the heel while also providing rebound at the forefront as you step
- TPU outsole with aggressive self-clearing tread pattern providing superior grip, stability and abrasion resistance
- Comf2Bull Quad-Max footbed that's antibacterial and washable
- Broad fitting 200 joule impact resistant Type 1 steel toe cap




Cat No.	Description	Size
4545	HIMALAYA 3.0 SAFETY BOOT	5-14

Add suffix for size: -05, -06, -07, -08, -09, -10, -11, -12, -13, -14

## ORYX 3.0 UNISEX SAFETY BOOT

### FEATURES

- BOA Fit System – Quick closure and simple release BOA® fit system. Adjustable for a personalised fit
- CushionCore 3.0 Technology – comfort technology providing superior shock absorption at the heel and forefront rebound as you step
- Steel toe cap – cut-resistant, broad fit, tested to resist 200 joule impact
- Quad-Max Footbed – Super cushioning Comf2Bull Quad-Max footbed of a soft PU with a cushioning heel that's also antibacterial and washable
- Nitrile Rubber Outsole – aggressive self-clearing tread pattern for superior grip, stability and abrasion resistance.
- Electrical Hazard Resistance – certified to ASTM F2413-18. Clause 5.6 for electrical shock hazard resistance



Cat No.	Description	Size
4590	ORYX 3.0 BOA SAFETY BOOTS	6-14

Add suffix for size: -06, -07, -08, -09, -10, -11, -12, -13, -14



# STEEL TOE CAP SAFETY GUMBOOTS

## PENETRATION-RESISTANT MIDSOLE GUMBOOTS

### FEATURES

- Waterproof – highly resistant to water and liquid penetration keeping your feet dry for all day comfort
- Penetration-Resistant Midsole – maximum resistance against sole perforation by nails and other sharp objects
- Steel toe cap – cut-resistant, broad fit, tested to resist 200 joule impact
- Slip & Abrasion Resistant – Our soles combine a unique tread pattern with our expertise in blending the PVC/nitrile to provide excellent durability and slip resistance

- PU Luxury Footbed – Comfort Arch footbed is made from soft polyurethane, covered with a full length cushion of foam polyurethane, topped by a long-wearing mesh cover



**Blundstone**  
TASMANIA AUSTRALIA 1870

Cat No.	Description	Size
024	PENETRATION-RESISTANT MIDSOLE GUMBOOTS	5-13

Add suffix for size: -05, -06, -07, -08, -09, -10, -11, -12, -13

# NITRILE RUBBER GUMBOOTS

### FEATURES

- Waterproof – highly resistant to water and liquid penetration keeping your feet dry for all day comfort
- PVC/Nitrile Rubber Blend Upper – The chemical, oil & acid resistant properties provide waterproof protection for many environments
- Steel toe cap – cut-resistant, broad fit, tested to resist 200 joule impact
- Slip & Abrasion Resistant – Our soles combine a unique tread pattern with our expertise in blending the PVC/nitrile to provide excellent durability and slip resistance

- PU Luxury Footbed – Comfort Arch footbed is made from soft polyurethane, covered with a full length cushion of foam polyurethane, topped by a long-wearing mesh cover



**Blundstone**  
TASMANIA AUSTRALIA 1870

Cat No.	Description	Size
025	NITRILE RUBBER GUMBOOTS	5-13

Add suffix for size: -05, -06, -07, -08, -09, -10, -11, -12, -13



## QUATRO DIELECTRIC ARC RATED GUMBOOTS

These high spec dielectric safety gumboots have been designed for use on and around electrical installations. They have been manufactured with specially formulated insulating layers offering electrical protection over the whole boot.

Hand-built on the popular Quatro last, these gumboots give a generous fit while locking the ankle and preventing heel slip in use.

### FEATURES

- Fully waterproof
- Toe scuff guard
- Foxing wear layer
- Heel kick lug
- Quattro comfort foot bed
- Size Range: UK4-14/EU38-49/US5-15
- Colour: yellow/black
- Class 2 – Proof test 20kV



Cat No.	Description	Size
QUATRO-FQE4	QUATRO DIELECTRIC GUMBOOTS	4-14

Add suffix for size: 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14

## FOOTWEAR ACCESSORIES

### LACES

Durable and made from 100% polyester, available in two sizes for brown and three sizes for black.



### WATERPROOF SPRAY

A spray-on waterproofer formulated to protect all types of footwear from water and stains. Does not affect the performance or breathability of footwear and is a fast-drying formula. Suitable for use on all kinds of footwear, including nubuck, suede, and all leathers



Cat No.	Colour	Length (cm)	Cat No.	Description
LCS140BLK		140	WTRSPRAY	WATERPROOF SPRAY 125ML
LCS150BLK	BLACK	150		
LCS180BLK		180		
LCS140TBRN		140		
LCS150TBRN	BROWN/TAN	150		



## **BLUNDSTONE COMFORT ARCH FOOTBED**

The Blundstone Comfort Arch Footbed features XRD® Technology inserts in the forepart to absorb up to 90% of the impact. Soft and cushioning, this premium insole provides unmatched comfort. It's also odour, fungus and bacteria-resistant, breathable and washable. Suitable for Men's or Women's Blundstone footwear. Available in sizes 5-7, 8-10, and 11-13.



<b>Cat No.</b>	<b>Colour</b>	<b>Size</b>
FBEDCA-5-7	COMFORT ARCH XRD FOOTBED	5-7
FBEDCA-8-10	INSERTS (TRIM TO FIT)	8-10
FBEDCA-11-13		11-13

## **JOHN BULL COMF2BULL FOOTBED**

These footbeds are built with Comfoflex gel inserts in the heel and forepart for superior impact absorption. They are anti-bacterial, breathable, washable, moisture-wicking, provide arch support, feature an airflow system, and have anti-fatigue properties. Available in sizes 4-7, 8-10, and 11-14.



<b>Cat No.</b>	<b>Colour</b>	<b>Size</b>
FBEDJBCA-4-7	COMFORT ARCH PU/GEL FOOTBED	4-7
FBEDJBCA-8-10	INSERTS (TRIM TO FIT)	8-10
FBEDJBCA-11-14		11-14



# Hit the ground running



Get your boots tested before  
dispatch by request

PAGE	CATEGORY
82	<b>LITTLE GIANT FIBREGLASS LADDERS</b>
82	Hyperlite Extension Ladder
83	Conquest Telescopic Ladder
84	King Kombo 3-in-1 Extension Ladder
85	Tuff-N-Lite Platform Ladder
86	Fortress Standing Platform Ladder





# LITTLE GIANT FIBREGLASS LADDERS

## HYPERSLITE EXTENSION LADDER

The best lightweight fibreglass extension ladder in the world. Strong, 20% more rigid, with stable legs for secure footing on uneven terrain. Little Giant's patent-pending Hi-Viz Green is one of the most visible colour hues to the human eye and provides better UV stability for harsh NZ conditions.

### STANDARD FEATURES

- Side mounted double pulley reduces force required to raise ladder (excludes 16' variants)
- Side mounted rope for unobstructed climbing and secure footing on each rung, removing potential trip hazard
- Ground-Cue bottom rung for audible indication of last step
- Integrated spirit level to ensure 100% levelling
- Integrated 4-in-1 incline level on side of ladder
- Wide climbing area – up to 50mm wider than comparable ladders
- Substantial space between rungs when retracted to fit gloved hands without risk of injury
- Patent-pending Sure-Set™ feet stay where you want them
- Delivered inspected with inspection label and serial number for ease of record keeping
- Range of top fixings available includes web strap or chain
- Meets all ANSI A14 and AS 1892.1:2018 strength and testing standards. Rung/step spacing complies to all relevant international standards
- 16'-32' models rated/tested to 170kg  
36' & 40' models rated/tested to 150kg

- Meets requirements of the ANSI standard listed in Section 10 of NZ EEA Guide - Portable Equipment for Work on or Near Conductors
- Fast, simple, convenient repairs available at TransNet

(Test reports available on request.)

### OPTIONS

- Tethering system – specially designed Ladder Lock System secures ladder to the pole, enabling lone workers to secure the head of their ladder before ascending
- Fall arrest system – ANSI Z359.15 rated, offers 100% fall protection on ascent and descent. Smooth hands-free up and down tracking, allows for 3-point contact at all times



Cat No.	Model	Triangle Rung Width (cm)	Extension Height (m)	Storage Dimensions			Load Rating (kg)	Weight (kg)
				H (m)	W (mm)	D (mm)		
LGHL16TNSP	16'	3.8	4.85	2.6	445	153	170	14.06
LGHL20TNSP	20'	3.8	6.02	3.2	445	153	170	17.69
LGHL24TNSP	24'	3.8	7.18	3.8	445	153	170	20.41
LGHL28TNSP	28'	3.8	8.34	4.4	445	153	170	23.59
LGHL32TNSP	32'	3.8	9.52	5.0	445	153	170	28.58
LGHL36TNSP	36'	3.8	10.39	5.6	445	153	150	31.75
LGHL40TNSP	40'	3.8	11.25	6.2	445	153	150	34.93

Add suffix -ST for webbing strap attachment, -CH for chain attachment,



## CONQUEST TELESCOPIC LADDER

Access a variety of workspaces with the Little Giant® Conquest™ ladder. This versatile, multi-position ladder will help you get stuff done efficiently.

### PATENTED RAPID LOCK

Grip and twist the Rapid Lock, and then slide the rails of the ladder to the desired size. Twist the Rapid Lock once more to lock the ladder in place.

### PALM BUTTONS

Move from storage to A-frame, extension, and 90 degree configurations by pushing in the ladder's palm buttons.

### TIP & GLIDE WHEELS

The integrated Tip & Glide wheels help you move the ladder easily from job to job.

### V-BAR

The extension side of the ladder is narrow enough to access tight spaces between wall studs, ceiling trusses, and roof or attic access ports, and can be safely set up on poles or outside corners. The wall pad feet are designed for use on inside corners and flat walls without damage to the surface.

### CARRYING HANDLE

Weight-balanced carrying handle simplifies transportation of the ladder.

### STANDARDS

The Conquest meets or exceeds all AS/NZS1892 standards and is Type IA rated to hold 150kg.



Cat No.	Model	A-Frame Min./Max. Height (m)	A-Frame Highest Standing Level (m)	Extension Min/Max Height Dimensions (m)	Extension Highest Standing Level (m)	Max Footprint (m)	Storage Dimensions			Weight (kg)
							Height (m)	Width at Base (m)	Depth (cm)	
LCAT4	4-14 STEP	1.37 - 2.28	1.46	2.7M-4.55	3.55	1.6	1.39	0.5	25	19
LCAT5	5-18 STEP	1.67 - 2.89	2.05	3.3M-5.76	4.72	2	1.7	0.5	25	23



## KING KOMBO 3-IN-1 EXTENSION LADDER

King Kombo is the world's first and only 3-in-1 Extension Ladder, Stepladder, and Leaning Ladder in one lightweight package. The King Kombo can transition from position to position in one fluid motion. The one-handed Grip-N-Go hinge allows for a seamless transition between stepladder, extension, and leaning ladder configurations.

### FEATURES

- Lightweight, yet strong 3-in-1 ladder
- Non-conductive, high-strength, lightweight fibreglass construction
- Patent-pending Hi-Viz green fibreglass rails
- Wide-flared side offers superior side-tip stability
- Straight side for easy access tight work spaces between 16" on-centre stud gaps, ceiling trusses and attic access ports
- The Quad Pod rotating wall pad allows you to safely set up your ladder on inside and outside corners, studs, and poles with ease when in extension mode
- Co-Moulded nonslip wall pads protect surfaces and provide stability
- Wear-resistant, slip-resistant feet are easy to replace
- Shock absorbing rail shield bracket & shoe protects fibreglass rails from damage and weather (Industrial/Technical models)
- ANSI 1AA rated to 170kg load capacity
- 1-year limited warranty



Cat No.	Model	Stepladder		Extension		Leaning Ladder		Max Footprint (m)	Storage Height (m)	Storage Width (m)	Storage Depth (cm)	Weight (kg)
		Max Standing Level (m)	Max Reach (m)	Max Standing Level (m)	Max Reach (m)	Max Standing Level (m)	Max Reach (m)					
LKK6-2.0	6'-10'	1.15	3.10	2.00	4.00	0.85	2.85	1.10	1.85	0.64	18	11
LKK8-2.0	8'-14'	1.75	3.7	3.25	5.25	1.40	3.4	1.50	2.45	0.71	18	14



## TUFF-N-LITE PLATFORM LADDER

Everyone needs an ultra-functional stepladder. If you are looking for a lightweight, comfortable-to-use stepladder that helps you safely reach those high places, the Tuff-N-Lite is the right ladder for the job.

### FEATURES

- Lightweight fibreglass construction
- Patent-pending Hi-Viz Green
- Patent-pending shock absorbing Brace & Rail Shield
- Comfortable standing platform with quick fold handle
- Comfortable wide rungs
- Ground Cue alerts users to the last step, avoiding injuries
- Innovative top cap features hooks, port holes, slots and grooves to keep your materials within reach while atop the ladder
- Industrial load rating of 150kg



Cat No.	Model	Max Highest Standing Level (m)	Max Footprint (m)	Step Width (cm)	Storage Dimensions			Weight (kg)
					Height (m)	Width (m)	Depth (cm)	
LML2	2 STEP	0.55	0.80	7.6	1.3	0.50	10	6
LML3	3 STEP	0.85	0.90	7.6	1.6	0.55	10	7
LML4	4 STEP	1.15	1.10	7.6	1.9	0.55	10	9
LML6	6 STEP	1.75	1.50	7.6	2.5	0.60	10	11.5



## FORTRESS STANDING PLATFORM LADDER

This fortress wasn't made to keep things out – it was made to keep you in. With a large standing platform, wraparound enclosure, and auto-closing gate, the Fortress™ takes the benefits of a platform ladder and combines them with the lightweight, quick-and-easy setup of a stepladder.

### SIMPLE SETUP AND STORAGE

One movement, one person, one second—that's all you need to handle the Fortress like a pro. Just push the platform handle to deploy or pull it to fold.

### ENCLOSED PLATFORM

The extra-large standing platform features a gated, wraparound enclosure that shuts automatically when you step in.

### GROUND CUE

Show your ankles some love. 20% of ladder accidents come from missing the last step on the way down. With the Ground Cue®, putting weight on the bottom step makes an audible and tactile “click,” letting you know you’ve reached the final step of the ladder.

### INNOVATIVE TOOL TRAY

Slots, holes, hooks, and a closeable container. This versatile top cap is our best one yet – plus, you can lean on it.

### RATING

The Fortress meets or exceeds AS/NZS Industrial Standards of 150kg.



Cat No.	Model	Highest Standing Level (m)	Max. Reach (m)	Storage Height (m)	Weight (kg)
LFT3	3 STEP	0.85	2.85	2.25	13
LFT4	4 STEP	1.15	3.15	2.55	14.9
LFT5	5 STEP	1.45	3.45	2.85	16.7
LFT6	6 STEP	1.75	3.75	3.15	18.5

PAGE	CATEGORY
88	<b>HARNESSES</b>
88	Premium Y-Tech Tower Harness
89	Full Body Basic Harness
89	Premium Full Body Harness
PAGE	<b>LANYARDS &amp; POLE STRAPS</b>
90	Shock Absorbing Adjustable Lanyards
90	Elasticated Shock Absorbing Lanyards
90	Rope Lanyard Connectors
90	Petzl Grillon Adjustable Lanyard
91	Webbing Lanyard
91	Rope Pole Straps with Rope Grab and Carabiner
91	Webbing Pole Straps
92	Shock Blocks
92	Retractable Webbing Lanyard
PAGE	<b>CARABINERS</b>
92	Oval Steel Carabiner
92	Steel Tower Hook with Captive Eye
93	Offset Steel Carabiner with Captive Eye
93	Oval Delta Quick Link
93	Petzl Oval Wide Quick Connector
94	Petzl Delta Triangle Steel Quick Link
94	Steel Tower Hook
94	Double Locking Snap Hook






# HARNESSES

## PREMIUM Y-TECH TOWER HARNESS

The YTECH-PRO Tower Harness has been developed following extensive consultation with our power utility end users, giving them the features they desire most. This harness has been designed to eliminate restriction on the shoulders, allowing total upper body movement.

### FEATURES

- Alloy components
- Webbing dorsal ring
- Pole strap attachment points
- Glove and barriered from waist up
- Free fall arrest attachment points. Chest straps raise or lower seat for comfort
- Easy donning and doffing due to the quick release buckles and specialised design
- Y-shaped back reduces the pressure on the upper torso allowing more freedom to reach out
- Flexible, water-resistant padding on waist and seat allows continued comfort for long periods of time, even while sitting in a vehicle
- Bright colours with reflective stitching built into the webbing allows for higher visibility under work lights
- Reduced obstructions on the top of the harness help prevent entanglement while working through power lines
- Adjustable seat that can be adjusted to allow for comfortable seating during pole strap work. This unique feature allows the user to customise the seat to their work style



- Rear buckle to allow for adjustment of the back webbing ring (this allows for users of different heights to be comfortable)
- Harness weight: approx 2.54kg
- User weight rating: 150kg

### APPROVALS

- Certified to: AS/NZS 1891.1:2007
- Design Registration Number: 201815478

### SUITABLE APPLICATIONS

- Line work
- Tower work
- Glove and barrier
- Pole top and work positioning



Cat No.	Description	Size
Y-TECH-PRO-SMALL		SMALL
Y-TECH-PRO-M-2XL	PREMIUM Y-TECH TOWER HARNESS	M-2XL
Y-TECH-PRO-3XL-5XL		3XL-5XL



## FULL BODY BASIC HARNESS

Made in New Zealand by our specialised team, Our standard Full Body Harnesses feature two attachment webbing loops and a dorsal attachment D-Ring for fall-arrest. The sternal attachment points are particularly suitable for use with rope or cable grabs and offer a comfortable position to work from as well as for rescue. High strength, easy adjustment webbing buckles are used on both legs and chest. Other features include easy-grip shoulder adjustment buckles, webbing fall arrest loops and high strength stitch pattern.

### APPROVALS

AS/NZS 1891.1 2007



Cat No.	Description	Size
SBE6-SMALL	FULL BODY HARNESS	SMALL
SBE6-M-2XL	WITH FRONT & BACK ANCHOR POINTS	M-2XL
SBE6-3XL-5XL		3XL-5XL



## PREMIUM FULL BODY HARNESS

Our standard full body quick release harness. Features two anterior webbing loop attachments and a dorsal D-ring attachment for fall arrest. The upper chest attachment points are well suited for use with rope or cable grabs and offer a comfortable position to work from, as well as rescue. High strength, easy adjustment webbing buckles are used on both legs and chest. Other features include easygrip shoulder adjustment buckles, webbing fall arrest loops, and high strength stitch pattern.

### APPROVALS

AS/NZS 1891.1 2007



Cat No.	Description	Size
HSH530	PREMIUM FULL BODY HARNESS	SMALL
HSH528	WITH LOWER CHEST LOOPS,	M-2XL
HSH529	QUICK RELEASE BUCKLES,	3XL-5XL
HSH620	X-FACTOR SHOULDER PADDING,	6XL-8XL
	LEG PADDING, AND REAR D-RING EXTENSION STRAP	





# LANYARDS & POLE STRAPS

## SHOCK ABSORBING ADJUSTABLE LANYARDS

Webbing shock absorbing lanyards, standard with double action hooks. All of our Webbing Shock Absorbing Lanyards are AS/NZS 1891.1:2007 compliant.

Cat No.	Description
S001	1.5M SHOCK ABSORBING WEBBING LANYARD 2 DOUBLE ACTION HOOKS
S002	2M SHOCK ABSORBING WEBBING LANYARD 2 DOUBLE ACTION HOOKS



## ELASTICATED SHOCK ABSORBING LANYARDS

Elasticated shock absorbing lanyard with 2 double action hooks.

Cat No.	Description
S030-1.5	1.5M ELASTICATED SHOCK ABSORBING LANYARD WITH 2 DOUBLE ACTION HOOKS
S030	2M ELASTICATED SHOCK ABSORBING LANYARD WITH 2 DOUBLE ACTION HOOKS



## ROPE LANYARD CONNECTORS

Rope Lanyard Connector, 24kN.

Strong 11mm kernmantle rope lanyard, 1600mm long.

Cat No.	Description
S0109RTBS	1.6M ROPE LANYARD CONNECTOR
S0110RTBS	1M ROPE CONNECTOR INCLUDING WIDE RED SLEEVE




## PETZL GRILLON ADJUSTABLE LANYARD

Lanyard with fine adjustment system for precise work positioning.

- Can be used in two ways
  - in double mode on the side attachment points of the harness, to distribute the weight on the belt (user has weight on his feet): length is adjusted by pressing on the pivoting cam)
  - in single mode on the harness ventral attachment point, to distribute weight between the waistbelt and the leg loops (user is suspended): length is adjusted by operating the handle while holding the free end of the lanyard
- Removable protective sheath protects the rope from abrasive surfaces and allows smooth rope glide

Cat No.	Description
L052-AA01	3M GRILLON ADJUSTABLE LANYARD FOR WORK POSITIONING
L052-FA01	3M REPLACEMENT ROPE FOR GRILLION LANYARD





## WEBBING LANYARD

Adjustable Shock absorbing lanyard with double action hooks.

Cat No.	Description	Length (m)
S014	ADJUSTABLE SINGLE LEG - 2 DOUBLE ACTION HOOKS	2



## ROPE POLE STRAPS WITH ROPE GRAB AND CARABINER

The combination of AS/NZS approved Kernmantle rope and rope grab allows the user to quickly adjust the length of the strap on the fly. Comes with a Double Action Hook and carabiner.

Cat No.	Description	Length (m)
SBL12ATALG	BLACK ADJUSTABLE KERNMANTLE 12MM ROPE POLE STRAP WITH GREEN SLEEVE, ALLOY ROPE GRAB, CARABINER AND DOUBLE ACTION HOOK	2.5
SBL12AW	WHITE ADJUSTABLE KERNMANTLE 12MM ROPE POLE STRAP WITH RED SLEEVE, ALLOY ROPE GRAB, CARABINER AND DOUBLE ACTION HOOK	2.5



SBL12ATALG

SBL12AW

## WEBBING POLE STRAPS

Designed to be attached to user's belt at the waist and slung around a pole for work positioning. Double action hooks at both ends with an adjustable stainless-steel buckle.

Cat No.	Description	Length (m)
SBL11S	WEBBING POLE STRAP, WITH DOUBLE ACTION SNAP HOOKS	2.5
SBL11S2		2.2





## SHOCK BLOCKS

Attaching to the harness, a shock block is designed to absorb the energy of an operator's fall. In order for this to work correctly the shock block must be chosen based on the weight of the user.



Cat No.	Description	Weight Rating
S009-120	ENERGY ABSORBER BLOCK	120KG
S009-150		150KG

## RETRACTABLE WEBBING LANYARD

Retractable blocks are designed to maintain constant tension on the lifeline, helping to minimise slack and reduce the risk of tripping or entanglement during use. Comes fitted with ANSI Z359.12-2009 certified carabiners.




## CARABINERS

### OVAL STEEL CARABINER

#### FEATURES

- Oval shape
- MBL: 25kN
- Weight: 165g




Cat No.	Description
MC001	OVAL CARABINER - STEEL, SCREW GATE

### STEEL TOWER HOOK WITH CAPTIVE EYE

Large steel tower carabiner with a triple action safety lock and a max. gate opening of 59mm. C/W Captive Eye.

#### FEATURES

- Material: Steel Alloy
- Gate Opening: 59mm
- MBL: 23kN
- Net Weight: 745g



Cat No.	Description
HSU1647	STEEL TOWER HOOK WITH CAPTIVE EYE



## OFFSET STEEL CARABINER WITH CAPTIVE EYE

Steel carabiner with a triple action safety lock and a max. gate opening of 21mm. C/W Captive Eye.

### FEATURES

- Material: Steel Alloy
- Gate Opening: 21mm
- Gate Rating: 16kN
- MBL: 40kN
- Net Weight: 236g




Cat No.	Description
MC002KCE	CARABINER OFFSET STEEL, TRIPLE LOCKING, CAPTIVE EYE

## OVAL DELTA QUICK LINK

Ideal for connecting to hardware such as bolt hangers or wire cables, and have the highest strength of any screw-link shape for the size of the material..

### FEATURES

- Material: Steel Alloy
- Gate Opening: 11mm
- Max working load: 700kg
- MBL: 3500kg
- Net Weight: 77g
- Diameter 8mm (5/16")



Cat No.	Description
MC012	OVAL DELTA QUICK LINK 8MM

## PETZL OVAL WIDE QUICK CONNECTOR

Ideal for situations where three-way load is exerted or wide web is used.

### FEATURES

- Material: Zinc plated steel
- Max working load: 900kg
- MBL: 4500kg
- Net Weight: 153g




Cat No.	Description
K600-08-W	PETZL MAILLION WIDE NORMAL - 8MM



## PETZL DELTA TRIANGLE STEEL QUICK LINK

Delta (or triangular) shaped screw-links are great for rigging a wire strop round an anchor – one eye of the wire comes in at each of the top corners and another connector can be attached in the bottom corner. This shape is also good for connecting webbing to a fixed attachment point. Used to connect our fall-arrest lanyards to the D-rings on harnesses.




Cat No.	Description	Size
K600-08-D	PETZL MAILLON STEEL DELTA TRIANGLE	8MM
K600-10-D		10MM

## STEEL TOWER HOOK

Steel tower hook with a palm safety device and a max gate opening of 85mm.

### FEATURES

- Material: Steel Alloy
- Gate Opening: 85mm
- MBL: 23kN
- Net Weight: 850g



Cat No.	Description
MH005	STEEL TOWER HOOK

## DOUBLE LOCKING SNAP HOOK

### FEATURES

- Double action, self-locking gate mechanism
- Zinc electroplated for rust resistance
- Rated to 5,000 lbs.
- Meets British Standard EN362:2004



Cat No.	Description
HMI8556	DOUBLE LOCKING SNAP HOOK



PAGE	CATEGORY
96	EYEWASH
96	Pocket Eyewash Flask
96	Eyewash Bottle
96	Eyewash Stationary Stand
96	Sterile Saline Solution Replacement Bottles
PAGE	HYDRATION
97	THORZT Hydration
97	THORZT Effervescent Tablets – Hydration
97	THORZT Effervescent Tablets – Hydration + Vitamins & Energy
PAGE	SKIN PROTECTION
98	SunGard SPF50 Sunscreen
98	SunGard SPF30+ Lip Balm
98	SunGard Wall Mounting Brackets
PAGE	FIRST AID KITS
99	Help-It Personal Burns kit – Soft Pack
99	Help-It Industrial Burns Kit – Soft Pack
100	Help-It Industrial Burns Kit – Wall Mount
100	Help-It Industrial Burns Kit – Refill Pack
101	Help-It Electrical Workers First Aid Kit
102	Help-It Industrial 1-5 First Aid Kit - Soft Pack
102	Help-It Industrial 1-5 First Aid Kit – Wall Mountable Box
103	Help-It Industrial 1-5 Refill Pack
103	Help-It Industrial 1-25 Wall Mount First Aid Kit
104	Help-It Industrial 1-25 Refill Pack
104	Help-It Industrial 1-50 Wall Mount First Aid Kit
105	Help-It Industrial 1-50 Refill Pack
105	Help-It Lone Worker/Vehicle 1 – First Aid Kit
106	Help-It Lone Worker/Vehicle 2 – First Aid Kit
106	Lone Worker/Vehicle 2 - First Aid Kit – Refill Pack



# EYEWASH

## POCKET EYEWASH FLASK

If it is not practical to have a eyewash station within arms reach, it is possible to carry a personal Pocket Eyewash Flask in the breast pocket. The pocket flask is not sufficient in itself to wash chemicals from the eyes, but can be used on the way to a proper eyewash station. Suitable for laboratories, building sites, cleaning staff or anyone with mobile working conditions.



Cat No.	Description
T121	POCKET EYEWASH FLASK - 200ML

## EYEWASH BOTTLE

### FEATURES

- Delivers a continuous flow of sterile saline for up to 90 sec
- Protective cap top and bottom ensure this robust eyewash doesn't leak even when placed in toolboxes or glove boxes
- Ideal for remote workers to take eyewash with them
- To activate, twist top cap and remove, then twist bottom cap to break the airvent and start saline solution flowing
- Handy eye ring supports washing while moving
- Optional wall mount is available



Cat No.	Description
T125	EYEWASH BOTTLE - 500ML
T164	WALL MOUNT EYEWASH BOTTLE - 500ML

## EYEWASH STATIONARY STAND

2 x 1 Litre Sterile Saline Solution eyewash bottles in a wallstand. Suitable when space is a problem. (Supplied complete with bottles, wall-stand and wall screws.)

Dimensions: 39cm (H) x 20cm (W) x 10cm (D)



Cat No.	Description
T129	EYEWASH STATIONARY STAND WITH 2 X 1L EYEWASH BOTTLES

## STERILE SALINE SOLUTION REPLACEMENT BOTTLES

### FEATURES

- Includes 2 x 1 litre Sterile Saline Solution bottles
- Dimensions 39cm (H) x 20cm (W) x 10cm (D)



Cat No.	Description
T126	REPLACEMENT EYEWASH BOTTLES - 2 X 1L



# HYDRATION

## THORZT HYDRATION

THORZT hydrating solo shots are the versatile, tasty option for all workers. With five great flavours and available in single serve packs that each make up 600ml these caffeine and gluten free hydration shots are convenient and practical.

### FEATURES

- 5 delicious flavours - Blue Lemonade, Lemon Lime, Orange, Tropical, Wild Berry
- 99% sugar free
- Proprietary electrolyte formula including Sodium, Potassium and Magnesium
- Great for sporting, personal and industrial use
- Caffeine and gluten free
- Proprietary blend of B & C group vitamins, L-Glutamine & essential Branch Chain Amino Acids (BCAA)
- 50 x 3g / 600ml sachets per pack

Cat No.	Description
SSSFMix	THORZT SUGAR FREE SOLO SHOTS, 50 BAG



## THORZT EFFERVESCENT TABLETS - HYDRATION

THORZT Hydration Effervescent Tablets are great tasting and scientifically designed for physically active individuals in hot working climates to replace water and electrolyte losses in sweat. The convenient tubes hold 15 tablets.

### FEATURES

- Sugar, Caffeine and Gluten free.
- Proprietary electrolyte formula inc. Sodium, Potassium and Magnesium.
- Reduces symptoms of dehydration.
- Helps maintain & restore body electrolyte balance
- Maintains sodium, magnesium and potassium levels
- Helps reduce muscle cramps & maintain healthy muscle contraction
- 15 tablets per tube, 8 tubes per tray, 4 trays per carton

Cat No.	Description
THEV15-OR	THORZT SUGAR FREE EFFERVESCENT TABLETS - ORANGE
THEV15-BE	THORZT SUGAR FREE EFFERVESCENT TABLETS - BERRY



## THORZT EFFERVESCENT TABLETS - HYDRATION + VITAMINS & ENERGY

THORZT Hydration, Vitamin & Energy Effervescent Tablets offer dual benefits of hydration and essential vitamin nutrients to physically active individuals in hot working climates.

### FEATURES

- Sugar, Caffeine and Gluten free
- Proprietary electrolyte formula incl Sodium, Potassium and Magnesium
- Reduces symptoms of dehydration
- Vitamins & Energy: Essential nutrients, including B vitamins, zinc, magnesium and vitamin C to support energy production, metabolism and relieve tiredness and fatigue
- Maintains & helps restore body electrolyte balance
- Maintains sodium, magnesium and potassium levels within normal range
- Helps reduce muscle cramps
- Helps maintain healthy muscle contraction function, energy production & relieves fatigue

Cat No.	Description
THEV15-PU	THORZT SUGAR FREE VITAMIN EFFERVESCENT TABLETS - PUNCH





# SKIN PROTECTION

## SUNGARD SPF50 SUNSCREEN

### FEATURES

- SPF50 UVA/UVB advanced broad-spectrum protection
- Laboratory tested to meet AS/NZS Standard 2604:2012
- 4 hours water resistance
- Contains Manuka Honey, Aloe Vera & Vitamin E to moisturize and condition the skin
- Formula does not contain nanoparticles, titanium dioxide or zinc oxide—safe in contact with roofing and paint finishes
- Dermatologically tested for most skin types and free from Paraben and MIT
- Non-slip dry grip
- Fragrance-free
- SunGard is a TGA (Therapeutic Goods Administration) registered product, manufactured and tested in Australia
- Available in 75ml carabiner, 125ml flip-top squeeze tube, 500, 1000 and 2500ml pump bottles

Cat No.	Type	Size (ml)
SG50-75	CARABINER TUBE	75
SG50-125	FLIP TOP SQUEEZE TUBE	125
SG50-500	PUMP BOTTLE	500
SG50-1000	PUMP BOTTLE	1000
SG50-2500	PUMP BOTTLE	2500



## SUNGARD SPF30+ LIP BALM

SunGard SPF30+ gives lips long-lasting protection from damaging UVA and UVB rays.

### FEATURES

- Formulated from high-quality natural plant-based oils, including Shea butter, sea buckthorn oil, beeswax and chamomile extract
- Highly effective light protection filters
- Contains nourishing Vitamin E and a touch of vanilla aroma
- Contains no artificial preservatives, silicone or parabens

Cat No.	Type	Size (g)
SG-LB	TWIST TUBE	4.8



## SUNGARD WALL MOUNTING BRACKETS

These wall mounting brackets are suitable for SunGard pump bottle dispensers (not included).

### FEATURES

- Mounts sunscreen pump bottle for convenient dispensing
- Designed for screw fixing to wall
- Sturdy white powdercoated steel
- Linkage hole enables securing the bottle with padlock (not included)

Cat No.	Description
BKT500	SUNGARD 500ML WALL BRACKET
BKT1LP	SUNGARD 1L WALL BRACKET
BKT2.5	SUNGARD 2.5L WALL BRACKET





# FIRST AID KITS

## HELP-IT PERSONAL BURNS KIT - SOFT PACK

### KIT CONTENTS

- 1 x Green First Aid Bag Small with handles
- 1 x Safety Pins
- 1 x Plastic Tweezers/Forceps 11cm
- 1 x Burn Dressing 5x15cm
- 1 x Tissues 3 Ply Pocket
- 2 x Gauze Swabs 2's Sterile Non Woven - 7.5 x 7.5cm
- 5 x Aqua Clear Waterproof Plastic Extra-Wide Plasters
- 5 x Fabric Regular Plasters
- 1 x Crepe Bandage 5cm
- 1 x CPR Face Shield with One-Way Valve

- 1 x Universal Medium Scissors 15cm
- 1 x Sterile Powder Free Latex Gloves Size 8, Pair
- 4 x Burn Gel Sachet 3.5g
- 1 x First Aid Tips Insert
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x Clean Up/Contaminant Bag 22x32cm
- 1 x Fabric Zinc Oxide Roll on Spool 25mm x 5m
- 2 x Triangular Bandage 96x96cm
- 1 x Cohesive Bandage 2.5cm Blue
- 1 x Burn Dressing 10x10cm



Cat No.	Description
PB100	HELP-IT PERSONAL BURNS KIT IN SOFT PACK

## HELP-IT INDUSTRIAL BURNS KIT - SOFT PACK

### KIT CONTENTS

- 1 x Green First Aid Bag large with handles
- 25 x Burn Gel Sachet 3.5g
- 2 x Triangular Bandage 96x96cm
- 6 x Burn Dressing 10x10cm
- 2 x Sterile Powder Free Latex Gloves Size 8 Pair
- 2 x Plastic Tweezers/Forceps 11cm
- 1 x Universal Medium Scissors 15cm
- 1 x Cohesive Bandage 5cm Blue
- 10 x Aqua Clear Waterproof Plastic Extra-Wide Plasters Box 100
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x First Aid Tips Insert

- 1 x Fabric Regular Plasters Bag 20
- 6 x Gauze Swabs 2s Sterile Non Woven - 7.5x7.5cm
- 1 x Safety Pins
- 1 x Burn Dressing 30x40cm Face Mask
- 1 x Burn Dressing 20x45cm
- 1 x Wide Open Weave Bandage - 7.5cm
- 1 x Wide Open Weave Bandage - 10cm
- 2 x Clean Up/Contaminant Bag 22x32cm
- 1 x Fabric Zinc Oxide Roll on Spool 25mmx5m
- 2 x CPR Face Shield with One-Way Valve
- 1 x Burn Dressing 5x15cm
- 1 x Tissues 3 Ply Pocket



Cat No.	Description
PB300	HELP-IT INDUSTRIAL BURNS KIT IN SOFT PACK



## HELP-IT INDUSTRIAL BURNS KIT - WALL MOUNT

### KIT CONTENTS

- 1 x Green Plastic First Aid Wall Mountable Box
- 1 x 100 pack Plastic Click Seal bag
- 10 x Aqua Clear Waterproof Plastic Extra-Wide Plasters
- 1 x 20 pack Fabric Regular Plasters
- 6 x Gauze Swabs 2's Sterile Non Woven - 7.5 x 7.5cm
- 2 x CPR Face Shield with One-Way Valve
- 10 x Safety Pins
- 2 x Triangular Bandage 96x96cm
- 1 x Universal Medium Scissors 15cm
- 1 x Burn Dressing 20x45cm
- 2 x Burn Dressing 5x15cm
- 1 x First Aid Tips Insert
- 2 x Clean Up/Contaminant Bag 22x32cm
- 1 x Burn Dressing 30x40cm Face Mask
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 25 x Burn Gel Sachet 3.5g
- 5 x Tissues 3 Ply Pocket
- 1 x Wide Open Weave Bandage - 10cm
- 1 x Wide Open Weave Bandage - 7.5cm
- 1 x Cohesive Bandage 5cm Blue
- 1 x Fabric Zinc Oxide Roll on Spool 25mm x 5m
- 2 x Plastic Tweezers/Forceps 11cm
- 1 x Industrial Burns Sticker
- 6 x Burn Dressing 10x10cm
- 2 x Sterile Powder Free Latex Gloves Size 8, Pair



Cat No.	Description
PB320	HELP-IT INDUSTRIAL BURNS KIT IN GREEN WALL MOUNTABLE BOX

## HELP-IT INDUSTRIAL BURNS KIT - REFILL PACK

### KIT CONTENTS

- 1 x Minigrip Bag 305x380mm
- 1 x Wide Open Weave Bandage 7.5cm
- 1 x Universal Medium Scissors 15cm
- 2 x Plastic Tweezers/Forceps 11cm
- 2 x Sterile Powder Free Latex Gloves Size 8, Pair
- 1 x Minigrip Bag 100x155mm
- 5 x Burn Gel Sachet 3.5g
- 1 x Burn Dressing 20x45cm
- 1 x Burn Dressing 30x40cm Face Mask
- 2 x Clean Up/Contaminant Bag 22x32cm
- 1 x First Aid Tips Insert
- 1 x Cohesive Bandage 5cm blue
- 1 x Minigrip Bag 100x155mm
- 6 x Burn Dressing 10x10cm

- 1 x 20 pack Fabric Regular Plasters
- 6 x Gauze Swabs 2's Sterile Non Woven 7.5x7.5cm
- 5 x Paper Towels
- 1 x Fabric Zinc Oxide Roll on Spool 25mm x 5m
- 2 x Triangular Bandage 96x96cm
- 10 x Safety Pins
- 2 x CPR Face Shield with One-Way Valve
- 2 x Burn Dressing 5x25cm
- 1 x Wide Open Weave Bandage 10cm



- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 10 x Aqua Clear Waterproof Plastic Extra-Wide Plasters

Cat No.	Description
PB325	HELP-IT INDUSTRIAL BURNS KIT IN REFILL PACK



## HELP-IT ELECTRICAL WORKERS FIRST AID KIT

### KIT CONTENTS

- 1 x First Aid Tips Insert 1
- 10 x Aqua Clear Waterproof Plastic Extra-Wide Plasters
- 1 x Burn Dressing 30x40cm Face Mask
- 6 x Burn Dressing 10x10cm
- 2 x Burn Dressing 5x15cm
- 1 x Pencil HB Half Size
- 1 x Antiseptic Spray with Tea Tree Oil 100ml
- 1 x Instant Ice Pack Large 13x23cm
- 1 x Minigrip Bag 100x155mm
- 1 x Minigrip Bag 155x230mm
- 10 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x First Aid Tweezer 13cm Sharp Point
- 1 x Platinum Universal Scissors 14.5cm
- 5 x Non-Adherent Dressing 5x7.5cm
- 5 x Non-Adherent Dressing 7.5x10cm
- 3 x Wide Open Weave Bandage 7.5cm
- 3 x Wide Open Weave Bandage 10cm
- 1 x Clean Up/ Contaminant Bag 22x32cm
- 2 x Eye Pad Sterile
- 1 x Skin Closure Strips 3x75mm 5's
- 1 x No. 13 Wound Dressing with Pad Size 7.5x10cm
- 8 x Saline (Sodium Chloride) Ampoule 30ml
- 1 x Paper Tape 25mm x 9.1m on Dispensing Spool
- 2 x Large Triangular Bandage 110x110cm
- 1 x Safety Pins
- 1 x Burn Dressing 20x45cm
- 10 x Alcohol Prep Pad
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x Note Pad small for first aid kits
- 10 x BZK Antiseptic Wipes
- 5 x Burn Gel Sachet 3.5g
- 1 x Stainless Steel Nursing Scissors 13cm
- 2 x No. 15 Wound Dressing with Pad Size 15x20cm
- 1 x Combine Dressing 20x10cm
- 1 x Crepe Bandage 10cm x 4.5m
- 2 x CPR Face Shield with One-Way Valve
- 20 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm



Cat No.	Description
PB400	HELP-IT ELECTRICAL WORKERS FIRST AID KIT



## HELP-IT INDUSTRIAL 1-5 FIRST AID KIT - SOFT PACK

### KIT CONTENTS

- 1 x First Aid Bag Small Now with Handles in Green
- 2 x Fabric Regular Plasters
- 1 x Crepe Bandage 7.5cm
- 1 x Fabric Zinc Oxide Roll on Spool 25mm x 5m
- 3 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 2 x Combine Dressing 10x9cm
- 1 x Non-Adherent Dressing 5 x 7.5cm
- 2 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x Universal Medium Scissors 15cm
- 1 x Crepe Bandage 5cm
- 3 x BZK Antiseptic Wipes

- 1 x Wound Dressing Medium 12x12cm
- 2 x Triangular Bandage 96x96cm
- 1 x Wound Dressing Large 18x18cm
- 1 x Splinter Forceps
- Tweezers Disposable Non Sterile 9cm
- 1 x CPR Face Shield with One-Way Valve
- 2 x Eye Pad Sterile
- 2 x Non-Adherent Dressing 7.5x10cm
- 1 x Clean Up/Contaminant Bag 22x32cm



- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x First Aid Tips Insert
- 4 x Saline (Sodium Chloride) Ampoule 15ml
- 1 x Fabric Dressing Strip in a Poly Bag 1m x 72mm

Cat No.	Description
PM200	HELP-IT INDUSTRIAL 1-5 FIRST AID KIT - SOFT PACK

## HELP-IT INDUSTRIAL 1-5 FIRST AID KIT - WALL MOUNTABLE BOX

### KIT CONTENTS

- 1 x First Aid Plastic Box Wall Mountable in Green
- 1 x CPR Face Shield with One-Way Valve
- 1 x Universal Medium Scissors 15cm
- 1 x Metal Economy First Aid Tweezer - QSI
- BZK Antiseptic Wipes
- 1 x Wound Dressing Medium 12x12cm - QSI
- 1 x Wound Dressing Large 18x18cm
- Eye Pad Sterile
- Saline (Sodium Chloride) Ampoule 30ml
- Fabric Regular Plasters Bag 20
- 1 x Fabric Zinc Oxide Roll on Spool 25mm x 5m

- 1 x First Aid Tips Insert
- 1 x Non-Adherent Dressing 5x7.5cm
- Non-Adherent Dressing 7.5x10cm
- 1 x Clean Up/Contaminant Bag 22x32cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x Crepe Bandage 5cm
- 1 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x Fabric Dressing Strip in a Poly Bag 1m x 72mm
- 1 x Industrial First Aid Kit Sticker 1 -5
- Triangular Bandage 96x96cm
- 1 x Combine Dressing 10x9cm



- 1 x Crepe Bandage 7.5cm
- Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm

Cat No.	Description
PM202	HELP-IT INDUSTRIAL 1-5 FIRST AID KIT - WALL MOUNTABLE PLASTIC BOX



## HELP-IT INDUSTRIAL 1-5 REFILL PACK

### KIT CONTENTS

- 1 x Minigrip Bag 230x305mm
- 2 x Fabric Regular Plasters Bag 20
- 1 x Crepe Bandage 7.5cm x 4.5m
- 1 x Fabric Zinc Oxide Roll on Spool 25mm x 5m
- 3 x Non Woven Gauze Swabs Sterile 7.5x7.5cm Pouch 2
- 1 x Non-Adherent Dressing 5x7.5cm
- 1 x Clean Up/Contaminant Bag 22x32cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 2 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x Platinum Universal Scissors 14.5cm

- 1 x Splinter Forceps
- Tweezers
- Disposable Non Sterile 9cm
- 1 x Conforming Bandage 5cm
- 1 x Fabric Dressing Strip 6cmx10cm Pack 10 with Absorbent Pad Down Middle
- 3 x BZK Antiseptic Wipes
- 1 x Wound Dressing Medium 12x12cm - QSi
- 1 x Wound Dressing Large 18x18cm
- 2 x Sterile Eye Pad
- 2 x Triangular Bandage 96x96cm



- 2 x Non-Adherent Dressing 7.5x 10cm
- 1 x First Aid Tips Insert
- 1 x CPR Face Shield with One-Way Valve
- 1 x Absorbent Combine Dressing 10cmx20cm
- 2 x Saline (Sodium Chloride) Ampoule 30ml

Cat No.	Description
PM205	HELP-IT INDUSTRIAL 1-5 FIRST AID KIT – REFILL PACK

## HELP-IT INDUSTRIAL 1-25 WALL MOUNT FIRST AID KIT

### KIT CONTENTS

- 1 x Wall Mountable First Aid Box, Plastic
- 1 x Wound Dressing Medium 12x12cm
- 2 x Sterile Eye Pad
- 1 x Crepe Bandage 7.5cm
- 3 x Saline (Sodium Chloride) Ampoule 30ml
- 1 x Industrial First Aid Kit Sticker 1 -25
- 2 x Fabric Dressing Strip 1m x 72mm
- 1 x Universal Medium Scissors 15cm
- 1 x Metal Economy First Aid Tweezer
- 1 x First Aid Tips Insert
- 1 x Platinum Wound Dressing Large 18x18cm
- 2 x Triangular Bandage 96x96cm
- 2 x Non Adherent Dressing 7.5x7.5cm

- 1 x Crepe Bandage 5cm
- 1 x Non-Adherent Dressing 5x7.5cm
- 1 x Fabric Regular Plasters
- 2 x Fabric Zinc Oxide Roll 25mm x 5m
- 4 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 2 x Clean Up/Contaminant Bag 22x32cm
- 2 x Sensiflex Sterile Latex Gloves Powder Free Size 7.5
- 1 x CPR Face Shield with One-Way Valve
- 5 x BZK Antiseptic Wipes 5
- 1 x Combine Dressing 10x9cm
- 1 x Combine Dressing 20x20cm



Cat No.	Description
PM222	HELP-IT INDUSTRIAL 1-25 FIRST AID KIT, IN WALL MOUNTABLE PLASTIC BOX



## HELP-IT INDUSTRIAL 1-25 REFILL PACK

### KIT CONTENTS

- 1 x Plastic Click Seal Bag 25cm x 35cm
- 2 x Eye Pad Sterile
- 2 x Fabric Dressing Strip 1m x 72mm
- 2 x Clean Up/Contaminant Bag 22x32cm
- 2 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x CPR Face Shield with One-Way Valve
- 1 x Metal Economy First Aid Tweezer
- 1 x Fabric Regular Plasters
- 1 x Crepe Bandage 5cm
- 1 x Combine Dressing 20x20cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 3 x Saline (Sodium Chloride) Ampoule 30ml
- 2 x Fabric Zinc Oxide Roll on Spool 25mm x 5m
- 1 x Wound Dressing Large 18x18cm
- 1 x Non-Adherent Dressing 5x7.5cm
- 1 x Universal Medium Scissors 15cm
- 2 x Triangular Bandage 96x96cm
- 1 x Wound Dressing Medium 12x12cm
- 1 x First Aid Tips Insert
- 5 x BZK Antiseptic Wipes
- 1 x Crepe Bandage 7.5cm
- 4 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 2 x Non-Adherent Dressing 7.5x10cm
- 1 x Combine Dressing 10x9cm



Cat No.	Description
PM225	HELP-IT INDUSTRIAL 1-25 - REFILL PACK

## HELP-IT INDUSTRIAL 1-50 WALL MOUNT FIRST AID KIT

### KIT CONTENTS

- 1 x White Wall Mountable Box
- 5 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 1 x Paper Tape 12.5mm x 9.1m
- 1 x Fabric Zinc Oxide Roll 25mm x 5m
- 2 x Combine Dressing 10x9cm
- 1 x Crepe Bandage 7.5cm
- 2 x Crepe Bandage 5cm
- 1 x Clean Up/Contaminant Bag 22x32cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 2 x Non-Adherent Dressing 7.5x10cm
- 1 x First Aid Tips Insert
- 2 x Wound Dressing Medium 12x12cm
- 10 x BZK Antiseptic Wipes
- 2 x Triangular Bandage 96x96cm
- 10 x Fabric Knuckle Plasters
- 20 x Fabric Fingertip Plasters
- 1 x Fabric Dressing Strip 1m x 72mm
- 4 x Sensiflex Sterile Latex Gloves Powder Free Size 7.5
- 2 x Fabric Regular Plasters
- 1 x Universal Medium Scissors 15cm
- 3 x CPR Face Shield with One-Way Valve
- 4 x Saline (Sodium Chloride) Ampoule 30ml
- 3 x Eye Pad Sterile
- 2 x Wound Dressing Large 18x18cm
- 1 x Metal Economy First Aid Tweezer
- 1 x Combine Dressing 20x20cm
- 4 x Non-Adherent Dressing 5x7.5cm
- 1 x Minigrip Bag 305x380mm



Cat No.	Description
PM233	HELP-IT INDUSTRIAL 1-50 FIRST AID KIT IN WALL MOUNTABLE WHITE METAL BOX



## HELP-IT INDUSTRIAL 1-50 REFILL PACK

### KIT CONTENTS

- 5 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 1 x Paper Tape 12.5mm x 9.1m
- 1 x Fabric Zinc Oxide Roll 25mm x 5m
- 2 x Combine Dressing 10x9cm
- 1 x Crepe Bandage 7.5cm
- 2 x Crepe Bandage 5cm
- 1 x Clean Up/Contaminant Bag 22x32cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 2 x Non-Adherent Dressing 7.5x10cm
- 1 x First Aid Tips Insert
- 2 x Wound Dressing Medium 12x12cm
- 10 x BZK Antiseptic Wipes

- 2 x Triangular Bandage 96x96cm
- 10 x Fabric Knuckle Plasters
- 20 x Fabric Fingertip Plasters
- 1 x Fabric Dressing Strip 1m x 72mm
- 4 x Sensiflex Sterile Latex Gloves Powder Free Size 7.5
- 2 x Fabric Regular Plasters
- 1 x Universal Medium Scissors 15cm
- 3 x CPR Face Shield with One-Way Valve
- 3 x Eye Pad Sterile



- 4 x Saline (Sodium Chloride) Ampoule 30ml
- 2 x Wound Dressing Large 18x18cm
- 1 x Metal Economy First Aid Tweezer
- 1 x Combine Dressing 20x20cm
- 4 x Non-Adherent Dressing 5x7.5cm
- 1 x Minigrip Bag 305x380mm

Cat No.	Description
PM235	HELP-IT INDUSTRIAL 1-50 FIRST AID KIT - REFILL PACK

## HELP-IT LONE WORKER/VEHICLE 1 - FIRST AID KIT

### KIT CONTENTS

- 1 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x First Aid Tips Insert
- 1 x Sensiflex Sterile Latex Gloves Powder Free Size 7.5
- 1 x CPR Face Shield with One-Way Valve
- 3 x BZK Antiseptic Wipes
- 1 x Universal Medium Scissors 15cm
- 1 x Metal Economy First Aid Tweezer
- 1 x Green First Aid Bag with Handles

- 1 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 1 x Non-Adherent Dressing 5x7.5cm
- 1 x Wound Dressing Medium 12x12cm
- 2 x Eye Pad Sterile
- 2 x Triangular Bandage 96x96cm
- 1 x Fabric Regular Plasters
- 1 x Paper Tape 12.5mm x 9.1m



- 1 x Conforming Bandage 5cm
- 1 x Clean Up/Contaminant Bag 22x32cm

Cat No.	Description
PV200	HELP-IT LONE WORKER/VEHICLE 1 - FIRST AID KIT



## HELP-IT LONE WORKER/VEHICLE 2 - FIRST AID KIT

### KIT CONTENTS

- 1 x Green First Aid Bag with Handles
- 1 x Fabric Zinc Oxide Roll 25mm x 5m
- 1 x Conforming Bandage 5cm
- 1 x Combine Dressing 10x9cm
- 1 x Sterile Powder Free Latex Gloves Size 8 Pair
- 2 x Triangular Bandage 96x96cm
- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 2 x Fabric Regular Plasters Bag 20
- 3 x BZK Antiseptic Wipes
- 1 x Splinter Forceps Tweezers Disposable Non Sterile 9cm
- 1 x CPR One-Way Valve Face Shield

- 1 x Wound Dressing Medium 12x12cm - QSi
- 1 x Wound Dressing Large 18x18cm
- 2 x Eye Pad Sterile
- 1 x Clean Up/Contaminant Bag 22x32cm
- 2 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 1 x Crepe Bandage 7.5cm
- 2 x Saline (Sodium Chloride) Ampoule 15ml
- 1 x Scissors Sharp Blunt Non-Sterile 13cm
- 1 x First Aid Tips Insert
- 2 x Burn Gel Sachet 3.5g



Cat No.	Description
PV300	HELP-IT LONE WORKER/VEHICLE 2 - FIRST AID KIT - SOFT PACK

## LONE WORKER/VEHICLE 2 - FIRST AID KIT - REFILL PACK

### KIT CONTENTS

- 1 x Minigrip Bag 230x305mm
- 1 x Sterile Powder Free Latex Gloves Size 8 Pair
- 1 x CPR Face Shield with One-Way Valve
- 1 x Universal Medium Scissors 15cm
- 2 x Fabric Regular Plasters
- 1 x Combine Dressing 20x10cm
- 1 x Conforming Bandage 10cm
- 1 x Crepe Bandage 7.5cm
- 2 x (Sodium Chloride) Saline Solution 15ml Ampoule
- 3 x BZK Antiseptic Wipes

- 2 x Gauze Swabs 2's Sterile Non Woven - 7.5x7.5cm
- 1 x Wound Dressing Medium 12x12cm
- 2 x Triangular Bandage 96x96cm
- 2 x Eye Pad Sterile
- 1 x Wound Dressing Large 18x18cm
- 1 x Metal Economy First Aid Tweezer
- 1 x Clean Up/Contaminant Bag 22x32cm



- 1 x Hepatitis B and AIDS First Aid Precaution Sticker
- 1 x Fabric Zinc Oxide Roll 25mm x 5m
- 1 x First Aid Tips Insert

Cat No.	Description
PV315	LONE WORKER/VEHICLE 2 - FIRST AID KIT - REFILL PACK

PAGE	CATEGORY
108	SPILL CONTAINMENT
108	Ultra Utility Trays
108	Drive-Over Bunding
109	pH7 Spill Decks
109	Ultra Spill Deck
109	Ultra Spill Deck Bladder System
110	Spill Pallets
110	Portable Containment Bunding
111	Ultra Outdoor Hardtop Containment
PAGE	STORMWATER MANAGEMENT
112	Ultra Drain Guard
112	Ultra Gravel Bags
112	Ultra Pipe Sock
113	Ultra Drain Seal
113	Ultra Drain Seal – Wall Mount
113	Spilltech Nitrile Drain Mat
PAGE	SPILL RESPONSE KITS
114	General Purpose Kits for Vehicles
114	General Purpose Kits for Sites
PAGE	SPILL ABSORBENTS
115	Oil & Fuel Spill Absorbents
115	Chemical Spill Absorbents
116	SpillTech® Universal Spill Absorbents
PAGE	LOOSE SPILL ABSORBENTS
116	SpillFix
116	SpillSorb Oil & Chemical Absorbent Peat





# SPILL CONTAINMENT

## ULTRA UTILITY TRAYS

These heavy duty polyethylene utility trays will not rust or corrode and are suitable for the containment of cans, bottles, and other small containers. A ribbed bottom keeps items elevated above spills and leaks. Nestable for easy storage when not in use.



U1032

Cat No.	Description	Containment Capacity (L)	Dimensions (mm)
U1031	ULTRA UTILITY TRAY	45	1219 L x 305 W x 121 H
U1034	ULTRA UTILITY TRAY	68	914 L x 610 W x 121 H
U1032	ULTRA UTILITY TRAY	91	1219 L x 610 W x 121 H
U1035	ULTRA UTILITY TRAY	102	914 L x 914 W x 121 H
U1033	ULTRA UTILITY TRAY	113	1219 L x 762 W x 121 H

## DRIVE-OVER BUNDING

Our Drive-Over Bunding is an innovative solution for containing and managing spills in high-traffic areas. Designed with durability and convenience in mind, our drive-over bunding is engineered to withstand the weight of vehicles while effectively containing spills from trucks, machinery, or other equipment.

Constructed from various robust materials, our bunding systems

provide a reliable barrier against leaks and spills, preventing environmental contamination and workplace hazards. Easy to install and maintain, these systems offer a versatile solution for industries such as logistics, manufacturing, and transportation.

The bunding is easily customisable and are ideal to be installed at doorways or in front of racking.



Cat No.	Description
STEVA20B	SPILLTECH® ECONOMY BUNDING - BLACK, 20MM
STEVA40B	SPILLTECH® ECONOMY BUNDING - BLACK, 40MM
STEVA20Y	SPILLTECH® ECONOMY BUNDING - YELLOW, 20MM
STEVA40Y	SPILLTECH® ECONOMY BUNDING - YELLOW, 40MM
STEVA20BC	SPILLTECH® ECONOMY BUNDING - CORNER - 20MM, BLACK
STEVA20YC	SPILLTECH® ECONOMY BUNDING - CORNER - 20MM, YELLOW
STEVA40BC	SPILLTECH® ECONOMY BUNDING - CORNER - 40MM, BLACK
STEVA40YC	SPILLTECH® ECONOMY BUNDING - CORNER - 40MM, YELLOW
STDB150	SPILLTECH® ULTRA-BUND® - 25MM
STDB200	SPILLTECH® ULTRA-BUND® - 32MM
STDB150CNR	SPILLTECH® ULTRA-BUND® - CORNERS - 25MM
STDB200CNR	SPILLTECH® ULTRA-BUND® - CORNERS - 32MM
STAB33	SPILLTECH® ALUMINIUM BUNDING
STAB33-IK	INSTALLATION KIT FOR STAB33
STDBDYNA	SPILLTECH® ULTRA-BUND® DYNABOLT
STDBGLE	ULTRABUND® ADHESIVE ADOS MS
STDB-IK5	ULTRABUND® INSTALL KIT - 5M
STDBS	ULTRABUND® 5MM SPACER
STEVAGLUE	ADOS F22 CONTACT ADHESIVE - 500ML



## pH7 SPILL DECKS

Low profile secondary containment decks allow you to create a custom bunding area for the storage of drums and other containers. The nestable pH7 Spill Decks are available in 1, 2, and 4-drum models and the LLDPE construction has a wide range of chemical compatibility. Low profile 150mm provides safe and convenient loading/unloading of drums without the need for a forklift.

Applications include hazardous waste collection, storage of chemicals, drum dispensing and battery storage.



Cat No.	Description	Containment Capacity (L)
STHB1DD	SPILL DECK – 1 DRUM	1 DRUM 43L
STHB2DD	SPILL DECK – 2 DRUM	2 DRUM 83L
STHB4DD	SPILLDECK – 4 DRUM	4 DRUM 170L

## ULTRA SPILL DECK

Ultra Spill Decks are available in 1, 2 and 4-drum modules. Modules are easily connected together with flow through bulkhead fittings allowing you to create your own customised configurations. Bulkhead fittings not only "lock" spill decks together, they also allow spilled liquid to flow from one deck to the next.

### FEATURES

- All polyethylene construction offers a wide range of chemical compatibility
- Low profile design (146mm height) offers safe and convenient loading/unloading of drums without the need for a hoist

Cat No.	Description	Dimensions (mm)	Drum Capacity	Containment Capacity (L)	Uniformly Distributed Load (kg)	Weight (kg)
U1321	ULTRA SPILL DECK	657 x 657 x 146	1	42	681	10
U1086	ULTRA SPILL DECK	1321 x 657 x 146	2	83	1361	18
U1072	ULTRA SPILL DECK	1321 x 1321 x 146	4	167	2722	32



## ULTRA SPILL DECK BLADDER SYSTEM

Combines all the benefits of a low profile spill deck with the added containment of a hidden bladder system. Low profile spill decks make loading and unloading of drums a breeze without the need for a forklift.

### FEATURES

- System deploys automatically in the event of catastrophic leak and otherwise remains hidden and out of the way
- Adds a further 250L of containment
- 100% polyethylene construction
- Removable non-slip grates



Cat No.	Description	Containment Capacity (L)
U1320	ULTRA SPILL DECK BLADDER SYSTEM – 1 DRUM	292L (41L IN DECK + 250L IN BLADDER)
U2329	ULTRA SPILL DECK BLADDER SYSTEM – 2 DRUM	333L (83L IN DECK + 250L IN BLADDER)
U2330	ULTRA SPILL DECK BLADDER SYSTEM – 4 DRUM	417L (167L IN DECK + 250L IN BLADDER)



## SPILL PALLETS

Spill Pallets, the ultimate solution for safely storing and containing hazardous materials. Designed with robust construction and engineered to withstand the toughest conditions, our spill pallets provide a secure and compliant way to store drums, containers, and other hazardous goods.

Featuring sump capacities that exceed regulatory requirements, these pallets effectively capture and contain spills, preventing environmental contamination and potential workplace hazards.



U2504



STHB4DP



STHBIBC

Cat No.	Description	Material	Dimensions (mm)	Volume (L)	Load Capacity (kg)			Weight (kg)
					Uniformly Distributed Load	Dynamic	Static	
U2504	SPILL PALLET – 2 DRUM	100% POLYETHYLENE	1346 x 737 x 419	250	681	–	–	29
U1230	SPILL PALLET – 4 DRUM	100% POLYETHYLENE	1295 x 1295 x 254	250	2722	–	–	41
STHB4DP	SPILL PALLET – 4 DRUM	LLDPE	1300 x 1300 x 300	250	–	1300	3000	36
STHBIBC	SPILL PALLET – IBC	LLDPE	1600 x 1600 x 700	1300	–	1300	4000	100

## PORTABLE CONTAINMENT BUNDING

Designed for use in a variety of spill containment and chemical containment needs common in mining, oil & gas or industrial applications. Available in standard sizes or custom built to suit your organisation's requirements, a portable spill bund is ideal as temporary bunding or for a permanent operation.

**CONTACT YOUR LOCAL TRANSEN**  
**REPRESENTATIVE FOR MORE**  
**INFORMATION.**





## ULTRA OUTDOOR HARDTOP CONTAINMENT

Store IBC tanks and drums outside with the IBC Hardtops or Drum Hardtops. Polyethylene construction is resistant to rust, corrosion and a wide range of chemicals. Hardtops have a combination of roll top and swing out doors allowing easy access for forklifts.



U9460



U9612



U9636



U1162



U1148



U0676

Cat No.	Description	Containment Capacity (L)	Weight (kg)
U9460	ULTRA 1 DRUM HARDTOP PLUS	265	34
U9612	ULTRA 2 DRUM HARDTOP PLUS	250	118
U9636	ULTRA 4 DRUM HARDTOP PLUS	284	200
U9658	ULTRA 4 DRUM HARDTOP EXTENDER KIT	284	171
U1162	ULTRA IBC HARDTOP PLUS	1382	239
U1148	ULTRA TWIN IBC HARDTOP PLUS	2025	484
U0676	ULTRA POLYETHYLENE LOADING RAMP (FOR U1162 OR U9636)	N/A	19.5



# STORMWATER MANAGEMENT

## ULTRA DRAIN GUARD

Keep sediment, hydrocarbons and other pollutants out of the stormwater system. This large sediment accumulation pocket holds up to 18kg of silt, sediment and rubbish as well as 3.5L of oil and grease. Built-in overflow ports avoid flooding in heavy rain events. Sewn-in lift-out straps make removal easy and prevent the Drain Guard from falling into the inlet. Simply lift grate, insert Drain Guard and replace grate to hold Drain Guard in place. Trim excess fabric if desired.

### FEATURES

- One size fits most drains
- Made from a polypropylene geotextile
- Removes up to 3.5L of oil (5L U9219FR) & 18kg of sediment
- Exceeds 75% TSS removal

Cat No.	Description	Capacity (kg)	Dimensions (mm)
U9217	ULTRA DRAINGUARD – SINGLE	18	1220 x 910 x 460
U9217FR	ULTRA DRAINGUARD – SINGLE WITH RODS	18	1220 x 910 x 460
U9219FR	ULTRA DRAINGUARD PLUS – WITH RODS	18	1220 x 910 x 460



## ULTRA GRAVEL BAGS

These bags can be filled with gravel or other aggregate for erosion control, basic stormwater protection and more. Made from tough UV resistant polymer material so they last and can even be driven over. Simply close using cable ties (not included).

Cat No.	Description	Dimensions (mm)
U9782	ULTRA GRAVEL BAG 1200MM	1200 x 280
U9783	ULTRA GRAVEL BAG 2400MM	2400 x 280



## ULTRA PIPE SOCK

Control the flow of sediment and oil pipe when dewatering small holes or trenches. The Ultra Pipe Sock is made from Ultra-Filter-Tex and ideal for small dewatering jobs with the ability to stop sediment and oil. Simply secure it to outlet pipe with suitably sized hose clamp or cable tie.

Cat No.	Description
U9705-O/S	ULTRA PIPE SOCK





## ULTRA DRAIN SEAL

The Ultra Drain Seal is made of urethane construction and allows the pad to deform and seal off most drains.

### FEATURES

- Fits the majority of New Zealand stormwater drains
- Reinforced mesh is "sandwiched" between layers of polyurethane - increases durability and resistance to tearing
- Unique, urethane construction allows the pad to deform and seal off most drains - temporarily "seals" to any smooth surface
- A valuable addition to any emergency response plan, spill kit or stormwater management program
- Unlike some alternative products, BOTH sides will quickly seal drains - there is no specified "top" or "bottom"
- Resists oil, water and most aggressive chemicals, cleans with soap and water



## ULTRA DRAIN SEAL - WALL MOUNT

The Ultra Drain Seal Wall Mount allows quick access to your drain mat - allowing efficient response to any spill.

### FEATURES

- The quick-release strap allows fast and easy access
- Non-slip handle for easy carrying
- Mounting hardware included



Cat No.	Description	Size (mm)
U2142	ULTRA DRAIN SEAL WALL MOUNT	910
U2143	ULTRA DRAIN SEAL WALL MOUNT	1220

## SPILLTECH NITRILE DRAIN MAT

The nitrile drain mat can quickly be placed over a stormwater drain to temporarily stop or slow liquid spills from entering stormwater.

### FEATURES

- Constructed of 1.5mm thick nitrile rubber that is suitable for use with a wide range of chemical and hydrocarbon spills
- Fits standard stormwater drains
- Recommended use with a gravel bag or sandbag to weigh nitrile mat down and create a better seal



Cat No.	Description
STDMAT	SPILLTECH® NITRILE DRAIN MAT



# SPILL RESPONSE KITS

## GENERAL PURPOSE KITS FOR VEHICLES

Designed to provide swift and effective solutions for any spills encountered on the road. Engineered to meet the demands of quick and efficient cleanup, these kits come equipped with a range of absorbents like pads, socks, and loose absorbents, ensuring you're prepared for spills of various sizes and substances.

Compact and portable, these kits are essential for fleet managers, transportation companies, and individual vehicle owners alike, offering peace of mind and compliance with environmental regulations.



SKSF20



SK30



SK50

Cat No.	Description
SKSF15	SPILLFIX® GENERAL PURPOSE SPILL KIT - 15L
SKSF20	SPILLFIX® GENERAL PURPOSE SPILL KIT - 20L
SK30	SPILLTECH® GENERAL PURPOSE SPILL KIT - 30L
SK50	SPILLTECH® GENERAL PURPOSE SPILL KIT - 50L

## GENERAL PURPOSE KITS FOR SITES

High absorbency General Spill Response Kits, conveniently housed in wheelie bins for easy access and storage. Designed to swiftly tackle spills of oils, chemicals, and other hazardous substances, these kits are indispensable for industrial facilities, workshops, and warehouses.



SKSF100



SK120



SK240

Cat No.	Description
SKSF100	SPILLFIX® GENERAL PURPOSE SPILL KIT - 100L
SK120	SPILLTECH® GENERAL PURPOSE SPILL KIT - 120L
SKSF200	SPILLFIX® GENERAL PURPOSE SPILL KIT - 200L
SK240	SPILLTECH® GENERAL PURPOSE SPILL KIT - 240L



# SPILL ABSORBENTS

## OIL & FUEL SPILL ABSORBENTS

Oil & Fuel Spill Absorbents, designed to swiftly and effectively tackle spills of oil, fuel, and other hydrocarbons. Engineered with high-quality materials, our absorbents are specifically formulated to rapidly soak up oily substances while repelling water, making them ideal for use on land or water surfaces.

Whether you're dealing with minor leaks or large-scale spills, our absorbents offer exceptional absorbency and retention capabilities, minimising environmental damage and cleanup time. From pads and rolls to socks and pillows, our comprehensive range ensures that you're equipped to handle any oil or fuel spill situation with ease and efficiency.



Cat No.	Description	Absorbency (L)	Dimensions
ASOPAD	OIL & FUEL PADS	1.4	40 x 50MM, 400GSM
ASOPAD-10	OIL & FUEL PADS - 10 PACK	1.4	40 x 50MM, 400GSM
ASOPADHALF	OIL & FUEL PADS - 200GSM	0.7	42 x 48MM, 200GSM
ASOS1.2	OIL & FUEL ABSORBENT SOCK - 1.2M	6	70MM x 1.2M
ASOS3	OIL & FUEL ABSORBENT SOCK - 3M	15	70MM x 3M
ASOROLL	OIL & FUEL ABSORBENT ROLL, PERFORATED AT 30CM & 60CM WIDTH & EVERY 25 CM LENGTH	UP TO 250	900MM x 40M, 400GSM
ASOPIL	OIL & FUEL ABSORBENT PILLOW	9	400MM x 500MM

## CHEMICAL SPILL ABSORBENTS

Chemical Absorbents, meticulously engineered to provide a reliable solution for absorbing chemical spills. Crafted from specialized materials capable of effectively absorbing a wide range of chemicals, acids, and bases, our absorbents offer exceptional performance in even the most challenging spill scenarios.

Available as pads, socks, rolls, and pillows.



Cat No.	Description	Absorbency (L)	Dimensions
ASCPAD	CHEMICAL PADS	1.2	40 x 50MM, 400GSM
ASCPAD-10	CHEMICAL PADS - 10 PACK	1.2	40 x 50MM, 400GSM
ASCS1.2	CHEMICAL ABSORBENT SOCK - 1.2M	5.2	70MM x 1.2M
ASCS3	CHEMICAL ABSORBENT SOCK - 3M	13	70MM x 3M
ASCROLL	CHEMICAL ABSORBENT ROLL, PERFORATED AT 30CM & 60CM WIDTH & EVERY 25 CM LENGTH	UP TO 210	900MM x 40M, 400GSM
ASCPIL	CHEMICAL ABSORBENT PILLOW	7.2	400MM x 500MM



## SPILLTECH® UNIVERSAL SPILL ABSORBENTS

Universal Absorbents, the all-purpose solution for spill cleanup in any workplace environment. Engineered to swiftly absorb liquids such as water, oil, coolant, and solvents, our versatile absorbents are essential for maintaining cleanliness and safety.

Made from polypropylene, these are available as pads, socks, rolls, and pillows.



Cat No.	Description	Absorbency (L)	Dimensions
ASGPAD	UNIVERSAL PADS	1.2	40 x 50MM, 400GSM
ASGPAD-10	UNIVERSAL PADS - 10 PACK	1.2	40 x 50MM, 400GSM
ASGS1.2	UNIVERSAL ABSORBENT SOCK - 1.2M	5.2	70MM x 1.2M
ASGS3	UNIVERSAL ABSORBENT SOCK - 3M	13	70MM x 3M
ASGROLL	UNIVERSAL ABSORBENT ROLL, PERFORATED AT 30CM & 60CM WIDTH & EVERY 25 CM LENGTH	UP TO 210	900MM x 40M, 400GSM
ASGPIL	UNIVERSAL ABSORBENT PILLOW	7.2	400MM x 500MM

## LOOSE SPILL ABSORBENTS

### SPILLFIX

Industrial absorbent made from 100% renewable coir peat, which absorbs spills immediately and completely. Provides a safe and non-hazardous work site with no carcinogens or dust.

Suitable for hazardous spills including oils, fuels, lubricants, paints and most chemicals and mild corrosives.



Cat No.	Description
GALSPL3L	SPILLFIX - 3L ABSORBENT DISPENSER JAR
GALSPL15L	SPILLFIX - 15L BAG
GALSPL50L	SPILLFIX - 50L BAG

## SPILLSORB OIL & CHEMICAL ABSORBENT PEAT

Super absorbent SpillSorb is non-abrasive, non-toxic and non-leaching. Its lightweight for easy handling and will absorb oil and chemical spills. It can be used for spills on land and water and is safe to put into landfill, incinerate, or land farm.

Mineral Sponge is made from Zeolite, a naturally occurring volcanic mineral. It is a tried and tested industrial absorbent that can be used for oils, fuels, paints and a wide range of chemicals.



Cat No.	Description	Capacity
SPSB25	SPILL-SORB® 25L OIL & CHEMICAL ABSORBENT PEAT	25L
SPSB120	SPILL-SORB® 120L OIL & CHEMICAL ABSORBENT PEAT	120L
SKMS22	MINERAL SPONGE 22L	UP TO 16L

PAGE	CATEGORY
118	DANGEROUS GOODS STORAGE CABINETS
118	Flammable Liquid Storage Cabinets
119	Corrosive Substances Metal Storage Cabinets
120	Oily Rag Waste Cans





# DANGEROUS GOODS STORAGE CABINETS

## FLAMMABLE LIQUID STORAGE CABINETS

Flammable Liquid Storage Cabinets are designed for the safe storage of flammable and combustible liquids such as solvents, petrol, diesel, kerosene, turpentine, oil, ethanol, alcohols, and oil based paints. Our cabinets are all designed and manufactured to comply with AS/NZS 1940 "The Storage and Handling of Flammable and Combustible Liquids".

### FEATURES

- Double steel walls
- Self-closing and latching doors
- 150mm deep liquid tight sump
- Recessed door handle with key lock
- 50mm vent bungs with flash arresters
- Static earthing connection
- Adjustable shelves
- Sequential opening doors (two-door models)
- Classification label
- Continuous piano hinge



DIL5516AS



DIL5535AS



DIL5545AS



DIL5517AS



DIL5530AS

Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal*
DIL5516AS	30L	1	2 (INCL. BASE)	770 H x 515 W x 465 D	525 H x 420 W x 370 D
DIL5517AS	60L	1	2 (INCL. BASE)	1065 H x 515 W x 465 D	820 H x 420 W x 370 D
DIL5535AS	100L	2	1 (INCL. BASE)	770 H x 935 W x 620 D	495 H x 840 W x 530 D
DIL5530AS	160L	2	2 (INCL. BASE)	1295 H x 1115 W x 500 D	1015 H x 1020 W x 415 D
DIL5545AS	250L	2	3 (INCL. BASE)	1825 H x 1115 W x 500 D	1545 H x 1020 W x 415 D
DIL5560AS	250L	2	3 (INCL. BASE)	1825 H x 1440 W x 585 D	1550 H x 1345 W x 494 D

\*For single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. For total external width measurement, add 6mm vent bung for tight clearance locations.



## CORROSIVE SUBSTANCES METAL STORAGE CABINETS

Class 8 Corrosive Goods Storage Cabinets, meticulously crafted to provide secure and compliant storage solutions for corrosive substances. Ideal for laboratories, manufacturing facilities, and chemical storage areas, these cabinets offer robust construction and specialized features to safely house corrosive goods.

Engineered with corrosion-resistant materials and ventilation systems to mitigate chemical fumes, our cabinets ensure both safety and longevity. With adjustable shelving and ample storage space, organising and accessing corrosive materials becomes effortless.

### FEATURES

- Double steel walls with a 40mm gap
- Self-closing and 3-point latching doors
- 150mm deep liquid light sump
- Recessed door handle with key lock
- 50mm vent bungs with flash arresters
- Static earthing connection
- Adjustable perforated shelves
- Plastic trays on all shelves
- Classification labels
- Continuous piano hinge in stainless steel
- Acid-resistant powder coating
- Sequential opening doors (two-door models)



DIL5516ASPH



DIL5535ASPH



DIL5545ASPH



DIL5517ASPH



DIL5530ASPH

Cat No.	Max. Capacity	Doors	Shelves	Dimensions (mm)	
				External	Internal*
DIL5516ASPH	30L	1	2 (INCL. BASE)	770 H x 515 W x 465 D	525 H x 420 W x 370 D
DIL5517ASPH	60L	1	2 (INCL. BASE)	1065 H x 515 W x 465 D	820 H x 420 W x 370 D
DIL5535ASPH	100L	2	1 (INCL. BASE)	770 H x 935 W x 620 D	495 H x 840 W x 530 D
DIL5530ASPH	160L	2	2 (INCL. BASE)	1295 H x 1115 W x 500 D	1015 H x 1020 W x 415 D
DIL5545ASPH	250L	2	3 (INCL. BASE)	1825 H x 1115 W x 500 D	1545 H x 1020 W x 415 D

\*For single door cabinets, the internal height is taken from the top of the sump sill/bottom shelf to the ceiling. For total external width measurement, add 6mm vent bung for tight clearance locations.



## OILY RAG WASTE CANS

Solvent soaked rags should be thrown in an oily waste can to reduce the risk of fire.

The Oily Rag Waste Cans have a treadle operation and are specifically designed to stop accidental fires caused by solvent soaked rags coming into contact with ignition sources.

Cat No.	Description	Max. Capacity
1401R	OILY RAG WASTE CAN	23L
1404R	OILY RAG WASTE CAN	56L



### MORE OPTIONS AVAILABLE

TransNet offers more varieties of DG cabinets including cabinets for flammable solids, oxidising agents, organic peroxides, and toxic substances.

Contact us for more information.





PAGE	CATEGORY
122	<b>KNEE PADS</b>
122	X-Flex Knee Pads
123	Eazi-Fit Knee Pad
PAGE	<b>TRAFFIC MANAGEMENT</b>
123	Classic Cone
123	Pop-Up Cone with Light
124	Extendable Cone Arms
124	Cone Toppers
124	5 Channel Cable Protector
125	Wheel Chock
125	Measuring Wheel
PAGE	<b>VEHICLE FLASHING LIGHT</b>
125	Altiflash High Performance LED Beacon, Magnetic Mount
PAGE	<b>LOCKOUTS</b>
126	Lockout Hasp
126	Locked Out Tags
126	Basic Lockout Kit
126	Lockout Station
126	Safety Padlocks
PAGE	<b>RESCUE KITS</b>
127	LV & HV Rescue Kits
PAGE	<b>FIRE EXTINGUISHERS</b>
128	ABE Powder Type Portable Fire Extinguishers
PAGE	<b>WARNING SIGNAGE</b>
128	Day Bunting
128	Do Not Climb Tags
129	Danger Live Wire Warning Signs
129	Danger Warning Sign
129	Custom Warning Signs
129	Neutral Flag
130	Warning Strip
130	Hi-Viz Pole Sash
PAGE	<b>GEAR STORAGE</b>
130	Gear Bag
PAGE	<b>POP'N'WORK POP UP WORK SHELTERS</b>
131	Pop'N'Work Ground Tents
131	Pop'N'Work Suction Cup Anchors
132	Pop'N'Work Versa Tents
132	Pop'N'Work Umbrellas



## KNEE PADS

### X-FLEX BALLISTIC KNEE PAD

#### FEATURES

- Incredibly tough flexible outer shell is chemical resistant—withstanding extreme cold and heat
- Non-marking grip strip grips on most surfaces
- Extended face greatly increases comfort especially for prolonged kneeling
- Hinged with metal rivet so it moves like your knee and stays in place
- 16mm thick closed-cell inner foam pad will not absorb moisture
- Soft elastic woven strap coupled with our Speed Clip allows for easy on-off and adjustment while pad is attached
- Placement of straps will not bind behind knee!

Cat No.	Description
EUF	X-FLEX BALLISTIC KNEE PAD



### X-FLEX ZIPPY KNEE PAD

#### FEATURES

- Light weight, flexible, comfortable knee pad
- Neoprene inner and outer
- Dense, progressive EVA foam padding
- Dual straps with convenient hook-and-loop closure
- Ideal for workers frequently transitioning between kneeling and standing—not restrictive when walking
- On backing card for hangsell display

Cat No.	Description
EKPZ	X-FLEX ZIPPY KNEE PAD SINGLE



### X-FLEX ACTIV KNEE PAD

#### FEATURES

- Ergonomically designed, durable knee pad for heavy use
- Neoprene liner, two-layer outer of ballistic poly fabric and non-slip PVC Foam padding with layered technology
- Adjustable dual straps with easy click-fit clip fasteners
- On backing card for hangsell display

#### SUITABLE APPLICATIONS

- Tiling
- Mechanical
- Flooring
- Roofing
- Plumbing
- Concreting
- Plastering
- Construction
- Paving
- Gardening

Cat No.	Description
EKPA	X-FLEX ACTIV KNEE PAD SINGLE





## EAZI-FIT KNEE PAD

### FEATURES

- Comfortable
- Quick and easily adjustable velcro straps
- Made with high quality neoprene material

### SUITABLE FOR

- Builders
- Painters
- Electricians
- Engineers
- Decorators
- Roofers
- Cleaners
- Plumbers
- Boaties
- Gardeners



Cat No.	Description
EAZI-FIT	EAZI-FIT KNEE PAD SINGLE

## TRAFFIC MANAGEMENT CLASSIC CONE

The Classic 4.5kg cone is one of the most common cones you will see on the roads of New Zealand. It is NZTA compliant, UV stabilized, made of high quality PVC and is 900mm in height.

### FEATURES

- 4.5kg
- 900mm (H)
- UV stabilised
- High quality PVC
- Cone collars
- NZTA compliant
- Wide fit

Cat No.	Description	Height (mm)	Weight (kg)
TC900-HCH	CLASSIC CONE	900	4.5



## POP-UP CONE WITH LIGHT

The Popup Cone is also known as a retractable traffic cone or collapsible road cone. Collapsible for compact storage. With a weighted base and a built in flashing light, which slots in under the base, they are great to have in an emergency.

These are perfect for people or crews that don't need to use cones all the time and space in the vehicle is at a premium. Also available in 700mm & 450mm heights on request.

**NOTE:** These cones are not NZTA compliant.

Cat No.	Description	Height (mm)	Weight (kg)
TN-4025	POP-UP CONE	900	2.2





## EXTENDABLE CONE ARMS

Best used in combination with road cones, the circular loops at the end of each arm simply hooks over the top of the cone and can extend from 1.3m – 2.2m to create an instant traffic barricade or short term barrier around hazardous or controlled areas.



### FEATURES

- 0.5kg
- Extends from 1.3m – 2.2m
- Retractable
- Reflective yellow sheeting
- Heavy Duty PVC
- Super strong loops

Cat No.	Description	Length (m)	Weight (kg)
TN-4062	EXTENDABLE CONE ARMS	1.3-2.2	0.5

## CONE TOPPERS

These cone toppers are perfect for creating a long and cost effective delineation or barrier. With a high quality red/white or black/yellow band it is very visible and easy to use. Use the cone topper to cordon off areas and create a safety barrier.



### FEATURES

- Extendable
- Diagonal striped belt
- Fits all standard road cones
- 4 way connectivity
- Easy attachment to wall available
- Colours: red/white or yellow/black

Cat No.	Description	Length
TN-5120	CONE TOPPER RED/WHITE	UP TO 2.9M
TN-5121	CONE TOPPER YELLOW/BLACK	UP TO 2.9M
TN-5123	CONE TOPPER - RED/WHITE	UP TO 9M

## 5 CHANNEL CABLE PROTECTOR

Rubber cable protectors allow you to safely protect your cables and are the ideal cable management solution for the short and medium term.



### FEATURES

- PVC lid with compressed virgin rubber base for extra carrying capacity
- 5 x 35mm Cable Channel
- Corners available
- Cost effective
- Indoor and outdoor use
- Suitable for light vehicles and pedestrians
- 18 Tonne bearing weight

Cat No.	Description	Dimensions (mm)	Weight (kg)
TN-5076	5 CHANNEL CABLE PROTECTOR	900 L x 430 W x 50 H	16



## WHEEL CHOCK

This wheel chock features tough rubber construction and is large enough to suit all vehicles large and small. The base has been serrated for extra grip with yellow reflective grit covering the surface of the wheel chock for easy night time vision.

### FEATURES

- Heavy Duty
- Moulded rubber construction
- Suitable for trucks and cars
- Long lasting
- Grip handle

**NOTE:** Sold Individually.



Cat No.	Description	Dimensions (mm)	Weight (kg)
TN-5241	WHEEL CHOCK	270 L × 180 H × 120 W	3.1

## MEASURING WHEEL

### FEATURES

- Top-mounted counter with push reset for highly convenient measuring
- 5-digit counter measures to 9999.9 metres
- Holder for aerosol spray marking paint
- Unclips and folds for easy storage
- Fold-down kickstand
- Supplied with carry bag and shoulder strap

### SUITABLE FOR

- Fencing
- Paving
- Road construction
- Concrete work
- Accident scenes
- Geologic sites
- Surveying
- Irrigation
- Farming and forestry
- Sports training
- Insurance claims
- Roofing
- Landscaping
- Groundscare

Cat No.	Description	Dimensions (mm)
TN-6130	MEASURING WHEEL	318MM WHEEL DIAMETER, 550MM FOLDED LENGTH, 1000MM EXTENDED LENGTH



## VEHICLE FLASHING LIGHT

### ALTIFLASH HIGH PERFORMANCE LED BEACON, MAGNETIC MOUNT

This high performance LED beacon is suitable for agricultural vehicles, refuse collection, road and infrastructure maintenance, mowing and weed spraying, surveying, airports and transport hubs, logistics, construction, and more.

### FEATURES

- Excellent light output from 12 x 3W high power LEDs coupled with high intensity reflector
- Clear visibility even in daylight
- ECE R65 Class 1 approved
- Voltage: 12-24V
- Waterproof rated IP67
- Shatterproof polycarbonate dome
- Flash pattern selection by switch-on plug
- Includes mounting gasket and bolts
- 2-year warranty



Cat No.	Description	Dimensions (mm)
LBA-M	MAGNETIC MOUNT LED BEACON	132 H × 144 MAX. DIA (128 LENS DIA)



## LOCKOUTS

### LOCKOUT HASP

#### FEATURES

- Galvanised steel hasp with nylon PA coated handle
- The hasp's internal diameter is 25mm and its 6 lockout holes are 10mm in diameter



Cat No.	Description
LOH25	LOCKOUT HASP 25MM
LOH38	LOCKOUT HASP 38MM

### BASIC LOCKOUT KIT



#### CONTENTS

- Handy carry pouch
- 5 hardwearing lockout tags
- 2 x yellow MCB 10mm wide
- 1 x 38mm Safety Padlock - steel hasp
- 1 x blue MCB 23mm wide
- 1 x 38mm Safety Padlock - dielectric hasp
- 1 x Plastic Lockout Hasp Long

Cat No.	Description
BLK	BASIC LOCKOUT KIT

### SAFETY PADLOCKS

#### FEATURES

- A 38mm high, 6mm wide hasp (shackle)
- Steel or dielectric nylon hasp options
- PA body
- Features a 6 pin lock cylinder, key retention, and 2 keys per lock
- These padlocks will tolerate temperatures from -57°C to +177°C

Cat No.	Description
SPL38	SAFETY PADLOCK 38MM HASP
SPLD38	SAFETY PADLOCK 38MM DIELECTRIC HASP

Add suffix for colour: -OR = Orange, -YW = Yellow, -RD = Red, -GN = Green, -BL = Blue, -PU = Purple, -BK = Black, -WH = White

### LOCKED OUT TAGS


#### FEATURES

- Hardwearing write-on PVC tags
- Pack of 25
- 80x145mm



Cat No.	Description
ES1061	DANGER RED/WHITE LOCKED OUT TAGS 25PK

### LOCKOUT STATION



#### CONTENTS

- Lockout station
- 4 SPL38 - RED padlocks
- 2 x 25mm hasps
- 25 lockout tags

Cat No.	Description
LOS4C	LOCKOUT STATION WITH COMPONENTS



SPL38



# RESCUE KITS

## LOW VOLTAGE RESCUE KIT

In order to maintain a safe work environment we must take all necessary precautions to deal with an emergency should one occur. One of the easiest precautions to make for people working in the electricity industry is to have an LV rescue kit on site in situations where electric shock could occur.

For ease of identification this LV Rescue Kit is supplied in a heavy duty yellow bag, it is clearly labelled and there is a contents list printed on the inside flap of the bag. This list helps ensure the kit is complete and if it's found to be incomplete it is easy to determine what is missing so it can be restocked.

Designed for use in emergencies around LV electrical systems. It is perfect for all staff tasked with working on live LV electrical systems whatever the location.

### FEATURES

- High quality rescue kit, complies with all relevant standards
- Essential for anyone working on live electricity and live poles
- Suitable for anyone at risk of electric shock including emergency services

### KIT CONTAINS

- Electrosoft 1000V Electrical Gloves Size 10
- First Aid Booklet
- Multi Trauma Dressing
- 'Isolate Here' Sign
- LV Rescue Hook
- Eveready 2D Brilliant Beam Torch VAL2D
- Fire Blanket 1.2m x 1.8m AS/NZS 3504 Approved
- Heavy duty yellow storage bag



Cat No.	Description
LVRESCUEKIT	RESCUE KIT FOR WORK ON LOW VOLTAGE SWITCHBOARDS ETC.

## HIGH VOLTAGE RESCUE KIT

The high voltage rescue kit is designed to be used by a safety observer for the safe rescue and assistance of victims of electrical shock and other injuries when working on switchboards, installations and substations.

### KIT CONTAINS

- 1 x Pair of Rubber insulated Gloves, yellow/black, size 11 - 16", class 2, 17kV AC
- 1 x HV rescue Bag - PVC yellow, 460x260x120mm, shoulder strap
- 1 x Bandage – Multi Trauma Dressing 250mmx750mm
- 1 x First aid quick reference booklet
- 1 x Fire Blanket
- 1 x Insulated HV rescue hook 1.7m, 50kV
- 1x Torch
- 1 x Card listing contents, next test date table, 90mmX140mm
- 1 x Hanging sign "Isolate here in Emergency"



Cat No.	Description
HVRESCUEKIT	HV RESCUE KIT - INCL CL 2 GLOVES AND 1.7M HV 50KV RESCUE CROOK



# FIRE EXTINGUISHERS

## ABE POWDER TYPE PORTABLE FIRE EXTINGUISHERS

### FEATURES

- High quality thick powder coating with increased UV resistance
- Supplied with bracket
- AS/NZS 1841.5 Approved
- Special hose hook to secure the hose to the side of the extinguisher body
- G4.5ABE & G9ABE feature a thick skirt at the bottom and fit into all standard sized vehicle brackets



Cat No.	Size	Bracket Supplied
G1HABE	1.0KG	VEHICLE
G1.5ABESVB	1.5KG	VEHICLE
G2.0ABEVB	2.0KG	VEHICLE
G2.5ABEVB	2.5KG	VEHICLE & WALL
G4.5ABE	4.5KG	WALL
G9ABE	9.0KG	WALL

# WARNING SIGNAGE

## DAY BUNTING

### FEATURES

- Provides excellent visibility for hazardous areas
- Hi-Vis fluoro PVC triangle flags
- 32 metre length
- Reusable high strength nylon rope
- 45 flags



Cat No.	Description
TN-6030	32M DAY BUNTING ORANGE

## DO NOT CLIMB TAGS

Caution tags for identifying poles or structures that are unsafe to climb. With three colours available, different degrees of danger can be easily identified.

- 3 colours available
- Clear text printed on one side of tag
- Fixing hole in every tag



Cat No.	Description
06B-CAUTION	CAUTION TAG BLUE
06R-CAUTION	CAUTION TAG RED
06Y-CAUTION	CAUTION TAG YELLOW
DANGERCLIMB	DANGER TAG YELLOW



## DANGER LIVE WIRE WARNING SIGNS

Danger sign for identifying live underground or overhead wires. The white background with red text is a familiar design feature for such signs. Made from sturdy plastic with affixing slots large enough to accommodate band strap these signs can be installed in a number of ways.




Cat No.	Description
DANGERTAG	DOUBLE SIDED SIGN WITH DIFFERING ORIENTATIONS (SOLD IN PACKS OF 100, 25 SHEETS OF 4 SIGNS)

## DANGER WARNING SIGN

PVC sign designed for use in substations and towers. Voltages listed can be customised as required. Please contact us to discuss your requirements.

Cat No.	Description
TN-3903	DANGER HIGH VOLTAGE PVC SIGN, 240MM X 340MM



## CUSTOM WARNING SIGNS

Full and comprehensive range of fully customisable signage on PVC sheet. Examples shown are not exhaustive. Please contact us to discuss your requirements.

Description
CONTACT US FOR YOUR CUSTOM WARNING SIGN REQUIREMENTS



## NEUTRAL FLAG

To identify the Neutral conductor when working on overhead lines. Made of sturdy PVC to withstand outdoor elements, has neoprene on the inside to avoid slipping down the wire and 12 magnets secured in the material to keep in place. The black loop at the corner gives easy access to remove while wearing gloves.



Cat No.	Description	Colour
NEUTRAL-FLAG	MAGNET NEUTRAL FLAG	YELLOW



## WARNING STRIP

Warning strip is laid in the ground above the cable after the trench has been partially backfilled. This secondary protection for underground utility cables and pipes is the main use for warning strip. Another common use is for cordoning off hazardous areas to keep the public safe.

### KEY FEATURES

- Designed and manufactured to AS/NZS 2648.1:1995 *Underground marking tape – Non-detectable standard*
- Made from recycled Polyethylene
- Operating temperature -20°C to 120°C



Cat No.	Type	Colours	Roll Length (m)	Width (mm)
BTOE100MT			100	
BTOE300MT	ELECTRICAL WARNING STRIP	ORANGE / BLACK TEXT	300	
BTOE500MT			500	100
BTDT100M	DANGER KEEP OUT WARNING STRIP	WHITE / RED TEXT	100	

## HI-VIZ POLE SASH

Made from a sturdy water-resistant Hi-Viz orange material with plastic reflective at the top and bottom. Velcro at each end if required.

### FEATURES

- Silver reflective 20mm high
- Doubled Hi-Viz Material
- Heatpress wording at approx. 750mm wide
- Velcro closure hook & loop at both ends



Cat No.	Type
HI-VIZ-POLE-SASH	"DO NOT OPERATE" HI-VIZ POLE SASH 1800MM L x 180MM

## GEAR STORAGE

### GEAR BAG

#### FEATURES

- Suitable for storage and transportation of field staff PPE
- Water resistant PVC material
- 66cm long X 31cm high/wide
- Robust double zipper
- Web strap carry handles double stitched for longevity



Cat No.	Description	Dimensions (cm)
PVCGBS	WATER RESISTANT PVC GEAR BAG - BLUE	66 x 31



# POP'N'WORK POP UP WORK SHELTERS

## POP'N'WORK GROUND TENTS

Pop'N'Work tents provide a safe and comfortable work environment to increase productivity and reduce weather related delays. Made from a lightweight, UV protective polyester that is water repellent and flame resistant to CPAI-84 standards. Pitched roof provides extra headroom and structural strength to hang tools & lights.

### FEATURES

- Two year guarantee on the frame
- Lightweight and durable
- Convenient - POP'N'WORK Quick-Pack, tent rolls up into carrying case, no separate bag
- Exclusive POP'N'WORK unified frame made with cold rolled steel and
- fibreglass is virtually unbreakable
- Tie downs for windy weather
- One or two door options
- Screen windows with flap
- Vent ports
- Floor available
- Beyond just adding a logo we can engineer a tent to your specific application



**NOTE:** Customise your Pop'n'Work tent by adding your logo, for more information and costs associated with this option please contact our customer service team.

Cat No.	Imperial Size D x W (ft)	Metric Size D x W (m)	Height (m)	Details
GS-4423SIP	4 x 4	1.2 x 1.2	2.0-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-6423SIP	6 x 4	1.8 x 1.2	2.0-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-6611A	6 x 6	1.8 x 1.8	2.0-1.8	'A' SHAPE FRONT DOOR
GS-6623SIP	6 x 6	1.8 x 1.8	2.0-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-8823SIP	8 x 8	2.4 x 2.4	2.3-1.8	ROLL UP FRONT & 'A' SHAPE REAR DOORS, SPLIT REAR GROUND STRUT
GS-10823	10 x 8	3.0 x 2.4	2.6-2.0	ROLL UP FRONT & 'A' SHAPE REAR DOORS
FX-101011	10 x 10	3.0 x 3.0	2.6-2.3	'A' SHAPE FRONT DOOR
FX-121023	12 x 10	3.6 x 3.0	2.6-2.3	ROLL UP FRONT & 'A' SHAPE REAR DOORS

**NOTE:** Other sizes/models available on request.

## POP'N'WORK SUCTION CUP ANCHORS

These anchors provide another way to secure a tent. The strong 3.25" suction cup attaches to most smooth surfaces and an adjustable 33" strap can be clipped to the inside of the tent.



Cat No.	Details
SA48	2PC SET SUCTION CUPS W/WEBBING TENSIONING STRAPS



## POP'N'WORK VERSA TENTS

Designed for work adjacent to walls or in tight spaces, the Pop'N'Work Versa Tent is the perfect option for cabinets when overhead room is limited.

### FEATURES

- Quick and easy setup, pop out the two tension frames
- All parts bolted, no loose parts
- Tight and rigid structure
- Windy weather tie downs
- Roof is slanted to direct water away from work area
- Lightweight
- Coated polyester cover
- One full width rollup door and one slit door. Zipper closures
- Ground flaps
- Additional suction anchoring straps also available
- Beyond just adding a logo we can engineer a tent to your specific application

**NOTE:** Customise your Pop'n'Work tent by adding your logo, for more information and costs associated with this option please contact our customer service team.



Cat No.	Imperial Size D x W (ft)	Metric Size D x W (m)	Height (m)	Details
GS-4423VT	4 x 4	1.2 x 1.2	1.8-1.5	SLOPED ROOF, ROLL UP FRONT & 'A' SHAPE
GS-6523VT-F	6 x 5	1.8 x 1.6	2.0-1.8	REAR DOORS

## POP'N'WORK UMBRELLAS

Pop'N'Work Umbrellas have heavy duty frames that can withstand strong winds.

### FEATURES

- Eight panel umbrella with a two piece pointed pole
- 25 degree tilt pole versions available
- Standard colour is yellow, other colours available on special order
- 10 oz Yellow vinyl laminate fabric
- Flame retardant to meet CPAI-84 requirements
- UV treated, waterproof and rot resistant
- Two piece Aluminium pole with Steel spreaders and ribs



Cat No.	Size	Type
5484MS	54" x 54"	SQUARE FOUR PANEL UMBRELLA, WITH SEALED SEAMS. COMPLETE WITH TWO PIECE TILTING POLE AND STORAGE BAG
8492M	84" DIA	OCTAGONAL EIGHT PANEL UMBRELLA, WITH SEALED SEAMS. COMPLETE WITH TWO PIECE TILTING POLE AND STORAGE BAG
UCCS	84" DIA	UMBRELLA AND KOOL KLAMP SYSTEM, 8492M UMBRELLA, TWO PIECE TILTING POLE WITH FOUR HEAVY DUTY SUCTION CLAMPS AND STORAGE BAG
STN2-SD	40" x 40"	LIGHTWEIGHT UMBRELLA STAND, FOLD-UP LEGS. 1M x 1M OPEN BASE
STN1-HD*	24" x 43" (44" x 81" EXTENDED)	HEAVY DUTY UMBRELLA STAND WITH EXPANDABLE BASE TO 44" x 81"

\*Available on request

**A**

ARC FLASH PROTECTION — SEE ALSO CLOTHING

BALACLAVA	<b>27</b>
FACE SHIELDS	<b>26, 27</b>
HELMET WITH INTEGRATED FACE SHIELD	<b>26</b>
HOODS	<b>28, 29</b>
FANS	<b>30</b>
REPLACEMENT SHIELDS	<b>30</b>
ARC RATED ANTISTATIC RAINWEAR	<b>18-19</b>
ARC RATED CHIN STRAP	<b>38</b>

**B**

B22 PLASTIC BUTTONS	<b>63</b>
BALACLAVA	<b>27</b>
BLANKET PEG	<b>70</b>
BLUNDSTONE SAFETY FOOTWEAR	<b>72-74, 77</b>
BOOTS — SEE GUMBOOTS	
ACCESSORIES	<b>78</b>
UNISEX	<b>72, 73, 74, 75, 76</b>
WOMEN'S	<b>74</b>
BUMP CAPS	<b>39</b>
BUNTING	<b>128</b>

**C**

CABINETS - DANGEROUS GOODS	<b>118</b>
CABLE END COVERS	<b>66</b>
CABLE PROTECTOR	<b>124</b>
CARABINERS	<b>92-94</b>
CHINSTRAPS	<b>34, 36, 38</b>
CLOTHING	
BIB OVERALL	<b>10</b>
BIB TROUSERS	<b>19</b>
COATS	<b>11</b>
COVERALL KITS	<b>9</b>
COVERALLS	<b>9, 23-24</b>
JACKET & BIB OVERALLS KITS	<b>9, 12, 13</b>
JACKETS	<b>5, 8, 10, 16, 18</b>
MERINO	<b>4, 22, 27</b>
OVERALLS	<b>6</b>
SHIRTS	<b>6</b>
TROUSERS	<b>5, 7, 8, 16, 17, 18</b>
VESTS	<b>17, 19</b>
COMMUNICATION EARMUFFS	<b>43</b>
CONES — SEE TRAFFIC CONES	
CONE TOPPERS	<b>124</b>
COTTON GLOVE LINERS — SEE GLOVES & ACCESSORIES	
COVERALLS — SEE CLOTHING	

**D**

DANGEROUS GOODS STORAGE CABINETS	<b>118</b>
DANGER SIGNS	<b>129</b>
Dielectric Arc Rated Gumboots	<b>78</b>
DISPOSABLE COVERALLS	<b>23-24</b>
DO NOT CLIMB TAGS	<b>128</b>
DOUBLE LOCKING SNAP HOOK	<b>94</b>
DRAIN GUARD	<b>112</b>
DRAIN MAT	<b>113</b>
DRAIN SEAL	<b>113</b>
DRIVE-OVER BUNDING	<b>108</b>

**E**

EARMUFFS	<b>42, 43</b>
ACCESSORIES	<b>42</b>
HYGIENE KIT	<b>42</b>
EARPLUGS	<b>43</b>
EAR PROTECTION — SEE EARMUFFS	
EFFERVESCENT TABLETS	<b>97</b>
EQUIPOTENTIAL MAT	<b>68</b>
EYE PROTECTORS	<b>46</b> — SEE ALSO GOGGLES; SEE ALSO SAFETY SPECS
EYE SHIELDS	<b>33, 37</b>
EYEWASH	<b>96</b>

**F**

FANS FOR SWITCHGEAR HOODS	<b>30</b>
FIRE EXTINGUISHERS	<b>128</b>
FIRE RETARDANT COVERALLS	<b>23-24</b>
FIRST AID KITS	<b>99-106</b>
FLAME RETARDANT ANTISTATIC RAINWEAR	<b>16-17</b>
FOOTBEDS	<b>79</b>
FOOTWEAR ACCESSORIES	<b>78</b>

**G**

GEAR BAG	<b>130</b>
GLOVE POWDER	<b>63</b>
GLOVES & ACCESSORIES	
ACCESSORIES	<b>54, 63, 64, 70</b>
COTTON GLOVE LINER	<b>61</b>
COTTON GLOVE LINERS	<b>60-61</b>
KEVLAR GLOVES & SLEEVES	<b>52</b>
LABELLING CHART	<b>55</b>
LEATHER OVERGLOVES	<b>60, 61</b>
RUBBER INSULATING GLOVES	<b>56-59</b>
RUBBER INSULATING SLEEVES	<b>62</b>
WORKING & RIGGER GLOVES/SLEEVES	<b>52-54</b>
GLOVES IN A BOTTLE	<b>64</b>
GLOVE SIZING GUIDE	<b>55</b>



GLOVE STORAGE BAGS	<b>64</b>
GOOGLES	<b>50</b> — SEE ALSO EYE PROTECTORS; SEE ALSO SAFETY SPECS
GRAVEL BAGS	<b>112</b>
GROUND MATS	<b>68</b>
GUMBOOTS	<b>77-78</b>

## H

HARD HATS	<b>26, 32, 33, 35, 36, 37, 69</b>
ACCESSORIES	<b>33, 34, 36, 37, 38, 39</b>
HARDTOP CONTAINMENT	<b>111</b>
HARNESSES	<b>88, 89</b>
HASP	<b>126</b>
HEADLAMPS	<b>40</b>
HELMET LINER	<b>34</b>
HIGH VOLTAGE RESCUE KIT	<b>127</b>
HRC2/PPE2 CLOTHING	<b>5-8</b>
HRC3/PPE3 CLOTHING	<b>9</b>
HRC4/PPE4 CLOTHING	<b>10-13</b>
HYDRATION	<b>97</b>

## I

INSULATING GLOVES — SEE GLOVES & ACCESSORIES	
INSULATING MATS — SEE MATS	
INSULATING MATS/DRAPES/LINE GUARDS	<b>66</b>

## J

JOHN BULL SAFETY FOOTWEAR	<b>75-76</b>
JUMPER WIRE GUARDS	<b>69</b>

## K

KNEE PADS	<b>122-123</b>
-----------	----------------

## L

LACES	<b>78</b>
LADDERS	<b>82-86</b>
LANYARDS	<b>90, 91, 92</b>
LEATHER GLOVES — SEE GLOVES & ACCESSORIES	
LENS ACCESSORIES	<b>50</b>
LENS CLEANING WIPES	<b>50</b>
LINE COVER — SEE TIGER TAILS	
LINE PROTECTION	<b>69</b>
LION TAILS	<b>69</b>
LIQUID RUBBER CLEANER	<b>63</b>
LOCKOUT KIT	<b>126</b>
LOCKOUTS	<b>126</b>
LOW VOLTAGE RESCUE KIT	<b>127</b>
LV DRAPES	<b>66</b>
LV MATS	<b>66</b>

## M

MATS	<b>66-67</b>
MEASURING WHEEL	<b>125</b>
MERINO	<b>4, 22, 27</b>
MV BLANKETS	<b>67</b>
MV MATS	<b>67</b>

## N

NEUTRAL FLAG	<b>129</b>
NEXUS HARD HATS & ACCESSORIES	<b>32-34</b>

## O

OILY RAG WASTE CANS	<b>120</b>
OUTDOOR HARDTOP CONTAINMENT	<b>111</b>
OVERGLOVES — SEE GLOVES & ACCESSORIES	

## P

PADLOCKS	<b>126</b>
PETZL HARD HATS & ACCESSORIES	<b>36-37</b>
PIPE SOCK	<b>112</b>
POLE SASH	<b>130</b>
POLE STRAP	<b>91</b>
POP'N'WORK	
TENTS	<b>131-132</b>
UMBRELLAS	<b>132</b>
PORTABLE CONTAINMENT BUNDING	<b>110</b>

## R

RESCUE KIT	<b>127</b>
ROAD CONES — SEE TRAFFIC CONES	
ROTOFLEX SAFETY FOOTWEAR	<b>72-74</b>
RUBBER ACCESSORIES — SEE GLOVES & ACCESSORIES	
RUBBER INSULATING GLOVES & SLEEVES — SEE GLOVES & ACCESSORIES	

## S

SAFETY BOOTS — SEE BOOTS	
SAFETY GOGGLES & ACCESSORIES	<b>50</b>
SAFETY SPECS <b>46-49</b> — SEE ALSO EYE PROTECTORS; SEE ALSO GOGGLES	
ACCESSORIES	<b>50</b>
SHIELD STORAGE BAG WITH DRAWSTRING	<b>29</b>
SHOCK BLOCKS	<b>92</b>
SHOES — SEE BOOTS	
SIGNAGE	
DANGER LIVE WIRE WARNING SIGNS	<b>129</b>
DO NOT CLIMB TAGS	<b>128</b>
HI-VIZ POLE SASH	<b>130</b>
LOCKED OUT TAGS	<b>126</b>
WARNING MARKERS	<b>70</b>



WARNING SIGNAGE	<b>128-130</b>	WOMEN'S SAFETY SHOES — SEE BOOTS
WARNING STRIP	<b>130</b>	WORK BOOTS — SEE BOOTS
SKIN PROTECTION	<b>98</b>	WORKING & RIGGER GLOVES — SEE GLOVES & ACCESSORIES
SLEEVES		
PROTECTIVE	<b>54</b>	
RUBBER	<b>62</b>	
SPILL ABSORBENTS	<b>115, 116</b>	
SPILL CONTAINMENT	<b>108</b>	
SPILL DECK	<b>109</b>	
SPILL DECK BLADDER SYSTEM	<b>109</b>	
SPILL DECKS	<b>109</b>	
SPILLFIX	<b>116</b>	
SPILL PALLETS	<b>110</b>	
SPILL RESPONSE KITS	<b>114</b>	
SPILLSORB	<b>116</b>	
STORAGE BAGS	<b>64, 130</b>	
STORAGE CABINETS	<b>118-120</b>	
STORMWATER MANAGEMENT	<b>112</b>	
SUBSTATION & SWITCHBOARD KITS	<b>67</b>	
SUCTION CUP ANCHORS	<b>131</b>	
SUNSCREEN	<b>98</b>	
SWITCHGEAR HOODS — SEE ARC FLASH PROTECTION		

**T**

TAGS	<b>128</b>
TENTS	<b>131-132</b>
TIGER TAILS	<b>69</b>
TOWER HOOK	<b>92, 94</b>
TRAFFIC CONES	<b>123</b>
CONE TOPPERS	<b>124</b>
EXTENDABLE CONE ARMS	<b>124</b>
TRAFFIC MANAGEMENT	<b>123-125</b>
TTMC-W17 CLOTHING	<b>16, 17</b>
TUFF-NUT HARD HATS & ACCESSORIES	<b>35-36</b>

**U**

UMBRELLAS	<b>132</b>
UTILITY TRAYS	<b>108</b>

**V**

VEHICLE FLASHING LIGHT	<b>125</b>
------------------------	------------

**W**

WARNING MARKERS — SEE SIGNAGE	
WARNING SIGNAGE — SEE SIGNAGE	
WARNING STRIP — SEE SIGNAGE	
WATERPROOF BOOT SPRAY	<b>78</b>
WHEEL CHOCK	<b>125</b>





**0800 442 182****+64 9 274 3340****sales@transnet.co.nz****TRANSNET NEW ZEALAND LTD****AUCKLAND**

78 Cryers Road  
East Tamaki  
Auckland  
NEW ZEALAND  
Ph 0800 442 182  
PO Box 39 383  
Howick, Auckland  
sales@transnet.co.nz

**NEW ZEALAND****WELLINGTON**

10 Petone Ave  
Petone  
Wellington  
NEW ZEALAND  
Ph 0800 442 182  
PO Box 39 383  
Howick, Auckland  
sales@transnet.co.nz

**NEW ZEALAND****TRANSNET TONGA****TONGA**

Lakalakaimonu Multi Utility Complex  
Taufa'ahau Road, Poutaha  
Nuku'alofa  
TONGA  
Ph +67 627 939  
PO Box 2932  
Nuku'alofa  
transnet@kalianet.to

**TONGA**